

UPDATED PUBLIC NOTICE

Modification to Air Quality Construction Permit #359-M2-RV1 For Coreslab Structures (Albuquerque) Inc.

Coreslab Structures (Albuquerque) Inc. (Coreslab Structures) has submitted a construction permit application to the Air Quality Program (Program) of the City of Albuquerque Environmental Health Department for modification to Construction Permit #359-M2-RV1, for its concrete batch plant. The application was received by the Program on June 10, 2019. The owner of this facility is **Coreslab Structures**, 2800 2nd Street SW, Albuquerque, NM 87102. This application file has been assigned **Permit Application No. 359-M4**. The Department has made an affirmative administrative completeness determination and is providing this notice pursuant to 20.11.41.14 NMAC.

The 250 cubic yards per hour concrete batch plant facility is located at 2800 2nd St. SW in Albuquerque, New Mexico. The applicant proposes to modify the facility by adding a 300-gallon above-ground gasoline tank for fueling onsite motor vehicles, an additional storage silo for white cement and dry outdoor abrasive blasting of special projects. The existing facility is a concrete batch plant, which includes storage bins, conveyors, sand and gravel hopper, cement hopper, (2) mixers, (3) storage silos, (4) natural gas fired boilers and two (2) spray guns.

The proposed air pollutant maximum allowable emissions from this facility have been estimated to be:

POLLUTANT	Proposed Net Changes		Proposed Total Emissions ¹	
	(lbs/hr)	(tpy)	(lbs/hr)	(tpy)
Carbon Monoxide (CO)	--	--	1.0 (unchanged)	2.3 (unchanged)
Nitrogen Oxides (NO _x)	--	--	1.3 (unchanged)	2.7 (unchanged)
Non-Methane Hydrocarbons (NMHC)	0.03	0.14	0.08	0.29
Sulfur Oxides (SO _x)	--	--	0.01 (unchanged)	0.01 (unchanged)
Particulate Matter <10 microns (PM-10)	3.1	2.4	3.7	3.2
Particulate Matter <2.5 microns (PM-2.5)	0.40	0.42	0.40	0.42

¹The proposed total emissions in this notice may change during the course of the Program's review of the application.

The Program has conducted a preliminary review of the air quality modeling information submitted with the permit application. The Department's preliminary review and the applicant's analysis of ambient air quality impacts indicated that the facility's air emissions will meet the air quality standards for CO, NO_x, NMHC, SO_x, and Particulate Matter (both PM₁₀ and PM_{2.5}). In regards to the ozone air quality standard, ozone is normally only modeled for regional compliance demonstrations and does not need to be modeled for air quality permits subject to certain exceptions not applicable here. The Program's ambient air quality modeling guidelines are available at: <http://www.cabq.gov/airquality/air-quality-permits/dispersion-modeling-guidelines>.

A copy of the permit application, all supporting documentation, and the Program's technical analysis, if and when it is completed, may be inspected by the public at the Program offices at Room 3047, One Civic Plaza NW, Albuquerque, NM. Any person who wishes to receive notice of the availability of the Program's technical analysis for review and comment must request notice in writing to the Program at: Albuquerque Environmental Health Department, Air Quality Program – Permitting Section, PO Box 1293, Albuquerque, NM 87103 before the end of the public comment period on August 21, 2019. Interested persons have no fewer than 30 days to submit to the Program written comments and evidence concerning the permit application, request(s) for a public information hearing, or both. Comments will be accepted and considered if postmarked by the end of the public comment period. Formal action on the application will be reserved pending receipt and analysis of any additional details or information developed during the public comment period. Any person who does not participate in the permitting action will not receive notification of the Program's decision regarding the proposed permit, unless the person has delivered a written request for such notice to the

department. The application and the public notice are available online at <http://www.cabq.gov/airquality/air-quality-permits>.

The Program shall hold a Public Information Hearing pursuant to 20.11.41.15 NMAC if the Director determines there is significant public interest and a significant air quality issue is involved.

The Program expects to issue, issue subject to conditions, or deny this application, on or before October 8, 2019. The Program will not issue any air quality permit with or without conditions unless an air quality ambient impact dispersion modeling study, if deemed necessary by the Program, shows that the facility would not cause or contribute to a potential violation of air quality standards. If the Program issues the permit with conditions, the conditions will include those that limit the emissions, and conditions that will require recordkeeping and reporting to the Program to ensure compliance with federal and local air regulations.

The Program's offices are located at One Civic Plaza NW, Room 3047, Albuquerque, NM 87102. The Program's mailing address is Albuquerque Environmental Health Department, Air Quality Program – Permitting Section, PO Box 1293, Albuquerque, NM 87103.

For more information call Regan Eyerman, Senior Environmental Health Scientist at (505) 767-5625 or reyerman@cabq.gov.

NOTICE OF NONDISCRIMINATION AND ASSISTANCE FOR PERSONS WITH DISABILITIES OR SPECIAL NEEDS: Those in need of hearing assistance may call 711. The City of Albuquerque does not discriminate on the basis of race, color, national origin, age, disability, religion, ancestry, sexual orientation, gender identity, spousal affiliation or sex. If you believe you have been discriminated against, you may submit a complaint at <https://www.cabq.gov/legal/civil-rights>. You may also contact Torri Jacobus, Managing Attorney, Office of Civil Rights at oei@cabq.gov or 505-768-4595.

If you have a disability and require special assistance to participate, please contact Regan Eyerman at 505-767-5625 as soon as possible before the deadline.