



Department of Safety and Risk Services (SRS)
MSC07 4100
1 University of New Mexico
Albuquerque, NM 87131-0001
Phone: (505)277-2753 Fax: (505)277-9006
srs.unm.edu

November 9, 2016

Sent via email: ppuckett@cabq.gov

Paul Puckett
Environmental Health Scientist
Stationary Source Permitting Division
Air Quality Program
Environmental Health Department
City of Albuquerque
(505) 767-5626

Re: Notice of Intent to Construct forms, University of New Mexico (UNM)

Dear Mr. Puckett,

On October 24, 2016 UNM mailed the enclosed Notice of Intent to Construct forms to Elizabeth Doak with the Silver Hill Neighborhood Association, address 1606 Silver Ave SE Albuquerque, NM 87106, pursuant to 20.11.41 NMAC. These forms are for the construction of three new diesel-fired emergency generators at UNM's Zimmerman library, Popejoy Hall and Economics Building. To date, UNM has not received a certified mail receipt from the recipient. The tracking number provided by USPS is 9171999991703512783187.

Using the tracking number, UNM was able to verify that the forms were delivered on October 25, 2016 at 3:29 pm.

Should you have any questions, please do not hesitate to contact me at 505-277-2766.

Sincerely,

Chemanji Shu-Nyamboli

Environmental Health Manager

Puckett, Paul S.

From: Chemanji Manyaka Shu-Nyamboli <cshu@unm.edu>
Sent: Wednesday, November 09, 2016 9:43 AM
To: Puckett, Paul S.
Subject: RE: UNM Air Quality Permit Application Deficiencies
Attachments: Letter re delivery NOI forms.pdf

Hi Paul,

Please see attached. I believe this was the only outstanding item from Cale's email below. I'd be happy to provide any additional information if needed. Assuming everything looks go, what kind of timeframes we are looking at for issuance of the permits? Our project managers have been requesting this information to include in their project schedule.

Thank you,
Che

*Chemanji (Che) Shu-Nyamboli
Environmental Health Manager
Department of Safety & Risk Services (SRS)
University of New Mexico
MSC07 4100, 1 University of New Mexico
Albuquerque, NM 87131-0001
Office: 505.277.2766
Cell: 505.269.9593
Fax: 505.277.9006
E-mail: cshu@unm.edu*

From: Puckett, Paul S. [<mailto:ppuckett@cabq.gov>]
Sent: Monday, November 07, 2016 9:31 AM
To: Chemanji Manyaka Shu-Nyamboli
Subject: RE: UNM Air Quality Permit Application Deficiencies

Hi Che.

From my experience sending out public notices I've had this happen a few times. In this case you can just submit a copy of the letter that was sent to that particular neighborhood association representative with a memo stating you never received a certified mail receipt back. If that letter did not have the certified mail number include that in the memo as well. Hope that helps. Let me know if you have any other questions.

Thank you,
Paul

From: Chemanji Manyaka Shu-Nyamboli [<mailto:cshu@unm.edu>]
Sent: Monday, November 07, 2016 9:18 AM
To: Puckett, Paul S.
Cc: Michael Buchanan
Subject: RE: UNM Air Quality Permit Application Deficiencies

Hi Paul,

Attached is proof of public notice (Certified Mail receipt) for 1 of 2 of the neighborhood association physical addresses listed in the memos that was provided us by Cale. I was waiting to receive the second one so I can send them to you in one packet. It's been over two weeks since we mailed them, and it does not appear that we will be getting the second one anytime soon. I'd hate to hold up our projects for this reason. Do you have any recommendations on how to proceed?

Che

Chemanji (Che) Shu-Nyamboli
Environmental Health Manager
Department of Safety & Risk Services (SRS)
University of New Mexico
MSC07 4100, 1 University of New Mexico
Albuquerque, NM 87131-0001
Office: 505.277.2766
Cell: 505.269.9593
Fax: 505.277.9006
E-mail: cshu@unm.edu

From: Kanack, Cale J. [<mailto:ckanack@cabq.gov>]
Sent: Friday, October 21, 2016 12:17 PM
To: Michael Buchanan; Chemanji Manyaka Shu-Nyamboli
Cc: Puckett, Paul S.
Subject: UNM Air Quality Permit Application Deficiencies

Mike/Che,

I have completed my initial review of the three UNM applications submitted and noted a few deficiencies that will need to be corrected before I can rule the applications administratively complete. They are as follows:

1. No proof of public notice (Certified Mail receipts) for the two physical addresses listed in the memos was provided.
2. For the emailed public notice, the second page of contacts was left off of the recipients.
3. The tpy values in the Notice of Intent to Construct forms should be the controlled maximum emissions rather than the uncontrolled maximum emissions.
4. There was no VOC, PM10, or PM2.5 values listed in the Notice of Intent to Construct forms. The value you have as NOx is actually NOx + VOC. We usually apply the California Air Resources Board policy of a 95% NOx and 5% VOC (NMHC) split to get these values. Therefore, NOx should be 3.02 lb/hr and 0.3 tpy and VOC should be 0.16 lb/hr and 0.016 tpy. The PM10 and PM2.5 values should be set equal to the TSP value.

Since there are so many issues involving public notice, I would recommend redoing the notices. I would make it clear in the emails that this new notice is to fix errors with the first notice of intent to construct form that was sent. Also, since Mike had issues displaying the contacts that were bcc'd last time, I would recommend sending separate emails to each of the neighborhood associations/coalitions and cc'ing myself and Paul Puckett (ppuckett@cabq.gov) on those emails. It is extremely important to include Paul Puckett on these emails, as my last day here at the city is Tuesday, October 25, and I will not be receiving any emails after that. Please let me know if you have any questions.

Thanks and have a great weekend,

Cale J. Kanack
Environmental Health Specialist I
Permitting Division
Air Quality Program

Environmental Health Department
City of Albuquerque
(505) 768-2726

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:01 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Econ.doc; NOI Popejoy.doc; NOI Zimmerman.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:11 PM
To: edblandford@gmail.com
Cc: Puckett, Paul S.; Kanack, Cale J.; Chemanji Manyaka Shu-Nyamboli
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:01 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:12 PM
To: saralosborne@gmail.com
Cc: Chemanji Manyaka Shu-Nyamboli; Puckett, Paul S.; Kanack, Cale J.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:01 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:13 PM
To: campus.neighborhood.assoc@gmail.com
Cc: Kanack, Cale J.; Puckett, Paul S.; Chemanji Manyaka Shu-Nyamboli
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:01 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:14 PM
To: nancymbearce@gmail.com
Cc: Puckett, Paul S.; Chemanji Manyaka Shu-Nyamboli; Kanack, Cale J.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:01 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:14 PM
To: ginadennis@relerience.com
Cc: Puckett, Paul S.; Chemanji Manyaka Shu-Nyamboli
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:01 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:15 PM
To: ronhalbgewachs@peoplepc.com
Cc: Puckett, Paul S.; Chemanji Manyaka Shu-Nyamboli; Kanack, Cale J.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:00 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:16 PM
To: shanikm@me.com
Cc: Puckett, Paul S.; Chemanji Manyaka Shu-Nyamboli
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:00 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:17 PM
To: koobjulie@yahoo.com
Cc: Chemanji Manyaka Shu-Nyamboli; Kanack, Cale J.; Puckett, Paul S.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 10:00 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:17 PM
To: sandra.penn@gmail.com
Cc: Puckett, Paul S.; Chemanji Manyaka Shu-Nyamboli; Kanack, Cale J.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:59 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:18 PM
To: ja.montalbano@comcast.net
Cc: Puckett, Paul S.; Kanack, Cale J.; Chemanji Manyaka Shu-Nyamboli
Subject: Pulbice Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:59 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:19 PM
To: paxtona@swcp.com
Cc: Puckett, Paul S.; Kanack, Cale J.; Chemanji Manyaka Shu-Nyamboli
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:58 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:20 PM
To: spnassociation@gmail.com
Cc: Chemanji Manyaka Shu-Nyamboli; Puckett, Paul S.; Kanack, Cale J.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:58 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:21 PM
To: danjones1@hotmail.com
Cc: Kanack, Cale J.; Chemanji Manyaka Shu-Nyamboli; Puckett, Paul S.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:58 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:21 PM
To: danjones1@hotmail.com
Cc: Kanack, Cale J.; Chemanji Manyaka Shu-Nyamboli; Puckett, Paul S.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:58 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:22 PM
To: franahernsmith@gmail.com
Cc: Puckett, Paul S.; Chemanji Manyaka Shu-Nyamboli; Kanack, Cale J.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:58 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:22 PM
To: pschillke@gmail.com
Cc: Puckett, Paul S.; Kanack, Cale J.; Chemanji Manyaka Shu-Nyamboli
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:58 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:23 PM
To: mg411@q.com
Cc: Puckett, Paul S.; Kanack, Cale J.; Chemanji Manyaka Shu-Nyamboli
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:57 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:23 PM
To: burquejoe2000@yahoo.com
Cc: Chemanji Manyaka Shu-Nyamboli; Puckett, Paul S.; Kanack, Cale J.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:57 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:24 PM
To: juliemkidder@gmail.com
Cc: Chemanji Manyaka Shu-Nyamboli; Puckett, Paul S.; Kanack, Cale J.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:57 AM
To: Tavarez, Isreal L.
Subject: FW: Public Notice
Attachments: NOI Zimmerman.doc; NOI Popejoy.doc; NOI Econ.doc

From: Michael Buchanan [mailto:mbuchanan85@unm.edu]
Sent: Tuesday, October 25, 2016 4:25 PM
To: info@uhanm.org
Cc: Chemanji Manyaka Shu-Nyamboli; Kanack, Cale J.; Puckett, Paul S.
Subject: Public Notice

Good Afternoon,

This email is in regards to corrections made to the NOIs attached.

Please find information regarding an air quality permit application that was submitted to the City of Albuquerque Environmental Health Department Air Quality Division on October 12th, 2016. The application is for the installation of three new generators at the University of New Mexico: Popejoy Hall, Economics Building and Zimmerman Library, 1801 Tucker Ave, NE Albuquerque NM 87121. You are receiving this email in accordance with 20.11.41.13.B NMAC which requires UNM to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and coalitions within a half mile of the exterior boundaries of the property.

Current contact information for comments and inquiries regarding the project:

Michael Buchanan 505-277-3377
Chemanji Shu Nyamboli 505-277-2766 (cshu@unm.edu)

Mike Buchanan
University of New Mexico Safety & Risk Services
Environmental Health & Safety Tech III
Office 277-1065
Mobile 270-7782
mbuchanan85@unm.edu

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 9:56 AM
To: Tavarez, Isreal L.
Subject: FW: UNM Air Quality Permit Application Deficiencies

From: Puckett, Paul S.
Sent: Monday, November 07, 2016 9:31 AM
To: 'Chemanji Manyaka Shu-Nyamboli'
Subject: RE: UNM Air Quality Permit Application Deficiencies

Hi Che.

From my experience sending out public notices I've had this happen a few times. In this case you can just submit a copy of the letter that was sent to that particular neighborhood association representative with a memo stating you never received a certified mail receipt back. If that letter did not have the certified mail number include that in the memo as well. Hope that helps. Let me know if you have any other questions.

Thank you,
Paul

From: Chemanji Manyaka Shu-Nyamboli [<mailto:cshu@unm.edu>]
Sent: Monday, November 07, 2016 9:18 AM
To: Puckett, Paul S.
Cc: Michael Buchanan
Subject: RE: UNM Air Quality Permit Application Deficiencies

Hi Paul,

Attached is proof of public notice (Certified Mail receipt) for 1 of 2 of the neighborhood association physical addresses listed in the memos that was provided us by Cale. I was waiting to receive the second one so I can send them to you in one packet. It's been over two weeks since we mailed them, and it does not appear that we will be getting the second one anytime soon. I'd hate to hold up our projects for this reason. Do you have any recommendations on how to proceed?

Che

*Chemanji (Che) Shu-Nyamboli
Environmental Health Manager
Department of Safety & Risk Services (SRS)
University of New Mexico
MSC07 4100, 1 University of New Mexico
Albuquerque, NM 87131-0001
Office: 505.277.2766
Cell: 505.269.9593
Fax: 505.277.9006
E-mail: cshu@unm.edu*

From: Kanack, Cale J. [<mailto:ckanack@cabq.gov>]
Sent: Friday, October 21, 2016 12:17 PM

To: Michael Buchanan; Chemanji Manyaka Shu-Nyamboli
Cc: Puckett, Paul S.
Subject: UNM Air Quality Permit Application Deficiencies

Mike/Che,

I have completed my initial review of the three UNM applications submitted and noted a few deficiencies that will need to be corrected before I can rule the applications administratively complete. They are as follows:

1. No proof of public notice (Certified Mail receipts) for the two physical addresses listed in the memos was provided.
2. For the emailed public notice, the second page of contacts was left off of the recipients.
3. The tpy values in the Notice of Intent to Construct forms should be the controlled maximum emissions rather than the uncontrolled maximum emissions.
4. There was no VOC, PM10, or PM2.5 values listed in the Notice of Intent to Construct forms. The value you have as NOx is actually NOx + VOC. We usually apply the California Air Resources Board policy of a 95% NOx and 5% VOC (NMHC) split to get these values. Therefore, NOx should be 3.02 lb/hr and 0.3 tpy and VOC should be 0.16 lb/hr and 0.016 tpy. The PM10 and PM2.5 values should be set equal to the TSP value.

Since there are so many issues involving public notice, I would recommend redoing the notices. I would make it clear in the emails that this new notice is to fix errors with the first notice of intent to construct form that was sent. Also, since Mike had issues displaying the contacts that were bcc'd last time, I would recommend sending separate emails to each of the neighborhood associations/coalitions and cc'ing myself and Paul Puckett (ppuckett@cabq.gov) on those emails. It is extremely important to include Paul Puckett on these emails, as my last day here at the city is Tuesday, October 25, and I will not be receiving any emails after that. Please let me know if you have any questions.

Thanks and have a great weekend,

Cale J. Kanack
Environmental Health Specialist I
Permitting Division
Air Quality Program
Environmental Health Department
City of Albuquerque
(505) 768-2726

Tavarez, Isreal L.

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 12:11 PM
To: Tavarez, Isreal L.
Subject: FW: UNM Air Quality Permit Application Deficiencies
Attachments: S-SRS-01-16110708370.pdf

From: Chemanji Manyaka Shu-Nyamboli [mailto:cshu@unm.edu]
Sent: Monday, November 07, 2016 9:18 AM
To: Puckett, Paul S.
Cc: Michael Buchanan
Subject: RE: UNM Air Quality Permit Application Deficiencies

Hi Paul,

Attached is proof of public notice (Certified Mail receipt) for 1 of 2 of the neighborhood association physical addresses listed in the memos that was provided us by Cale. I was waiting to receive the second one so I can send them to you in one packet. It's been over two weeks since we mailed them, and it does not appear that we will be getting the second one anytime soon. I'd hate to hold up our projects for this reason. Do you have any recommendations on how to proceed?

Che

*Chemanji (Che) Shu-Nyamboli
Environmental Health Manager
Department of Safety & Risk Services (SRS)
University of New Mexico
MSC07 4100, 1 University of New Mexico
Albuquerque, NM 87131-0001
Office: 505.277.2766
Cell: 505.269.9593
Fax: 505.277.9006
E-mail: cshu@unm.edu*

From: Kanack, Cale J. [mailto:ckanack@cabq.gov]
Sent: Friday, October 21, 2016 12:17 PM
To: Michael Buchanan; Chemanji Manyaka Shu-Nyamboli
Cc: Puckett, Paul S.
Subject: UNM Air Quality Permit Application Deficiencies

Mike/Che,

I have completed my initial review of the three UNM applications submitted and noted a few deficiencies that will need to be corrected before I can rule the applications administratively complete. They are as follows:

1. No proof of public notice (Certified Mail receipts) for the two physical addresses listed in the memos was provided.
2. For the emailed public notice, the second page of contacts was left off of the recipients.


3. The tpy values in the Notice of Intent to Construct forms should be the controlled maximum emissions rather than the uncontrolled maximum emissions.
4. There was no VOC, PM10, or PM2.5 values listed in the Notice of Intent to Construct forms. The value you have as NOx is actually NOx + VOC. We usually apply the California Air Resources Board policy of a 95% NOx and 5% VOC (NMHC) split to get these values. Therefore, NOx should be 3.02 lb/hr and 0.3 tpy and VOC should be 0.16 lb/hr and 0.016 tpy. The PM10 and PM2.5 values should be set equal to the TSP value.

Since there are so many issues involving public notice, I would recommend redoing the notices. I would make it clear in the emails that this new notice is to fix errors with the first notice of intent to construct form that was sent. Also, since Mike had issues displaying the contacts that were bcc'd last time, I would recommend sending separate emails to each of the neighborhood associations/coalitions and cc'ing myself and Paul Puckett (ppuckett@cabq.gov) on those emails. It is extremely important to include Paul Puckett on these emails, as my last day here at the city is Tuesday, October 25, and I will not be receiving any emails after that. Please let me know if you have any questions.

Thanks and have a great weekend,

Cale J. Kanack
Environmental Health Specialist I
Permitting Division
Air Quality Program
Environmental Health Department
City of Albuquerque
(505) 768-2726


UNITED STATES POSTAL SERVICE



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

• Sender: Please print your name, address, and ZIP+4® in this box.

Chemanji Shu-Nyamboli
Safety & Risk Services Department
1 University of New Mexico
Albuquerque, NM 87131 - 0001



SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Peter Feibelman
1401 Sigma Chi Rd NE
Albuquerque NM 87106

2. Article Number
(Transfer from service label)

91 7199 9991 7035 1278 3170

COMPLETE THIS SECTION ON DELIVERY

A. Signature Agent
 Address

B. Received by (Printed Name) C. Date of Delivery
P. FEIBELMAN 10-25-16

D. Is delivery address different from item 1? Yes
If YES, enter delivery address below: No

3. Service Type
 Certified Mail® Priority Mail Express™
 Registered Return Receipt for Merchandise
 Insured Mail Collect on Delivery

4. Restricted Delivery? (Extra Fee) Yes



Notice of Intent to Construct

Under 20.11.41.13B NMAC, the owner/operator is required to provide public notice by certified mail or electronic mail to the designated representative(s) of the recognized neighborhood associations and recognized coalitions that are within one-half mile of the exterior boundaries of the property on which the source is or is proposed to be located if they propose to construct or establish a new facility or make modifications to an existing facility that is subject to 20.11.41 NMAC – Construction Permits. **A copy of this form must be included with the application.**

Applicant's Name and Address: University of New Mexico, 1800 Roma Ave.

Owner / Operator's Name and Address: UNM, 1800 Roma Ave.

Actual or Estimated Date the Application will be submitted to the Department: October 15th, 2016

Exact Location of the Source or Proposed Source: 1915 Roma Ave NE

Description of the Source: Emergency Generator for backup power at Economics Building.

Nature of the Business: Higher Education

Process or Change for which the permit is requested: New Permit. Replacing old, existing generators with new ones.

Preliminary Estimate of the Maximum Quantities of each regulated air contaminant the source will emit:

Initial Construction Permit

	Pounds Per Hour (lbs/hr)	Tons Per Year (tpy)
CO	0.56	0.06
NOx	0.51	0.051
SO2	0.14	0.01
VOC	0.03	0.003
TSP	0.05	0.004
PM10	0.05	0.004
PM2.5	0.05	0.004
VHAP		

Net Changes In Emissions

(Only for permit Modifications or Technical Revisions)

	lbs/hr	tpy	Estimated Total TPY
CO	+/-	+/-	
NOx	+/-	+/-	
SO2	+/-	+/-	
VOC	+/-	+/-	
TSP	+/-	+/-	
PM10	+/-	+/-	
PM2.5	+/-	+/-	
VHAP	+/-	+/-	

Maximum Operating Schedule: 200hrs/yr

Normal Operating Schedule: ~30 minutes per month

Current Contact Information for Comments and Inquires:

Name: Mike Buchanan
Address: 1801 Tucker Ave. NE
Phone Number: 505-277-3377

Ver.11/13

City of Albuquerque- Environmental Health Department
Air Quality Program- Permitting Section
Phone: (505) 768-1972 Email: aqd@cabq.gov

E-Mail Address:

If you have any comments about the construction or operation of the above facility, and you want your comments to be made as part of the permit review process, you must submit your comments in writing to the address below:

Environmental Health Manager
Stationary Source Permitting
Albuquerque Environmental Health Department
Air Quality Program
PO Box 1293
Albuquerque, New Mexico 87103
(505) 768-1972

Other comments and questions may be submitted verbally.

Please refer to the company name and facility name, as used in this notice or send a copy of this notice along with your comments, since the Department may not have received the permit application at the time of this notice. Please include a legible mailing address with your comments. Once the Department has performed a preliminary review of the application and its air quality impacts, if required, the Department's notice will be published in the legal section of the Albuquerque Journal and mailed to neighborhood associations and neighborhood coalitions near the facility location or near the facility proposed location.

Tavarez, Isreal L.

From: Chemanji Manyaka Shu-Nyamboli <cshu@unm.edu>
Sent: Wednesday, November 09, 2016 12:57 PM
To: Tavarez, Isreal L.
Cc: Michael Buchanan; Puckett, Paul S.
Subject: RE: UNM Air Quality Permit Application Deficiencies
Attachments: UNM NOI Tracking Info.jpg

Isreal,

I have attached a screen shot showing the delivery information from the USPS website. I hope this is sufficient.

Thank you,

Che

*Chemanji (Che) Shu-Nyamboli
Environmental Health Manager
Department of Safety & Risk Services (SRS)
University of New Mexico
MSC07 4100, 1 University of New Mexico
Albuquerque, NM 87131-0001
Office: 505.277.2766
Cell: 505.269.9593
Fax: 505.277.9006
E-mail: cshu@unm.edu*

From: Tavarez, Isreal L. [mailto:ITavarez@cabq.gov]
Sent: Wednesday, November 09, 2016 12:48 PM
To: Chemanji Manyaka Shu-Nyamboli
Cc: Michael Buchanan; Puckett, Paul S.
Subject: RE: UNM Air Quality Permit Application Deficiencies

Che,

Thank you for your quick response.

What I am looking for is the documentation you have to date regarding the certified letter you sent to Elizabeth Doak at 1606 Silver Ave SE, Albuquerque, NM 87106. Paul Puckett has provided me the emails you have sent to him. In the emails you stated you have not yet received the certified receipt from Elizabeth Doak.

Respectfully,

Isreal

From: Chemanji Manyaka Shu-Nyamboli [mailto:cshu@unm.edu]
Sent: Wednesday, November 09, 2016 12:44 PM
To: Tavarez, Isreal L. <ITavarez@cabq.gov>

Cc: Michael Buchanan <mbuchanan85@unm.edu>; Puckett, Paul S. <ppuckett@cabq.gov>
Subject: RE: UNM Air Quality Permit Application Deficiencies

Hi Isreal,

Attached is what I sent Paul this morning. Is this what you are looking for?

*Chemanji (Che) Shu-Nyamboli
Environmental Health Manager
Department of Safety & Risk Services (SRS)
University of New Mexico
MSC07 4100, 1 University of New Mexico
Albuquerque, NM 87131-0001
Office: 505.277.2766
Cell: 505.269.9593
Fax: 505.277.9006
E-mail: cshu@unm.edu*

From: Tavaréz, Isreal L. [<mailto:ITavarez@cabq.gov>]
Sent: Wednesday, November 09, 2016 12:18 PM
To: Chemanji Manyaka Shu-Nyamboli
Cc: Michael Buchanan; Puckett, Paul S.
Subject: FW: UNM Air Quality Permit Application Deficiencies

Che,

Can you please email me the documentation you have that UNM sent the second Certified Mail letter?

Respectfully,

Isreal L. Tavaréz, P.E.
Environmental Health Manager
Permitting Division
Air Quality Program
Environmental Health Department
City of Albuquerque
(505) 768-1965

From: Puckett, Paul S.
Sent: Wednesday, November 09, 2016 12:11 PM
To: Tavaréz, Isreal L. <ITavarez@cabq.gov>
Subject: FW: UNM Air Quality Permit Application Deficiencies

From: Chemanji Manyaka Shu-Nyamboli [<mailto:cshu@unm.edu>]
Sent: Monday, November 07, 2016 9:18 AM
To: Puckett, Paul S.
Cc: Michael Buchanan
Subject: RE: UNM Air Quality Permit Application Deficiencies

Hi Paul,

Attached is proof of public notice (Certified Mail receipt) for 1 of 2 of the neighborhood association physical addresses listed in the memos that was provided us by Cale. I was waiting to receive the second one so I can send them to you in one packet. It's been over two weeks since we mailed them, and it does not appear that we will be getting the second one anytime soon. I'd hate to hold up our projects for this reason. Do you have any recommendations on how to proceed?

Che

Chemanji (Che) Shu-Nyamboli
Environmental Health Manager
Department of Safety & Risk Services (SRS)
University of New Mexico
MSC07 4100, 1 University of New Mexico
Albuquerque, NM 87131-0001
Office: 505.277.2766
Cell: 505.269.9593
Fax: 505.277.9006
E-mail: cshu@unm.edu

From: Kanack, Cale J. [<mailto:ckanack@cabq.gov>]
Sent: Friday, October 21, 2016 12:17 PM
To: Michael Buchanan; Chemanji Manyaka Shu-Nyamboli
Cc: Puckett, Paul S.
Subject: UNM Air Quality Permit Application Deficiencies

Mike/Che,

I have completed my initial review of the three UNM applications submitted and noted a few deficiencies that will need to be corrected before I can rule the applications administratively complete. They are as follows:

1. No proof of public notice (Certified Mail receipts) for the two physical addresses listed in the memos was provided.
2. For the emailed public notice, the second page of contacts was left off of the recipients.
3. The tpy values in the Notice of Intent to Construct forms should be the controlled maximum emissions rather than the uncontrolled maximum emissions.
4. There was no VOC, PM10, or PM2.5 values listed in the Notice of Intent to Construct forms. The value you have as NOx is actually NOx + VOC. We usually apply the California Air Resources Board policy of a 95% NOx and 5% VOC (NMHC) split to get these values. Therefore, NOx should be 3.02 lb/hr and 0.3 tpy and VOC should be 0.16 lb/hr and 0.016 tpy. The PM10 and PM2.5 values should be set equal to the TSP value.

Since there are so many issues involving public notice, I would recommend redoing the notices. I would make it clear in the emails that this new notice is to fix errors with the first notice of intent to construct form that was sent. Also, since Mike had issues displaying the contacts that were bcc'd last time, I would recommend sending separate emails to each of the neighborhood associations/coalitions and cc'ing myself and Paul Puckett (ppuckett@cabq.gov) on those emails. It is extremely important to include Paul Puckett on these emails, as my last day here at the city is Tuesday, October 25, and I will not be receiving any emails after that. Please let me know if you have any questions.

Thanks and have a great weekend,

Cale J. Kanack
Environmental Health Specialist I
Permitting Division
Air Quality Program

Environmental Health Department
City of Albuquerque
(505) 768-2726



Mail & Ship

Track & Manage

Postal Store

Business

International

USPS Tracking®

Tracking Number: 91771999991703512783187

Updated Delivery Day: Tuesday, October 25, 2016



Delivered

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

DATE & TIME	STATUS OF ITEM	LOCATION
October 25, 2016, 3:29 pm	Delivered, Left with Individual	ALBUQUERQUE, NM 87106
Your item was delivered to an individual at the address at 3:29 pm on October 25, 2016 in ALBUQUERQUE, NM 87106.		
October 25, 2016, 8:14 am	Out for Delivery	ALBUQUERQUE, NM 87106
October 25, 2016, 8:04 am	Sorting Complete	ALBUQUERQUE, NM 87106
October 25, 2016, 7:56 am	Arrived at Unit	ALBUQUERQUE, NM 87106
October 24, 2016	Pre-Shipment Info Sent to USPS, USPS Awaiting Item	

Available Actions

Text Updates

Email Updates

Still Have Questions?
Browse our FAQs >

Get Easy Tracking Updates >
Sign up for My USPS.