


Proposed Amended
Site Plan

5. GARAGE E
5A. DETAIL S




LOT 6-A-2
1.7107 AC ±
(NOT A PART OF THIS PROJECT)

1001446

ADMINISTRATIVE
DEVELOPMENT PLAN AMENDMENT
FILE NO. AA-02AA-00699
Amended Site Plan as
Shown
5/29/02
PLANNING DIRECTOR DATE


LOT 5 A
N. 4TH ST. HOMESITES ADDITION
11/1/88 Vol. C37, Folio 155





LOT 6-A-2
1.7107 AC ±
(NOT A PART OF THIS PROJECT)

LOT 5 A
N. 4TH ST. HOMESITES ADDITION
11/1/88 Vol. C37 Folio 155

TERN CONC. CROSSWALK DETAIL



RAISED CROSSWALK
N.T.S.




MONUMENT SIGN
N.T.S.

American Flag Pole


Paint pipe white

Paving Area

3.5 screen wall



HANDICAP SIGN
N.T.S.



WHEEL BUMPER
N.T.S.

NOTES:
 CONCRETE IS TO BE 3000 PSI @ 28 DAYS.
 COMPACTION UNDER FOOTINGS IS TO BE 95% PER
 D1557 FOR A DEPTH OF 12" MOISTURE CONTENT IS
 2.0%.
 REBAR AGAINST WALLS IS TO BE HAND-PLACED AND
 TIGHT.
 REBAR ARE TO BE GRADE 60, ASTM 615.
 REBAR TO BE DUR-O-WALL EVERY OTHER COURSE.
 REBAR SHALL BE AT LEAST EQUAL IN SIZE AND SPACING
 TO WALLS. REBAR S. SHALL PROJECT A MINIMUM OF 30 BAR DIA.
 FROM ED. BLOCK CORES. AND SHALL EXTEND TO THE

ALBUQUERQUE
 BUILDING & SAFETY
 MAR 25 2002
 U.A.C.
 PLAN CHECK
 SECTION

Public Service Company
of New Mexico
Right of Way
Alvarado Square
MS 2101
Albuquerque, NM 87158
505 241-4425
Fax 505 241-2376

Attch # 1



April 25, 2002

Mr. Nelse De Loach
700 Montano Rd NW
Albuquerque, NM 87107

Subject: Landscaping and Advertisement Sign.

Dear Mr. De Loach:

Public Service Company of New Mexico has no objections to the placement of an advertisement sign being four (4) feet tall, landscaping consisting of grass, flowers and small bushes within the north seven (7) foot easement in Tract 6-A-1 of the Plat of Lots 6-A-1 and 6-A-2 NORTH FOURTH STREET HOMESITES ADDITION, as filed for record in the office of the County Clerk in Bernalillo, County New Mexico in Plat Book 2000C, Page 007 on January 7, 2000.

The conditions of PNM's acceptance are as follows: The advertisement sign, and landscaping shall not interfere with PNM's ability to operate and maintain its facilities. The easement area must be cable spotted before any digging occurs.

If you have any questions please call me at 241-4944.

Sincerely


A handwritten signature in cursive script, appearing to read "Ruben Phillips".

Rubin Phillips
Right of way Agent

7 221

PLAT OF
 LOTS 6-A-1 AND 6-A-2
 NORTH FOURTH STREET
 HOMESITES ADDITION

ALBUQUERQUE, BERNALILLO COUNTY, NEW MEXICO
 JUNE 1999



NOV 20 2000
 DATABASE

GRAPHIC SCALE




(IN FEET)
 1 inch = 40 ft.

LEGEND

⊙ DENOTES POINT FOUND AND USED

Proposed Amended
Situ Plan

5. GARAGE E
5A. DETAIL S




LOT 6-A-2
1.7107 AC ±
(NOT A PART OF THIS PROJECT)

ADMINISTRATIVE
DEVELOPMENT PLAN AMENDMENT
FILE NO. AA: 02AA 00699
Amended Site Plan as shown
Yvette Louge for 5/29/02
PLANNING DIRECTOR DATE

LOT 5 A
N. 4TH ST. HOMESITES ADDITION
11/1/88 Vol. C37, Folio 155


1001446



LOT 6-A-2
1.7107 AC ±
(NOT A PART OF THIS PROJECT)


LOT 5 A
N. 4TH ST. HOMESITES ADDITION
11/1/88 Vol. C37 Folio 155

TERN CONC. CROSSWALK DETAIL




RAISED CROSSWALK

TS



MAX. SIGN FACE AREA OF 12 SF ON EACH SIDE
 INDIVIDUALLY LIT/INDIVIDUAL CHANNEL LETTERS

LIGHT BEIGE STUCCO FINISH
 ARCH STRUCTURE



MONUMENT SIGN
 N.T.S.

American Flag Pole

Paint pipe white

1'-6"x1'x18 GA. REFLECTIVE PORCELAIN ENAMEL STANDARD "HANDICAP PARKING" SIGN WITH IDENTIFICATION SYMBOL BOLT TO STEEL TUBE WITH 3/8" CADMIUM PLATED BOLTS, NUTS, & WASHERS.

8"x1'x18 GA. REFLECTIVE PORCELAIN ENAMEL SIGNAGE STATING "VAN ACCESSIBLE" AT VAN SPACES ONLY

2" DIA. x 188 GALV. STEEL PIPE

PAINT PIPE BASE BLUE

HANDICAP SIGN PER CITY STANDARDS

PAVING AREA


1'-6" DIA. CONC. BASE 3000 PSI

HANDICAP SIGN
 N.T.S.


Paving Area

Monument Sign

3.5 screen wall



#5 REBAR W/2' IMBED INTO PAVING



EPOXY TO A.C. PAVING

WHEEL BUMPER

NTS

NOTES:

CONCRETE IS TO BE 3000 PSI @ 28 DAYS.
 COMPACTION UNDER FOOTINGS IS TO BE 95% PER
 D1557 FOR A DEPTH OF 12" MOISTURE CONTENT IS
 TO BE 2.0%.

REINFORCEMENT AGAINST WALLS IS TO BE HAND-PLACED AND
 TO BE GRADE 60, ASTM 615.

REINFORCEMENT SHALL BE AT LEAST EQUAL IN SIZE AND SPACING
 TO THE WALLS, SHALL PROJECT A MINIMUM OF 30 BAR DIA.
 FROM THE END OF BLOCK CORES, AND SHALL EXTEND TO THE

ALBUQUERQUE
 BUILDING & SAFETY

MAR 25 2007


U.A.C.
 PLAN CHECK
 SECTION

| CURVE TABLE | | | | | |
|-------------|--------|---------|-------------|-----------------|-------|
| CURVE | LENGTH | RADIUS | DELTA ANGLE | CHORD DIRECTION | CHORD |
| C1 | 77.14 | 5686.58 | 0°46'38" | S82°09'33"E | 77.14 |

| LINE TABLE | | |
|------------|--------|-------------|
| LINE | LENGTH | BEARING |
| L1 | 125.38 | S10°09'05"W |
| L2 | 59.48 | S79°45'48"E |
| L3 | 21.78 | N09°44'47"E |
| L4 | 45.94 | S80°15'13"E |
| L5 | 151.25 | S07°47'38"W |
| L6 | 22.32 | N82°54'22"W |

SHEET INDEX

1. SITE PLAN FOR BUILDING PERMIT
2. LANDSCAPING PLANS
3. GRADING AND DRAINAGE PLAN
4. ELEVATIONS
5. GARAGE ELEVATIONS
- 5A. DETAIL SHEET




LEGAL DESCRIPTION
LOT 6-A-1, NORTH FOURTH STREET HOMESITES ADDITION

SITE DATA

| | |
|--|--------------------------|
| PROPOSED USAGE: | BEAUTY SALON |
| EXISTING ZONING: | SU-1 FOR BEAUTY SALON |
| EXISTING BUILDING AREA: | .3216 AC ± (14,011 SF) |
| PROPOSED SALON AREA: | 2343 SF ± |
| PROPOSED STORAGE AREA: | 2000 SF ± |
| EXISTING BUILDING FAR: | .17 |
| PROPOSED BUILDING FAR: | .17 |
| PARKING REQUIRED (2000 SF/200 SF): | 10 SPACES |
| PARKING FOR STORAGE REQUIRED (343 SF/2000 SF): | 1 SPACE |
| PARKING PROVIDED: | 10 SPACES |
| HC PARKING PROVIDED: | 1 SPACE |
| HC PARKING REQUIRED: | 1 SPACE (VAN ACCESSIBLE) |
| BIKE SPACE REQUIRED (1SPACE/20 CAR SPACES): | 1 SPACES |
| BIKE SPACE PROVIDED: | 1 SPACES |
| LANDSCAPING REQUIRED (15% OF LOT AREA): | 2101 SF |
| LANDSCAPING PROVIDED (EXISTING): | 3551 SF |
| LANDSCAPING PROVIDED (PROPOSED): | 548 SF |
| TOTAL LANDSCAPING PROVIDED: | 4115 SF |

GENERAL NOTES:

1. APPROVAL OF THIS PLAN DOES NOT CONSTITUTE OR IMPLY EXEMPTION FROM WATER WASTE PROVISIONS OF THE WATER CONSERVATION LANDSCAPING AND WATER WASTE ORDINANCE. WATER WASTE MANAGEMENT IS THE SOLE RESPONSIBILITY OF THE PROPERTY OWNER.
2. LANDSCAPE MAINTENANCE SHALL BE THE RESPONSIBILITY OF THE OWNERS.
3. TRASH LOCATION AND PICKUP TO REMAIN CURB-SIDE.
4. ALL WHEELCHAIR RAMPS SHALL BE BUILT PER COA STD DWG. #2441.
5. PARAPETS/SCREEN WALLS SHALL BE EQUAL TO OR ABOVE THE TOP OF ALL HVAC EQUIPMENT.
6. NO OFF PREMISE OR POLE MOUNTED SIGNAGE SHALL BE ALLOWED.
7. VINYL COATED, PLASTIC REFLECTIVE TYPE AWNINGS, FASCIA, BUILDING PANELS, SIGN RACEWAYS OR ROOFS SHALL NOT BE PERMITTED.
8. NEW ASPHALT PAVING WILL BE INSTALLED ON THE GRAVEL DRIVE, AND WILL MATCH THE APPROVED CROSS-ACCESS EASEMENT GRANTED BY THE EXISTING PLAT.
9. IT IS THE INTENT OF THIS PLAN TO COMPLY WITH THE COA WATER CONSERVATION LANDSCAPING AND WASTE WATER ORDINANCE, PLANTING RESTRICTION APPROACH.
10. ALL LANDSCAPING WILL BE IN CONFORMANCE WITH THE COA ZONING CODE, STREET TREE ORDINANCE, POLLEN ORDINANCE, AND WATER CONSERVATION LANDSCAPING AND WASTE WATER ORDINANCE. IN GENERAL, WATER CONSERVATION, ENVIRONMENTALLY SOUND LANDSCAPE PRINCIPLES WILL BE FOLLOWED IN DESIGN AND INSTALLATION.
11. SITE LIGHTING WILL REMAIN THE SAME. NO ADDITIONAL LIGHTING WILL BE ADDED. CURRENT LIGHTING IS TWO PORCH LIGHTS ABOVE ENTRANCE TO STRUCTURE.
12. THE NEAREST FIRE HYDRANT TO THE SITE IS LOCATED 320' TO THE EAST WHICH MEETS THE REQUIREMENT.



VILLA CANELA ADDITION
5/12/94 Vol. 94C, Folio 155

LOT 5 A
N. 4TH ST. HOMESITES ADDITION
11/1/88 Vol. C37 Folio 155

LOT 6-A-2
1.7107 AC ±
(NOT A PART OF THIS PROJECT)

EPC 01128 - 01564
APPLICATION #: 02500 - 05-00162
PROJECT NUMBER: 1001446

This plan is consistent with the specific site development plan approval by the Environmental Planning Commission (EPC) on 12/21/02 and that the findings and conditions in the Official Notice; Notification of Decision have been complied with:

SITE DEVELOPMENT PLAN

| | |
|--|---------|
| <i>Robert J. Davis</i> | 2-13-02 |
| Traffic Engineer, Transportation Division | Date |
| <i>Adriana E. Corbelli</i> | 2/13/02 |
| Parks & General Services Department | Date |
| <i>Roger A. Stearn</i> | 2/13/02 |
| Public Works, Water Utilities Division | Date |
| <i>Brady J. Byler</i> | 3/6/02 |
| City Engineer, Engineering Division / AMAFCA | Date |
| <i>Michael H. ...</i> | 2-6-02 |
| Solid Waste | Date |


APPROVAL AND CONDITIONAL ACCEPTANCE: as specified by the Development Process Manual.

James ... 2/6/02
City Planner, Albuquerque / Planning Division

PLN Z (10706) 4/98

LEGEND

| | |
|--|------------------------------|
| | PROPOSED CURB & GUTTER |
| | BOUNDARY LINE |
| | EASEMENT |
| | CENTERLINE |
| | RIGHT-OF-WAY |
| | PROPOSED SCREEN WALL |
| | EXISTING FENCE |
| | EXISTING CURB & GUTTER |
| | EXISTING SIDEWALK |
| | EXISTING SCREEN WALL |
| | EXISTING SANITARY SEWER LINE |
| | EXISTING WATERLINE |
| | EXISTING STORM DRAIN |



APD PLAND CHECKING OFFICE
924-3011
APPROVED/DISAPPROVED
R.C. Jones 2-11-02
SIGNATURE & DATE

| | | |
|---------------------|--|--------------|
| ENGINEER'S SEAL | 700 MONTANO ROAD, NW | DRAWN BY BMP |
| | SITE PLAN FOR BUILDING PERMIT | DATE |
| | TERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505)858-3100 | 01-25-02 |
| | | 2156SP2.DWG |
| | | SHEET # |
| | | 1 OF 5 |
| | | JOB # |
| | | 21036 |

LANDSCAPE NOTES:
Landscape maintenance shall be the responsibility of the Property Owner.

It is the intent of this plan to comply with the City Of Albuquerque Water Conservation Landscaping and Water Waste Ordinance planting restriction approach.

Approval of this plan does not constitute or imply exemption from water waste provisions of the Water Conservation Landscaping and Water Waste Ordinance. Water management is the sole responsibility of the Property Owner.

All landscaping will be in conformance with the City of Albuquerque Zoning Code, Street Tree Ordinance, Pollen Ordinance, and Water Conservation Landscaping and Water Waste Ordinance. In general, water conservative, environmentally sound landscape principles will be followed in design and installation.

Plant beds shall achieve 75% live ground cover at maturity.

Santa Fe Brown Gravel over Filter Fabric shall be placed in all landscape areas which are not designated to receive native seed.

IRRIGATION NOTES:

Irrigation shall be a complete underground system with Trees to receive (5) 1.0 GPH Drip Emitters and Shrubs to receive (2) 1.0 GPH Drip Emitters. Drip and Bubbler systems to be tied to 1/2" poly pipe with flush caps at each end.

Run time per each drip valve will be approximately 15 minutes per day, to be adjusted according to the season.

Point of connection for irrigation system is unknown at current time and will be coordinated in the field.


Irrigation will be operated by automatic controller. Location of controller to be field determined and power source for controller to be provided by others.

Irrigation maintenance shall be the responsibility of the Property Owner.

STREET TREE REQUIREMENTS

Street trees required under the City Of Albuquerque Street Tree Ordinance are as follows:

Montano Road
Required 3 Provided 4



PLANT LEGEND

-  ASH (H) OR HONEY LOCUST (H)
Fraxinus pennsylvanica
Gleditsia triacanthos
2" Cal.
-  PURPLE-LEAF PLUM (M)
Prunus spp.
1 1/2" Cal.
-  FLOWERING PEAR (H)
Pyrus calleryana
2" Cal.
-  INDIAN HAWTHORN (M)
Raphiolepis indica
5 Gal.
-  WILDFLOWER
1 Gal. 4sf
-  TAM JUNIPER (M)
Juniperus sibirica
5 Gal. 225sf
-  SANTA FE BROWN GRAVEL WITH FILTER FABRIC
-  EXISTING LANDSCAPING TO REMAIN

LANDSCAPE CALCULATIONS

| | | |
|-----------------------------|--------|-------------|
| NET LANDSCAPE AREA | | |
| TOTAL LOT AREA | 14,013 | square feet |
| TOTAL BUILDINGS AREA | 3,014 | square feet |
| OFFSITE AREA | 0 | square feet |
| NET LOT AREA | 10,999 | square feet |
| LANDSCAPE REQUIREMENT | 15% | |
| TOTAL LANDSCAPE REQUIREMENT | 1,649 | square feet |
| TOTAL LANDSCAPE PROVIDED | 3,248 | square feet |
| NEW LANDSCAPE PROVIDED | 548 | square feet |
| EXISTING LANDSCAPE PROVIDED | 2,700 | square feet |



GRAPHIC SCALE



SCALE: 1"=20'





The Hilltop

LANDSCAPE ARCHITECTS & CONTRACTORS
Cont. Lic. #26458
7909 Edith N.E.
Albuquerque, NM 87184
Ph. (505) 898-9690
Fax (505) 898-7737
t@hilltoplandscaping.com

THE HILLTOP expressly reserves the common law copyright and other property rights in these plans. These plans are not to be reproduced, changed or copied in any manner whatsoever, nor are they to be assigned to any third party without obtaining the express written permission and consent THE HILLTOP.

ALBUQUERQUE
BUILDING & SAFETY
MAR 25 2002
P.L.C.
PLAN CHECK
SECTION

| | | |
|-----------------------------|--|-------------------|
| LANDSCAPE ARCHITECT SEAL | 700 MONTANO ROAD, | DRAWN N.V. IRW |
| | LANDSCAPE PLAN FOR BUILDING PERMIT | DATE 01-25-02 |
| JAMES DE FLON #0007 | TERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505)858-3100 | SHEET # 2 OF 5 |
| | | JOB # |



LEGAL DESCRIPTION
 LOT 6A, N. FOURTH STREET HOMESITE ADDITION


- NOTES**
1. ALL SPOT ELEVATIONS ARE FLOWLINE UNLESS OTHERWISE NOTED.
 2. THE SITE CURRENTLY DRAINS TO MONTANO ROW, WHERE THE FLOW IS COLLECTED BY COA 60" RCP STORM DRAIN. THIS STORM DRAIN COLLECTS THE FLOW AND DISCHARGES TO THE RIO GRANDE RIVER.
 3. THE FLOW FROM THE SITE IS HISTORIC AND THE PROPOSED CHANGES DO NOT INCREASE ANY RUNOFF FROM THIS SITE. (THE GRAVEL PAVEMENT IS IMPERVIOUS)

LEGEND

| | |
|---------------------|---------------------------|
| --- EX. 60" RCP --- | EXISTING STORM SEWER LINE |
| - - - - - | EXISTING FENCE |
| --- --- | EXISTING CURB & GUTTER |
| --- --- | PROPOSED CURB & GUTTER |
| --- | BOUNDARY LINE |
| - - - - - | EASEMENT |
| --- --- | PROPOSED SIDEWALK |
| --- --- | EXISTING PERIMETER WALL |
| --- | EXISTING CONTOUR |
| --- | EXISTING INDEX CONTOUR |
| --- | PROPOSED CONTOUR |
| --- | PROPOSED INDEX CONTOUR |
| --- | FLOW ARROW |
| --- | SLOPE TIE |
| x 5048.25 | EXISTING SPOT ELEVATION |
| x 5048.25 | PROPOSED SPOT ELEVATION |

ACS MONUMENT "14-F14,1991"
 NEW MEXICO STATE
 PLANE COORDINATES
 CENTRAL ZONE - NAD 1927
 X=363,192.85
 Y=1,505,911.96
 EL.=4974.079
 G-G=0.99967778
 DELTA ALPHA=-013.30"


ALBUQUERQUE
 BUILDING & SAFETY
 MAR 25 2002
 U.S. & PLACE
 SECTION




PAVING SECTION
 NTS

ROUGH GRADING APPROVAL


| | | |
|----------------------------------|---|---------------|
| ENGINEER'S SEAL | 700 MONTANO ROAD, NW | DRAWN BY BMP |
| | GRADING AND DRAINAGE PLAN | DATE 02-19-02 |
| | TIERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505)858-3100 | 2156GR.DWG |
| RONALD R. BOHANNAN P.E. #7868 | | JOB # 21056 |



HC PARKING DETAIL
NTS




HC PARKING DETAIL SECTION A-A
NTS




NOTE: ALL TRAFFIC FLOW ARROWS TO BE REFLECTIVE YELLOW PAINT PER SPECS.


TRAFFIC ARROW DETAIL
NTS




3.5' SCREEN WALL
NTS




BIKE RACK DETAIL
NTS




5' PERIMETER WALL SECTION
NTS



TYP. PATTERN CONC. CROSSWALK DETAIL
N.T.S.




RAISED CROSSWALK
NTS



MAX. SIGN FACE AREA OF 12 SF ON EACH SIDE INTERNALLY LIT/INDIVIDUAL CHANNEL LETTERS


LIGHT BEIGE STUCCO FINISH TO MATCH STRUCTURE




MONUMENT SIGN
N.T.S.

GENERAL NOTES:

1. ALL CONCRETE IS TO BE 3000 PSI @ 28 DAYS.
2. MINIMUM COMPACTION UNDER FOOTINGS IS TO BE 95% PER ASTM D 1557 FOR A DEPTH OF 12" MOISTURE CONTENT IS TO BE \pm 2.0%.
3. BACK FILL AGAINST WALLS IS TO BE HAND-PLACED AND COMPACTED.
4. ALL BARS ARE TO BE GRADE 60, ASTM 615.
5. TRUSS TYPE DURO-WALL EVERY OTHER COURSE.
6. DOWELS SHALL BE AT LEAST EQUAL IN SIZE AND SPACING TO V-BARS, SHALL PROJECT A MINIMUM OF 30 BAR DIA. INTO THE FILLED BLOCK CORES, AND SHALL EXTEND TO THE TOE OF THE FOOTING.
8. USE EITHER EXPANSION JOINTS ON 20' CENTERS OR PILASTERS EVERY 16'.



HANDICAP SIGN
NTS



WHEEL BUMPER
NTS

| | | |
|---|-----------------|---------------|
| ENGINEER'S SEAL | 700 MONTANO RD. | DRAWN BY BMP |
| | DETAIL SHEET | DATE 01/07/02 |
| TIERRA WEST, LLC 8509 JEFFERSON NE ALBUQUERQUE, NEW MEXICO 87113 (505)858-3100 | | SHEET # 5A |
| | | JOB # 21056 |

AIA DOCUMENT A201 IS A PART OF THIS CONTRACT EXCEPT AS MODIFIED HEREIN OR IN OTHER DOCUMENTS RELATING TO THIS CONTRACT.

THE CONTRACTOR SHALL REVIEW THE DOCUMENTS AND VERIFY DIMENSIONS AND FIELD CONDITIONS. ANY CONFLICTS, OMISSIONS, OR DISCREPANCIES SHALL BE REPORTED, IN WRITING, TO THE ARCHITECT, BY TENDERING HIS PROPOSAL. THE GENERAL CONTRACTOR WARRANTS THAT THE PROJECT IS BUILDABLE AS SHOWN.

THE SCOPE OF THESE DOCUMENTS IS LIMITED CONSISTENT WITH A NEGOTIATED PROJECT AND VARIOUS DETAILS MAY NOT BE PROVIDED IN THESE PLANS. NONETHELESS, IT IS THE INTENTION OF THESE DOCUMENTS THAT ALL WORK, INCLUDING MATERIALS, EQUIPMENT, CASING, MECHANICAL, ELECTRICAL AND SIMILAR DEVICES OF WHATEVER NATURE, SHALL BE COMPLETELY INSTALLED AND HOOKED-UP, ALONG WITH ALL REQUIRED ACCESSORIES, AND MADE OPERATIONAL AND FUNCTIONAL FOR THE PURPOSES INTENDED. ALL SUCH COSTS SHALL BE INCLUDED IN THE CONTRACTOR'S PROPOSAL.

THE CONTRACTOR SHALL COORDINATE AND SCHEDULE WORK BY OUTSIDE VENDORS INCLUDING BUT NOT LIMITED TO TELEPHONE, DATA, AND OWNERS FORCE ITEMS. CONTRACTOR SHALL COORDINATE EXACT LOCATIONS AND SHALL DO CUTTING, FITTING AND PATCHING REQUIRED TO RECEIVE THE WORK OF OTHERS AS SHOWN OR REASONABLY IMPLIED BY THE DOCUMENTS.

THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR AND SHALL CONTROL ALL CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, PROCEDURES, SAFETY PRECAUTIONS AND PROGRAMS IN CONNECTION WITH THE WORK.

CONTRACTOR SHALL STORE, PROTECT, PREPARE AND INSTALL ALL MANUFACTURED ITEMS IN STRICT ACCORDANCE WITH MANUFACTURER'S WRITTEN RECOMMENDATIONS, INSTRUCTIONS, AND PROCEDURES.

ALLOWANCES
SEE APPROPRIATE SECTIONS/CONTRACTS

CODES
ALL APPLICABLE CODES AND ORDINANCES SHALL BE STRICTLY OBSERVED; REFERENCES TO CODES, ORDINANCES, AND INDUSTRY STANDARDS SHALL MEAN THE LATEST ADOPTED EDITION, REVISION, OR AMENDMENT OF SUCH DOCUMENTS.

SUBMITTALS
THE CONTRACTOR SHALL SUBMIT SCHEDULES, SHOP DRAWINGS, AND SAMPLES AS REQUIRED BY THE ARCHITECT. COLORS SHALL BE AS SELECTED BY THE ARCHITECT/OWNER.

LAYOUT
THE CONTRACTOR SHALL BE RESPONSIBLE FOR LAYING OUT THE WORK, AND SHALL SUBMIT CERTIFICATION, IF REQUIRED.

TESTS
THE CONTRACTOR SHALL CONDUCT SUFFICIENT TESTING TO INSURE COMPLIANCE WITH THE CONTRACT DOCUMENTS OR AS REQUIRED BY THE ARCHITECT.

TEMPORARY FACILITIES
THE CONTRACTOR SHALL PROVIDE AND MAINTAIN UNTIL SUBSTANTIAL COMPLETION ALL TEMPORARY FACILITIES REQUIRED FOR THE PROPER AND EXPEDITIOUS EXECUTION OF THE WORK.

PRODUCTS
THE ARCHITECT MAY PERMIT THE SUBSTITUTION OF ACCEPTABLE ALTERNATES IN LIEU OF SPECIFIED MATERIALS EXCEPT FOR THOSE ITEMS COVERED BY PROPRIETARY SPECIFICATIONS.

DRAWINGS
REPORT IN WRITING, ANY DISCREPANCIES IN THE CONTRACT DOCUMENTS OR UNFORESEEN CONDITIONS AT THE SITE TO THE ARCHITECT BEFORE INSTALLING ANY MATERIALS OR CONTINUING WORK. DO NOT SCALE DRAWINGS. OBTAIN THE ARCHITECT'S APPROVAL, IN WRITING, BEFORE DEVIATING FROM THE CONTRACT DOCUMENTS.

G General Notes

N Detail Not Used



T Detail Not Used

B Detail Not Used

C LAV STANDARDS

D TOILET STANDARDS

E Enlarged Bathroom



ADDRESS: 700 MONTANO RD NW
ALBUQUERQUE, NM 87107

LEGAL DESCRIPTION
LOT: 6A1
SUBDIVISION: NORTH 4TH ST. HOMESITES ADDN.

ZONE ATLAS PAGE: F-14-Z

APPLICABLE CODES:
UNIFORM BUILDING CODE (UBC) -1997
NEW MEXICO BUILDING CODE (NMBC) -1997
UNIFORM FIRE CODE (UFC) -1997
UNIFORM MECHANICAL CODE (UMC) -1997
UNIFORM PLUMBING CODE (UPC) -1997
ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES (ANSI) -1998

OCCUPANCY CLASSIFICATION (TABLE 3A)
CLASSIFICATION 1 (B)

CONSTRUCTION TYPE (TABLE 6-A): V-N
OCCUPANT LOAD: 24

BUILDING AREA:
HEATED: 2,349 SF

TOILET ROOM REQUIREMENTS (CHAPTER 28, UBC)
REQUIRED (BY OCCUPANCY)
TYPE B OCCUPANCY
2349 TOTAL BUILDING SQ FT
478 SF FOR ACCESSORY SPACES (BATHROOM, MECHANICAL CLOSETS, JANITORS ROOM, BREAKROOM, AND UTILITY ROOM)


= 1.870 SF
1.870 SF NET/200 SF (TABLE 29-A)= 0.35 = 1 MALE/1 FEMALE
= ONE UNI-SEX TOILET ROOM PER TABLE 29-A NOTE 3, IF APPROVED BY THE BUILDING OFFICIAL

Detail Not Used

| | |
|-------|-----------------|
| A-101 | FLOOR PLAN |
| E-101 | LIGHTING PLAN |
| E-102 | POWER PLAN |
| M-101 | MECHANICAL PLAN |

M Drawing Legend


- NEW LOW WALL, ATTACH GRAB BAR AND TOILET PAPER DISPENSER
- NEW LOW GLASS BLOCK WALL
- 2A10BC FIRE EXTINGUISHER
- EXISTING MOP SINK
- EXISTING 3068 DOOR, ADD A LEVERED HANDLED PASSAGE SET AND A STOP
- EXISTING 3068 DOOR, ADD A LEVERED HANDLED LOCK SET AND A STOP
- EXISTING 3068 DOOR, ADD A LEVERED HANDLED PRIVACY SET AND A STOP
- EXISTING 2'-0" WIDE CLOSET DOOR
- SEE DETAIL E THIS SHEET FOR ENLARGED TOILET ROOM
- EXISTING FIRE PLACE AND HEARTH
- ADA DOOR CLEARANCE 48"x60"
- GRAB BAR BRACING TO SIDE WALL
- EXISTING STORAGE CABINET
- EXISTING HAND SINK
- EXISTING 3068 SECURITY DOOR
- NEW HANDICAP ACCESSIBLE BUILT IN DESK (34" AFF MAX)
- SHAMPOOING CHAIRS
- NEW OPENING IN WALL SEE 'A' ON ATTACHED STRUCTURAL ENGINEERING
- NEW OPENING IN WALL SEE 'B' ON ATTACHED STRUCTURAL ENGINEERING
- NEW OPENING IN WALL SEE 'C' ON ATTACHED STRUCTURAL ENGINEERING



ENGINEER

Schlegel Lewis Architects Inc.
1620 Central Ave SE
Albuquerque NM 87106
(505) 247-5299
FAX (505) 243-6701
gfl@mac.com

These drawings are a "Statement of Services" and shall not be reproduced, copied, or published without the written permission of the Architect.



FIELD VERIFY LOCATIONS OF ALL ELECTRICAL OUTLETS, SWITCHES, TELEPHONE JACKS, LIGHTS, AND EXHAUST FANS WITH OWNER



ALBUQUERQUE
BUILDING & SAFETY
MAR 2 5 2002
U.S.
PLAN CHECK
SECTION

Casa De Montano
Salon/Day Spa
700 Montano Rd NW
Albuquerque New Mexico 87107

ISSUE DATE:
23 MAR 02

REVISIONS:

FLOOR PLAN


PROJECT SHEET
0204 **A-101**
OF

Z Keyed Notes

U Floor Plan

| LIGHTING FIXTURE SCHEDULE | | | |
|---------------------------|--|------------------|-----------------|
| CASA DE MONTAÑO 3/20/2002 | | | |
| TYPE | DESCRIPTION | LAMPS | MOUNTING |
| A | SURFACE MOUNTED (3) HEAD AIMABLE | 3/100W/INC | SURFACE |
| B | RECESSED INCANDESCENT DOWNLIGHT | 1/100W/INC | SURFACE |
| C | PADDLE FAN WITH 3-LIGHT CLUSTER | 3/100W/INC | PENDANT, 8' AFF |
| D | ONE CIRCUIT TRACK LIGHT, 4' SECTION WITH (4) FIXTURES | 4/100W/INC | SURFACE |
| E | ABOVE MIRROR LIGHT BAR FIXTURE | 4/100W/INC | SURFACE |
| F | EXTERIOR MAIN ENTRANCE FIXTURE, WET LABEL | 1/100W/INC | SURFACE |
| EM | BATTERY PACK EMERGENCY FIXTURE | FURNISHED W/UNIT | SURFACE |
| X | BATTERY PACK BACK-UP EMERGENCY EXIT W/ # FACES & ARROWS PER PLANS. | FURNISHED W/UNIT | UNIVERSAL |

(A) Detail Not Used (B) Detail Not Used (C) Detail Not Used (D) Detail Not Used (E) Lighting Fixture Schedule



(G) Detail Not Used

(N) Detail Not Used

(T) Detail Not Used (U) Lighting Plan


(M) Detail Not Used

1. PADDLE FAN WITH LIGHT, VERIFY CONTROL SWITCH TYPE WITH OWNER.

ALBUQUERQUE
BUILDING & SAFETY
MAR 2 5 2002
U.S.C.
PLAN CHECK
SECTION



(Z) Keyed Notes



Schlegel Lewis Architects
1620 Central Ave. SE
Albuquerque, NM 87106
(505) 247-1529
FAX (505) 245-6701
gsl@slaw.com


These drawings are an "Instrument of Service" and shall not be reproduced, copied, or published without the written permission of the Architect. © 2002

Casa De Montano
Salon/ Day Spa
700 Montano Rd NW
Albuquerque New Mexico 87107


ISSUE DATE:
23 MAR 02
REVISIONS:

LIGHTING PLAN

PROJECT SHEET
0204 **E-101**
OF



A Service Grounding



C Power Riser Diagram

LOAD RECAP: 120/240V, 1-PHASE, 3 WIRE

| | NEW CONNECTED LOAD | EXISTING DEMAND LOAD |
|------------------------|--------------------|----------------------|
| SALON/DAY SPA BUILDING | 21.1 KVA | 24.2 KVA |
| FUTURE (10%) | 2.1 KVA | 2.1 KVA |
| TOTAL | 23.2 KVA | 26.3 KVA (100%) |

FAULT CURRENT ANALYSIS

SINGLE-PHASE FAULT CURRENT CALCULATIONS ARE BASED ON STANDARD TRANSFORMER IMPEDANCES AND AN INFINITE PRIMARY CURRENT.
 EXISTING SERVICE TRANSFORMER SIZE = 25 KVA
 STANDARD TRANSFORMER IMPEDANCE (Z%) = 1.2%
 MAXIMUM FAULT CURRENT AT TRANSFORMER SECONDARY = 10,300A
 MAXIMUM FAULT CURRENT AT ELECTRIC METER = 4,800A
 ALL PANELBOARDS ARE EXISTING AND HAVE A MAXIMUM A.I.C. AND BRINGS AS SHOWN ON SCHEDULES.

ENERGY CODE COMPLIANCE

THE ELECTRICAL LIGHTING PLANS ARE IN COMPLIANCE WITH ADOPTED ENERGY CODE STANDARDS FOR THE STATE OF NEW MEXICO.
 INTERIOR LIGHTING LOAD = 4.50 W/2,180 SQ. FT. = 2.06 W/SQ. FT.

D Load Calcs

| BKR | SIZE | NOTES | DESCRIPTION | DEMAND CODE | LOAD (VA) | CKT NO. | LOADS | | CMT NO. | LOAD (VA) | DEMAND CODE | NOTES | BKR SIZE |
|---------|------------|-------------|-------------|---------------|-----------|---------|---------|-------------------------|---------|--------------|-------------|-------|----------|
| | | | | | | | PHASE A | PHASE B | | | | | |
| 20A1P | GENERAL | LIGHTING | LTS | 800 | 1 | 1800 | 2 | 1000 | LTS | 1800 | GENERAL | 20A1P | 20A1P |
| 20A1P | GENERAL | LIGHTING | LTS | 1100 | 3 | 1800 | 4 | 1000 | LTS | 1800 | GENERAL | 20A1P | 20A1P |
| 20A1P | GENERAL | LIGHTING | LTS | 800 | 5 | 1042 | 6 | 642 | REC | RECEPTACLES | DUPLEX | 20A1P | 20A1P |
| 20A1P | DUPLEX | RECEPTACLES | REC | 1000 | 7 | 1000 | 8 | 1000 | MVAC | EVAP COOLER | EC-1 | 20A1P | 20A1P |
| 20A1P | DUPLEX | RECEPTACLES | REC | 1000 | 9 | 1000 | 10 | 1000 | REC | RECEPTACLES | DUPLEX | 20A1P | 20A1P |
| 20A1P | F-1 | FURNACE | MVAC | 1200 | 11 | 1000 | 12 | 700 | REC | RECEPTACLES | DUPLEX | 20A1P | 20A1P |
| 20A1P | DUPLEX | RECEPTACLES | REC | 1000 | 13 | 1000 | 14 | 700 | REC | RECEPTACLES | DUPLEX | 20A1P | 20A1P |
| 20A1P | DUPLEX | RECEPTACLES | REC | 1000 | 15 | 1742 | 16 | 1000 | MVAC | VALVE HEATER | EP-1 | 20A1P | 20A1P |
| 20A1P | SPARE | | | 17 | 0 | 0 | 20 | | | | | 20A1P | 20A1P |
| 20A1P | SPARE | | | 19 | 0 | 0 | 20 | | | | | 20A1P | 20A1P |
| 20A1P | SPARE | | | 21 | 0 | 0 | 20 | | | | | 20A1P | 20A1P |
| 20A1P | GARAGE | RECEPTACLES | REC | 1000 | 23 | 1000 | 24 | | | | | 20A1P | 20A1P |
| 20A1P | GARAGE | RECEPTACLES | REC | 1000 | 25 | 1000 | 26 | | | | | 20A1P | 20A1P |
| 20A1P | IRRIGATION | PUMP MOTOR | MISC | 2040 | 27 | 2040 | 28 | | | | | 20A1P | 20A1P |
| 20A1P | IRRIGATION | PUMP MOTOR | MISC | 2040 | 29 | 2040 | 30 | | | | | 20A1P | 20A1P |
| | | | | PHASE TOTALS: | | VA | AMPS | NOTES: | | | | | |
| SECT. 1 | | | | 21.1 | | 88.1 | 78.7 | NEUTRAL BAR, GROUND BAR | | | | | |
| TOTAL | | | | 21.1 | | 88.1 | 78.7 | | | | | | |

E Panel Schedule

SEE ALSO NOTES ON ARCHITECTURAL DRAWINGS FOR REQUIREMENTS CONCERNING CODES, PERMITS, SUBMITTALS, AND OTHER GENERAL AND SPECIFIC CONDITIONS.

ALL PIPING AND CONDUITS SHALL BE CONCEALED WITHIN WALLS, UNDER FLOOR DECK, ABOVE CEILING OR IN ARCHITECT-APPROVED UTILITY SPACES IN ALL CASES UNLESS SPECIFICALLY NOTED OTHERWISE ON THE DRAWINGS.

THE ELECTRICAL CONTRACTOR SHALL COORDINATE WORK WITH THE GENERAL CONTRACTOR AND ALL OTHER TRADES FOR EXACT PLACEMENT OF EQUIPMENT AND MATERIALS. REFER TO ALL OTHER DRAWINGS FOR COORDINATION.

CONNECT & MAKE OPERATIONAL ALL MECHANICAL EQUIPMENT & CONTROLS.

WIRING DEVICES

RUN ALL WIRING IN CONDUIT: RIGID INTERMEDIATE METALLIC (IMC), ELECTRICAL METALLIC TUBING (EMT), OR SCHEDULE 40 PVC CONDUIT INSTALLED IN ACCORDANCE WITH THE NEC. CONDUIT INSTALLED IN CONTACT WITH EARTH SHALL BE SCHEDULE 40 PVC WITH SCHEDULE 40 PVC EL BOWS OR SCHEDULE 40 WITH CONCRETE THRUST BLOCKS INSTALLED AT EACH TURN. EMT OR ALUMINUM CONDUIT MAY NOT BE INSTALLED IN CONCRETE SLABS OR BELOW GRADE.

MINIMUM SIZE: 1/2" OR PER CODE
 A #8 PULL WIRE SHALL BE INSTALLED IN EACH EMPTY CONDUIT
 ALL EMT COUPLINGS AND CONNECTORS SHALL BE COMPRESSION TYPE; INDUCTURE OR SET-SCREW TYPE COUPLINGS SHALL NOT BE USED.

ALL OUTLET BOXES SHALL BE WELDED OR DEEP DRAWN ONE-PIECE STEEL. SECTIONAL BOXES SHALL NOT BE USED.

ALL CONDUCTORS SHALL BE COPPER, #12 AWG (MINIMUM), THIN INSULATION, UNLESS OTHERWISE NOTED, AND SHALL BE COLOR CODED AS FOLLOWS: A PHASE-BLACK, B PHASE-RED, NEUTRAL-WHITE, EQUIPMENT GROUND-GREEN.

INCREASE WIRE SIZE TO PREVENT EXCESSIVE VOLTAGE DROP AS FOLLOWS: 100' TO 199' - #10 AWG OVER 200' - #8 AWG

THE CONDUIT SYSTEM AND NEUTRAL CONDUCTOR OF THE WIRING SYSTEM SHALL BE GROUNDED IN ACCORDANCE WITH THE NEC AND ALL LOCAL CODES AND ORDINANCES; GROUNDING SHALL COMPLY WITH ALL THE REQUIREMENTS IN ARTICLE 250 OF THE NEC THAT APPLY TO THIS PROJECT.

SWITCHES: UP 44" UNLESS OTHERWISE NOTED
 RECEPTACLES: DUPLEX IVORY
 GENERAL: UP 18" UNLESS OTHERWISE NOTED
 ALL HEIGHTS MEASURED TO THE CENTERLINE OF THE EQUIPMENT.

SERVICE/DISTRIBUTION:
 ALL PANELBOARD BUSSES SHALL BE COPPER, WITH COPPER BUSSES AND PROVIDED WITH A TYPED INDEX FOR EACH PANEL.

BRANCH CIRCUITS/BREAKERS MAY BE FIELD WIRED WITH ARCHITECT/ENGINEER APPROVAL.

TELEPHONES
 INSTALL ALL MATERIALS TO LOCAL TELEPHONE COMPANY'S REQUIREMENTS SEE DRAWINGS FOR LOCATIONS.

M Spec Notes


- J-BOX PADDLE FAN WITH LIGHT, SEE LIGHTING PLAN FOR CIRCUITING.
- EXISTING PANEL, REPLACE ALL EXISTING NON-METALLIC SHEATHED WIRING (ROMEX) WITH WIRING IN CONDUIT TO CONFORM WITH NM STATE ELECTRICAL CODE.
- CONNECT EXHAUST FAN TO LIGHTING CIRCUIT FOR CONTROL BY LIGHT SWITCH.
- EXISTING DISCONNECT SWITCH TO REMAIN (IRRIGATION PUMP # 1 W/ER).
- EXISTING IRRIGATION CONTROLS TO REMAIN.
- EXISTING PNM-OWNED TRANSFORMER TO REMAIN (LOCATION NOT SHOWN TO SCALE).
- EXISTING ELECTRIC METER TO REMAIN.
- EXISTING PNM-OWNED TRANSFORMER TO REMAIN (LOCATION NOT SHOWN TO SCALE).
- EXISTING CATV PEDESTAL TO REMAIN (LOCATION NOT SHOWN TO SCALE).
- TELEPHONE BACKBOARD WITH #6 GROUND PER GUEST REQUIREMENTS COORDINATE DIRECTLY WITH GUEST REPRESENTATIVE.
- 200A FEEDER. (3) #3/0 AND (1) #6 GROUND IN 2" CONDUIT.
- METERING EQUIPMENT PER PNM REQUIREMENTS.
- (1) #4 BSD COPPER SERVICE GROUND IN 1/2" CONDUIT. INSTALL PER SERVICE GROUNDING DETAIL.
- 1500 W HEATER FOR BACKFLOW PREVENTOR, REFER TO SHEET M-101.

G Detail Not Used


N Detail Not Used

T Detail Not Used

U Power Plan



FIELD VERIFY LOCATIONS OF ALL ELECTRICAL OUTLETS, SWITCHES, TELEPHONE JACKS, LIGHTS, AND EXHAUST FANS WITH OWNER.



Casa De Montano
 Salon/Day Spa
 700 Montano Rd NW
 Albuquerque New Mexico 87107

ISSUE DATE:
 23 MAR 02
 REVISIONS:

POWER PLAN
 SHEET
E-102
 OF

Z Keyed Notes

ALBUQUERQUE
 BUILDING & SAFETY
 MAR 25 2002
 U.S.C.
 PLAN CHECK
 SECTION

BACKFLOW PREVENTOR: WILKINS MODEL 9790, REDUCED PRESSURE BACKFLOW PREVENTION DEVICE WITH SHUT-OFF BALL VALVES, CAST BRONZE MAINCASE, TWO CHECK VALVES ASSEMBLIES WITH STAINLESS STEEL SPRINGS, BRONZE BODY RELIEF VALVE, WORKING PRESSURE OF 150 PSI AND WATER TEMPERATURES OF 33 F TO 140 F, USC AND IAPMO APPROVED.


SEE ALSO THE ARCHITECTURAL DRAWINGS & NOTES FOR REQUIREMENTS CONCERNING CODES, PERMITS, SUBMITTALS, & OTHER GENERAL AND SPECIAL CONDITIONS.

PIPING
ALL PIPING AND CONDUITS SHALL BE CONCEALED WITHIN WALLS, UNDER FLOOR DECK, ABOVE CEILING OR IN ARCHITECT-APPROVED UTILITY SPACES IN ALL CASES UNLESS SPECIFICALLY NOTED OTHERWISE ON THE DRAWINGS.


RUN STRAIGHT AND TRUE TO WALLS/FLOOR
FURNISH ALL ACCESSORIES REQUIRED
PROVIDE VENTS, CLEANOUTS, ETC PER CODE

WATER SUPPLY:
SERVICE: TYPE K HARD DRAWN COPPER
ABOVE GRADE: TYPE K HARD DRAWN COPPER
-OR-
CPVC OPTION IF ALLOWED BY CODE
1/2" MINIMUM SIZE
WASTE & SOIL LINES:
CAST IRON, SCHEDULE 40 PVC, OR ABS AS ALLOWED BY CODE
1-1/2" MINIMUM LAVATORY SIZE
3" MINIMUM WC SIZE
SLOPE 1/8" PER FOOT (MINIMUM)
PLUMBING SUB SHALL COORDINATE & INSTALL:
GAS & CONDENSATE LINES FOR HVAC EQUIPMENT
COPPER WATERLINES FOR ICE MAKERS, ETC.

HVAC SUB SHALL COORDINATE WITH:
PLUMBING SUB FOR GAS LINES AND WATER LINES
ELECTRICAL SUB FOR LIGHTING AND CONDUITS



A Detail Not Used B Detail Not Used C Detail Not Used D Detail Not Used E Detail Not Used F Fixture Schedule



G Detail Not Used

N Detail Not Used

T Detail Not Used U HVAC Plan

M General Note

1. EXISTING WATER METER TO REMAIN. FIELD VERIFY EXACT LOCATION.
2. INSTALL NEW REDUCED PRESSURE BACKFLOW PREVENTER (RBP), INSTALL COMPLETE WITH ALL ACCESSORIES REQUIRED BY THE CITY OF ALBUQUERQUE.
3. INSTALL INSULATED HOT BOX WITH 1.5 KW HEATER, 120V-1 PHASE.
4. EXISTING FURNACE AND AIR DISTRIBUTION TO REMAIN.
5. EXISTING EVAPORATIVE COOLER AND AIR DISTRIBUTION TO REMAIN.
6. EXISTING EXHAUST AND PLUMBING SYSTEMS TO REMAIN.
7. CONNECT NEW 1/2" CW, 1/2" HW, 1/2" DRAIN, AND 1-1/2" VENT LINES TO EXISTING CW, HW, DRAIN, AND VENT LINES (BEAUTY PARLOR EQUIPMENT). PROVIDE BACKFLOW DEVICE (SVP)

DSA 3/26/02

ALBUQUERQUE
BUILDING & SAFETY
MAR 2 5 2002
M&C
PLAN CHECK
SECTION

FIELD VERIFY LOCATIONS OF ALL ELECTRICAL OUTLETS, SWITCHES, TELEPHONE JACKS, LIGHTS, AND EXHAUST FANS WITH OWNER



Z Keyed Notes



These drawings are an "Assurance of Service" and shall not be reproduced, copied, or published without the written permission of the Architect. © 2002

Casa De Montano
Salon/Day Spa
700 Montano Rd NW
Albuquerque New Mexico 87107

ISSUE DATE:
23 MAR 02
REVISIONS:

**PLUMBING
HVAC**
PROJECT 0204 SHEET **M-101** OF