

TITLE SERVICE COMPANY, M.V.D./WRECKER REQUIREMENTS FOR PLAN SUBMITTAL, REVIEW, AND APPROVAL

DEAR APPLICANT:

PER THE UNIFORM ADMINISTRATIVE CODE, 1999 EDITION, SECTION 302.3, ALL SITE PLAN AND LANDSCAPING PLAN SUBMITTALS MUST MEET THE FOLLOWING QUALITY REQUIREMENTS:

- 1. PLANS SUBMITTED SHALL BE DRAWN TO SCALE
- 2. PLANS SUBMITTED SHALL BE DRAWN ON PAPER NO SMALLER THAN 8 ½ X 11.
- 3. PLANS SUBMITTED SHALL BE PRINT, XEROX COPIES, OR INK WORK. PLANS DRAWN IN PENCIL ARE UNACCEPTABLE.
- 4. PLANS SUBMITTED SHALL BE OF SUFFICIENT CLARITY TO INDICATE THE NATURE OF THE PROPERTY, ALL REQUIRED DIMENSIONAL AREAS AND THE EXTENT OF ANY PROPOSED WORK. ALL DETAILS SHOWN SHALL BE DRAWN TO CONFORM TO THE PROVISIONS OF RELEVANT TECHNICAL CODES, LAWS, ORDINANCES, RULES AND REGULATIONS. ORAL EXPLANATIONS ARE NOT ALLOWED.

NOTE:

- APPLICANTS WHOSE DRAWINGS DO NOT CONVEY THE ABOVE NOTED REQUIREMENTS <u>MUST SEEK PROFESSIONAL ASSISTANCE OUTSIDE OF THIS DEPARTMENT FOR PREPARATION OF THEIR SUBMITTALS.</u>
- THE REQUIRED SITE INSPECTION IS CONDUCTED ONLY AFTER APPROVAL HAS BEEN GRANTED FOR THE CORRESPONDING SUBMITTAL.
- INCOMPLETE PLANS WILL NOT BE ACCEPTED.



CITY OF ALBUQUERQUE CODE ENFORCEMENT DIVISION

600 2ND ST N.W. SUITE 720 ALBUQUERQUE NEW MEXICO 87102

 $\textbf{APPLICATION FOR TITLE SERVICE M.V.D.} / \textbf{WRECKERCERTIFICATION} / \textbf{ZONING CERTIFICATON FIELD INVESTIGATION} \\ (ALL INFORMATION MUST BE COMPLETED PRIOR TO THE SUBMISSION OF THE APPLICATION) \\$

APPLICANT INFORMA (PLEASE TYPE OR C	<u>ation</u> Learly Print)				
APPLICANTS N	NAME				
BUSINESS NAM	ME				
TELEPHONE (WORK)	(CELL)	(FAX)		
	PROPER	TY TO BE CER	<u> </u>		
ADDRESS			LOT (S)		
SUBDIVISION _			BLOCK		
UNIFORM PRO	OPERTY CODE				
OWNER ADDR	ESS (IF DIFFERENT FROM A	3OVE)			
DEALER OR DISMANT CITY OF ALBUQUERQ STATUS OF THE USE. ENFORCEMENT OFFIC	TLER PLACE OF BUSINESS FORM QUE, CODE ENFORCEMENT DIVIS . I HAVE RECEIVED A COPY OF	HAS BEEN SUBMITTED W. ION TO INSPECT THIS PROTECT THE CERTIFICATION RECEPLAN. ANY VIOLATIONS N	TY, AS WELL AS AN INSPECTION CERTIFICA TH THIS APPLICATION. I HEREBY AUTHOR DERTY FOR THE PURPOSE OF DETERMINI QUIREMENTS AND UNDERSTAND THAT TH IOTED AS A RESULT OF THE PLAN REVIEW A	IZE THI NG THI E COD	
	OWNER/AGENT		DATE		
	FOR C	OFFICIAL USE ON	LY		
APPLICATION/SIT	E PLAN ACCEPTED BY:		DATE		
ZONE	MAP	TOTA	AL FEE \$200.00 425099 / 4916	000	
ASSIGNED TO			FOR FIELD INSPECT	ION.	

Research, field investigation / zoning certification processing fee is \$165.00. Note: In addition per Section 14-16-4-6 (C) City Comprehensive Zoning Code, an additional \$35.00 fee will be charged by the City of Albuquerque.



CITY OF ALBUQUERQUE CODE ENFORCEMENT DIVISION

600 2ND ST N.W. SUITE 720 ALBUQUERQUE NEW MEXICO 87102

TITLE SERVICE CERTIFICATION REQUIREMENTS FOR M.V.D. APPROVAL

THE FOLLOWING INFORMATION IS REQUIRED TO BE SUBMITTED:

- 1. A COMPLETED COPY OF AN <u>INSPECTION CERTIFICATION OF DEALER OR DISMANTLER PLACE</u>
 <u>OF BUSINESS</u> FORM AND AN <u>APPLICATION FOR TITLE SERVICE COMPANY LICENSE</u> FORM.

 THESE FORMS ARE AVAILABLE FROM THE STATE OF NEW MEXICO MOTOR VEHICLE DIVISION.
- 2. THREE COPIES OF A SITE PLAN OF THE PROPERTY. THE SITE PLAN SHALL:
 - a. BE AT A SCALE OF AT LEAST 1" = 20". INDICATE THE SCALE DIMENSION.
 - b. INCLUDE THE LOCATION OF PROPERTY LINES. INDICATE THE LOCATION OF ANY PUBLIC RIGHTS-OF –WAY, INCLUDING STREETS, ALLEYS AND SIDEWALKS.
 - c. INDICATE THE DIMENSIONS OF ALL BUILDINGS, STRUCTURES, AND/OR SIGNS ON THE PROPERTY.
 - i. PRINCIPAL BUILDING(S) SHALL BE PLACED ON A PERMANENT FOUNDATION.
 - ii. SIGN(S) MUST INCLUDE THE NAME, ADDRESS, AND PHONE NUMBER OF THE DEALERSHIP. **PLEASE NOTE:** ALL SIGNAGE REQUIRES SEPARATE REVIEW AND PERMIT PRIOR TO INSTALLATION.
 - d. INDICATE THE NORTH DIRECTIONAL ARROW.
 - e. INDICATE THE AREA OF THE ENTIRE PROPERTY IN SQUARE FEET.
 - f. SHOW THE DIMENSIONS OF THE PARKING SPACE LAYOUT.
 - g. INDICATE CUTOMER, EMPLOYEE AND DISPLAY PARKING. THESE SPACES ARE ALSO REQUIRED TO MARKED WITH A SIGN INDICATING CUSTOMER OR EMPLOYEE PARKING.
 - h. SURFACING REQUIRED ON THE PROPERTY SHALL BE:
 - BLACKTOP OR EQUAL: TWO INCHES OF ASPHALT CONCRETE ON A PRIME COAT OVER A FOUR INCH COMPACTED SUB GRADE, OR A SURFACE EQUAL OR SUPERIOR PERFORMANCE CHARACTERISTICS.
 - INDICATE THE LOCATION OF OFF-STREET-PARKING SPACES, DISPLAY SPACES, AND PARKING BARRIERS.
 - i. THE LOT SHALL HAVE BARRIERS, WHICH PREVENT VEHICLES FROM EXTENDING OVER THE SIDEWALK ABUTTING LOTS OR LANDSCAPE BUFFERS.
 - ii. ONE OFF STREET PARKING SPACE IS REQUIRED FOR EACH 200 SQUARE FEET OF BUILDING AREA.
 - iii. DESIGNATED DISABLED PARKING SPACE (S) MUST BE PROVIDED AND MEET ONE OF THE FOLLOWING.
 - 1. THE DISABLED PARKING SPACE CAN MEASURE 20 FEET IN LENGTH AND 12-FOOT IN WIDTH.
 - 2. DISABLED SPACES MAY BE 8.5 FEET IN WIDTH, HOWEVER, AN ADDITIONAL ADJACENT DELINEATED ACCESS AISLE AT LEAST 3.5 FEET IN WIDTH SHALL BE PROVIDED.
 - 3. DISABLED SPACES 8.5 FEET IN WIDTH MAY SHARE A COMMON ACCESS AISLE BETWEEN THE TWO SPACES.
 - iv. MUST BE LOCATED TO PROVIDE CONVENIENT ACCESS, AT LEAST 36 INCHES WIDE, TO A PRIMARY, ACCESSIBLE ENTRANCE.
 - v. DISABLED SPACES SHALL NOT HAVE SURFACE SLOPES EXCEEDING 1:20 IN ANY DIRECTION.
 - vi. EACH DISABLED SPACE SHALL BE DESIGNATED BY ITS OWN CONSPICUOUSLY POSTED UPRIGHT SIGN.
 - vii. THE SIGN CAN BE EITHER FREE-STANDING OR WALL MOUNTED. IF FREE-STANDING, A BARRIER MUST BE INSTALLED TO PROTECT THE SIGN FROM BEING HIT BY A MOTOR VEHICLE.
 - viii. THE SIGN MUST BE AT LEAST 12 INCHES BY 18 INCHES.
 - ix. THE SIGN MUST BE POSTED AT LEAST FOUR FEET ABOVE GRADE.
 - j. ONE BICYCLE SPACE SHALL BE PROVIDED PER 20 PARKING SPACES OR FRACTION THEREOF.


- 3. INDICATE THE LOCATION AND DIMENSIONS OF ALL LANDSCAPED AREAS ON PROPERTY.
 - a. PROVIDE A PLANT LEGEND TO SHOW:
 - i. PLANT NAME, COMMON AND SCIENTIFIC.
 - ii. QUANTITY PLANTED.
 - iii. SIZE AT PLANTING
 - iv. WATER USAGE (PER ALBUQUERQUE PLANT LIST).
 - v. WATERING SYSTEM AND RESPONSIBILITY PARTY.
- 4. TREES SHALL BE PLANTED ALONG ALL STREET FRONTAGES.
 - a. EITHER TWO INCHES IN CALIPER, MEASURED SIX INCHES ABOVE GRAD OR 10 TO 12 FEET IN HEIGHT.
 - b. A 36 SQUARE FOOT TREE WELL SHALL BE PROVIDED FOR EACH TREE.
- 5. ONE TREE FOR EACH 30 LINEAR FEET OF STREET SHALL BE REQUIRED.
- 6. PEDESTRIAN WALKWAYS SHALL BE PROVIDED FROM ALL STREET SIDEWALKS TO THE PRINCIPAL CUSTOMER ENTRANCE (S) OF THE NEAREST BUILDINGS ON SITE AND MUST BE 6-FOOT IN WIDTH.
- 7. PROOF OF CURRENT AND UP-TO-DATE BUSINESS REGISTRATION WITH THE CITY OF ALBUOUEROUE.
- 8. AN M.V.D./WRECKER CERTIFICATION APPLICATION SHALL ACCOMPANY EACH REQUEST. A NON-REFUNDABLE FEE OF \$200.00 MUST BE PAID BEFORE THE APPLICATION WILL BE ACCEPTED.

THE FOLLOWING REGULATIONS MAY ALSO BE APPLICABLE:

- 1. IF THE LOT ABUTS A RESIDENTIALLY ZONED PROPERTY, OTHER THAN PUBLIC RIGHT OF WAY, A SOLID WALL OR FENCE SIX FEET IN HEIGHT IS REQUIRED. THE WALL OR FENCE SHALL NOT EXCEED THREE FEET IN HEIGHT IN THE AREA WITHIN FIVE FEET OF THE STREET RIGHT-OF –WAY LINE. ALL WALL/FENCE CONSTRUCTION REQUIRES A SEPARATE PERMIT.
- 2. MOST SALES LOTS RESTRICT THE NUMBER OF INOPERATIVE VEHICLES TO NO MORE THAN TWO VEHICLES AT ANY ONE TIME. A GIVEN INOPERATIVE VEHICLE SHALL NOT BE PARKED OUTDOORS OVER TWO WEEKS IN ANY 12 MONTH PERIOD. THE PAINTING OF VEHICLES OR AUTOMOTIVE REPAIR MUST BE WITHIN A COMPLETELY ENCLOSED BUILDING AT LEAST 20 FEET FROM ANY RESIDENTIAL ZONE.

PROCEDURE:

- 1. AFTER THE REVIEW FEE HAS BEEN PAID AND THE APPLICATION AND COPIES OF THE SITE PLAN HAVE BEEN SUBMITTED, THE CODE ENFORCEMENT OFFICE WILL REVIEW THE PLAN. IF THE PLAN MEETS THE NECESSARY REQUIREMENTS, THE INDIVIDUAL (S) LISTED AS THE CONTACT (S) WILL BE NOTIFIED OF THE APPROVAL, AND A SITE INSPECTION WILL BE SCHEDULED.
- 2. PLANS NOT MEETING THE REQUIREMENTS WILL BE RETURNED FOR CORRECTION. ALL NECESSARY IMPROVEMENTS MUST BE COMPLETED PRIOR TO THE SCHEDULED SITE INSPECTION. A LETTER OF CERTIFICATION WILL BE MAILED TO THE MOTOR VEHICLE DIVISION, AS WELL AS THE LISTED CONTACT (S), FOLLOWING THE SITE INSPECTION.
- 3. IF THERE ARE ANY QUESTIONS THE QUESTIONS WILL BE ADDRESSED BY THE CODE ENFORCEMENT OFFICE AT 924-3850 OR FAXED AT 924-3847. A COMPLETE COPY OF THESE REGULATIONS CAN BE FOUND IN THE COMPREHENSIVE ZONING CODE, ROA 1994, SECTIONS 14-16-4-5(A)(B), 14-16-2-15(A), 14-16-3-4(E), 14-16-3-10 AND 14-16-3-3-(A)(3)(B).





Yellow Iceplant (fill at maturity) Gravel (Santa Fe brown) Texas Umbrella (10'-12')

Main St., NE

SAMPLE SITE PLAN

SAMPLE SITE PLAN

Plan Notes:

Address: 132 Any where NE Scale: 1:20

egal Description

Building Size:

Parking: Required Spaces: Provided Spaces: Surfacing:

9

2000

Disabled (8.5 X 3.5 isle) Standard (8.5 X 20)

2 2 4

Fotal Spaces Provided:

NOTE:

Parking barriers will be used to prevent vehicles from extending over the sidewalk, abutting lots or onto any landscape buffer.

All spaces (customer/employee and display vehicles) will be marked to indicate the location of each parking space.

Each disabled (HC) parking space shall be designated with its own conspicuously posted sign, 12" by 18" in size, with the bottom edge at least four feet above grade.

Landscaped Areas: 1700 sq. ft.

(Delospermanubigenum) Low Water Use Groundcover: 25 Yellow Iceplant

Trees: 5 Texas Umbrella (Meliaazedarach) Low Water Use

NOTE

Landscape areas will be watered by existing irrigation system.

Property tenant responsible for irrigation and maintenance of landscaping.

All landscaping areas shall be mulched with gravel coverage (Santa Fe brown).

Groundcover will achieve 75% coverage of landscape areas within two (2) growing seasons.

Trees shall be deciduous and 10-12 ft. in height at the time of planting.