



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 18A, Block 4, Emil Mann Addn zoned R-2, located on 421 ESPANOLA ST SE (L-19)

Special Exception No:..... **16ZHE-80041**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 421 ESPANOLA ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “A *variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:*
 - (a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
 - (b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
 - (c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
 - (d) *Substantial justice is done.”*
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 13A, Block 4, Emil Mann Addn zoned R-2, located on 443 ESPANOLA ST SE (L-19)

Special Exception No:..... **16ZHE-80042**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 443 ESPANOLA ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “A *variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:*
 - (a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
 - (b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
 - (c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
 - (d) *Substantial justice is done.”*
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 21A1, Block 13, Emil Mann Addn zoned R-2, located on 511 ESPANOLA ST SE (L-19)

Special Exception No:..... **16ZHE-80043**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 511 ESPANOLA ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “A variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:
 - (a) The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;
 - (b) There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;
 - (c) Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and
 - (d) Substantial justice is done.”
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).

4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).
5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street,

Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 16A, Block 13, Emil Mann Addn zoned R-2, located on 523 ESPANOLA ST SE (L-19)

Special Exception No:..... **16ZHE-80045**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 523 ESPANOLA ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “A *variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:*
 - (a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
 - (b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
 - (c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
 - (d) *Substantial justice is done.”*
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 4A, Block 5, Emil Mann Addn zoned R-2, located on 416 ESPANOLA ST SE (L-19)

Special Exception No:..... **16ZHE-80047**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 416 ESPANOLA ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “A variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:
(a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
(b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
(c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
(d) *Substantial justice is done.*”
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 17A, Block 5, Emil Mann Addn zoned R-2, located on 433 SAN PABLO ST SE (L-19)

Special Exception No:..... **16ZHE-80048**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 433 SAN PABLO ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “*A variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:*
 - (a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
 - (b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
 - (c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
 - (d) *Substantial justice is done.*”
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 5A, Block 6, Emil Mann Addn zoned R-2, located on 418 SAN PABLO ST SE (L-19)

Special Exception No:..... **16ZHE-80049**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 418 SAN PABLO ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “A *variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:*
 - (a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
 - (b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
 - (c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
 - (d) *Substantial justice is done.”*
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 1A, Block 15, Emil Mann Addn zoned R-2, located on 512 SAN PABLO ST SE (L-19)

Special Exception No:..... **16ZHE-80050**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 512 SAN PABLO ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “A *variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:*
 - (a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
 - (b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
 - (c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
 - (d) *Substantial justice is done.”*
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 12A, Block 15, Emil Mann Addn zoned R-2, located on 544 SAN PABLO ST SE (L-19)

Special Exception No:..... **16ZHE-80051**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 544 SAN PABLO ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “*A variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:*
 - (a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
 - (b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
 - (c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
 - (d) *Substantial justice is done.*”
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.


Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14.16.4.4.(B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com



CITY OF ALBUQUERQUE
OFFICE OF ADMINISTRATIVE HEARINGS
ZONING HEARING EXAMINER
NOTIFICATION OF DECISION

GREATER ALBUQUERQUE HOUSING PARTNERSHIP (THE DESIGN GROUP, AGENT) requests a special exception to Section 14-16-3-1(H)(1) : a VARIANCE of 2 ft to the required 6 ft width for a pedestrian sidewalk for all or a portion of Lot 12, Block 16, Emil Mann Addn zoned R-2, located on 448 GROVE ST SE (L-19)

Special Exception No:..... **16ZHE-80052**
Project No:..... **Project# 1010750**
Hearing Date:..... 03-15-16
Closing of Public Record:..... 03-15-16
Date of Decision: 03-30-16

On the 15th day of March, 2016, THE DESIGN GROUP (“Agent”) acting as agent on behalf of the property owner GREATER ALBUQUERQUE HOUSING PARTNERSHIP (“Applicant”) appeared before the Zoning Hearing Examiner (“ZHE”) requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk (“Application”) upon the real property located at 448 GROVE ST SE (“Subject Property”). Below are the ZHE’s findings of fact and decision:

FINDINGS:

1. Applicant is requesting a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.
2. The City of Albuquerque Zoning Code of Ordinances Section 14-16-4-2 (C)(2) (Special Exceptions – Variance) reads: “A *variance application shall be approved by the Zoning Hearing Examiner, if and only if, the Zoning Hearing Examiner finds all of the following:*
 - (a) *The application is not contrary to the public interest or injurious to the community, or to property or improvements in the vicinity;*
 - (b) *There are special circumstances applicable to the subject property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid;*
 - (c) *Such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable zoning district; and*
 - (d) *Substantial justice is done.”*
3. The Applicant bears the burden of ensuring there is evidence in the record supporting a finding that the above criteria are met under Section 14-16-4-2(C).
4. The ZHE finds that Application is not: (i) contrary to the public interest, (ii) injurious to the community; or (iii) injurious to the property or improvements located in the vicinity as required by Section 14-16-4-2 (C)(2)(a).

5. Specifically, the ZHE finds that the proposed reduction is appropriate in context of the development, will not unreasonably limit pedestrian uses or cause other problems, and will beneficially reduced impermeable surface where wider sidewalks due to shared vehicle use are unnecessary and will facilitate additional landscaping.
6. The ZHE finds that there are special circumstances applicable to the Subject Property which do not apply generally to other property in the same zone and vicinity such as size, shape, topography, location, surroundings, or physical characteristics created by natural forces or government action for which no compensation was paid, as required by Section 14-16-4-2(C)(2)(b).
7. Specifically, the existing pedestrian network as well as need for larger fronting sidewalks and narrower interior sidewalks is particular to this infill project.
8. The ZHE finds that such special circumstances were not self-imposed and create an unnecessary hardship in the form of a substantial and unjustified limitation on the reasonable use or return on the property that need not be endured to achieve the intent and purpose of the Zoning Code (§14-16-1-3) and the applicable district, as required by Section 14-16-4-2(C)(2)(c).
9. Specifically, the ZHE finds that as a scattered site infill project Applicant is faced with the existing design, sidewalk construction and connectivity which are not a result on Applicant's actions.
10. substantial justice will be done if this Application is approved, as required pursuant to Section 14-16-4-2 (C)(2)(d).
11. The ZHE finds that the proper "Notice of Hearing" signage was posted for the required time period as required by Section 14-16-4-2(B)(4).
12. The ZHE finds that the Applicant has authority to pursue this Application.

CONCLUSIONS OF LAW:

The criteria within Section 14-16-4-2(C)(2) of the Albuquerque Zoning Code are satisfied.

DECISION:

APPROVAL of a variance of 2 ft to the required 6 ft width for a pedestrian sidewalk.

If you wish to appeal this decision, you must do so by April 14, 2016, in the manner described below. A non-refundable filing fee will be calculated at the Planning Department's Land Development Coordination counter and is required at the time the Appeal is filed.

Appeal is to the Board of Appeals within 15 days of the decision. A filing fee of \$105.00 shall accompany each appeal application, as well as a written explanation outlining the reason for appeal and a copy of the ZHE decision. Appeals are taken at 600 2nd Street, Plaza Del Sol Building, Ground Level, Planning Application Counter located on the west side of the lobby. **Please present this letter of notification when filing an appeal.** When an application is withdrawn, the fee shall not be refunded.

An appeal shall be heard by the Board of Appeals within 45 days of the appeal period and concluded within 75 days of the appeal period. The Planning Division shall give written notice of an appeal, together with a notice of the date, time and place of the hearing to the applicant, a representative of the opponents, if any are known, and the appellant.

Please note that pursuant to Section 14. 16. 4. 4. (B), of the City of Albuquerque Comprehensive Zoning Code, you must demonstrate that you have legal standing to file an appeal as defined.

You will receive notice if any other person files an appeal. If there is no appeal, you can receive building permits any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. However, the Zoning Hearing Examiner may allow issuance of building permits if the public hearing produces no objection of any kind to the approval of an application. To receive this approval, the applicant agrees in writing to return the building permit or occupation tax number.

Successful applicants are reminded that other regulations of the City must be complied with, even after approval of a special exception is secured. This decision does not constitute approval of plans for a building permit. If your application is approved, bring this decision with you when you apply for any related building permit or occupation tax number. Approval of a conditional use or a variance application is void after one year from date of approval if the rights and privileges are granted, thereby have not been executed or utilized.



Christopher L. Graeser, Esq.
Zoning Hearing Examiner

cc: Zoning Enforcement
ZHE File
felipe@abqgahp.org
daube@designgroupnm.com