

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/01/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				

00		M	M	M	M
01	M	M	M	M	M
02	M	M	M	M	M
03	M	M	M	M	M
04	M	M	M	M	M
05	M	M	M	M	M
06		M	M	M	M
07		M	M	M	M
08		M	M	M	M
09	M	M	M	M	M
10		M	M	M	M
11	M	M	M	M	M
12		M	M	M	M
13		M	M	M	M
14		M	M	M	M
15		M	M	M	M
16		M	M	M	M
17		M	M	M	M
18		M	M	M	M
19		M	M	M	M
20		M	M	M	M
21	M	M	M	M	M
22		M	M	M	M
23		M	M	M	M

Max :	-999	-999	-999	-999	-999
Min :	-999	-999	-999	-999	-999
Mean :	-999	-999	-999	-999	-999
Hours :	00	00	00	00	00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/02/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour

00		M	M	M	M
01		M	M	M	M
02		M	M	M	M
03		M	M	M	M
04		M	M	M	M
05		M	M	M	M
06		M	M	M	M
07	P	P	P	P	P
08		M	M	M	M
09		M	M	M	M
10		M	M	M	M
11		M	M	M	M
12		M	M	M	M
13		M	M	M	M
14		M	M	M	M
15		M	M	M	M
16		M	M	M	M
17		M	M	M	M
18		M	M	M	M
19		M	M	M	M
20		M	M	M	M
21		M	M	M	M
22		M	M	M	M
23		M	M	M	M

Max : -999 -999 -999 -999 -999
Min : -999 -999 -999 -999 -999
Mean : -999 -999 -999 -999 -999
Hours : 00 00 00 00 00

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/03/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour -----

00		M	M	M	M
01		M	M	M	M
02		M	M	M	M
03		M	M	M	M
04		M	M	M	M
05		M	M	M	M
06		M	M	M	M
07		M	M	M	M
08		M	M	M	M
09		M	M	M	M
10		M	M	M	M
11		M	M	M	M
12		M	M	M	M
13		M	M	M	M
14		M	M	M	M
15		M	M	M	M
16		M	M	M	M
17		M	M	M	M
18		M	M	M	M
19		M	M	M	M
20		M	M	M	M
21		M	M	M	M
22		M	M	M	M
23		M	M	M	M

Max : -999 -999 -999 -999 -999
Min : -999 -999 -999 -999 -999
Mean : -999 -999 -999 -999 -999
Hours : 00 00 00 00 00

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/04/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour -----

00		M	M	M	M
01		M	M	M	M
02		M	M	M	M
03		M	M	M	M
04		M	M	M	M
05		M	M	M	M
06		M	M	M	M
07		M	M	M	M
08		M	M	M	M
09		M	M	M	M
10		M	M	M	M
11		M	M	M	M
12		M	M	M	M
13		M	M	M	M
14		M	M	M	M
15		M	M	M	M
16		M	M	M	M
17		M	M	M	M
18		M	M	M	M
19		M	M	M	M
20		M	M	M	M
21		M	M	M	M
22		M	M	M	M
23		M	M	M	M

Max : -999 -999 -999 -999 -999
Min : -999 -999 -999 -999 -999
Mean : -999 -999 -999 -999 -999
Hours : 00 00 00 00 00

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/05/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour -----

00		M	M	M	M
01		M	M	M	M
02		M	M	M	M
03		M	M	M	M
04		M	M	M	M
05		M	M	M	M
06		M	M	M	M
07		M	M	M	M
08		M	M	M	M
09		M	M	M	M
10		M	M	M	M
11		M	M	M	M
12		M	M	M	M
13		M	M	M	M
14		M	M	M	M
15		M	M	M	M
16		M	M	M	M
17		M	M	M	M
18		M	M	M	M
19		M	M	M	M
20		M	M	M	M
21		M	M	M	M
22		M	M	M	M
23		M	M	M	M

Max : -999 -999 -999 -999 -999
Min : -999 -999 -999 -999 -999
Mean : -999 -999 -999 -999 -999
Hours : 00 00 00 00 00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/06/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour

00		M	M	M	M
01		M	M	M	M
02		M	M	M	M
03		M	M	M	M
04		M	M	M	M
05		M	M	M	M
06		M	M	M	M
07		M	M	M	M
08		M	M	M	M
09		M	M	M	M
10		M	M	M	M
11		M	M	M	M
12		M	M	M	M
13		M	M	M	M
14		M	M	M	M
15		M	M	M	M
16		M	M	M	M
17		M	M	M	M
18		M	M	M	M
19		M	M	M	M
20		M	M	M	M
21		M	M	M	M
22		M	M	M	M
23		M	M	M	M

Max : -999 -999 -999 -999 -999
Min : -999 -999 -999 -999 -999
Mean : -999 -999 -999 -999 -999
Hours : 00 00 00 00 00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/07/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour -----

00		M	M	M	M
01		M	M	M	M
02		M	M	M	M
03		M	M	M	M
04		M	M	M	M
05		M	M	M	M
06		M	M	M	M
07		M	M	M	M
08		M	M	M	M
09		M	M	M	M
10		M	M	M	M
11		M	M	M	M
12		M	M	M	M
13		M	M	M	M
14		M	M	M	M
15		M	M	M	M
16		M	M	M	M
17		M	M	M	M
18		M	M	M	M
19		M	M	M	M
20		M	M	M	M
21		M	M	M	M
22		M	M	M	M
23		M	M	M	M

Max : -999 -999 -999 -999 -999
Min : -999 -999 -999 -999 -999
Mean : -999 -999 -999 -999 -999
Hours : 00 00 00 00 00

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/08/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour

00		M	M	M	M
01		M	M	M	M
02		M	M	M	M
03		M	M	M	M
04		M	M	M	M
05		M	M	M	M
06		M	M	M	M
07		M	M	M	M
08		M	M	M	M
09		M	M	M	M
10		M	M	M	M
11		M	M	M	M
12		M	M	M	M
13		M	M	M	M
14		M	M	M	M
15		M	M	M	M
16		M	M	M	M
17		M	M	M	M
18		M	M	M	M
19		M	M	M	M
20		M	M	M	M
21		M	M	M	M
22		M	M	M	M
23		M	M	M	M

Max : -999 -999 -999 -999 -999
Min : -999 -999 -999 -999 -999
Mean : -999 -999 -999 -999 -999
Hours : 00 00 00 00 00

Data : '<' - Less than ##% Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/09/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	M				M
01	M				M
02	M				M
03	M				M
04	M				M
05	M				M
06	M				M
07	M				M
08	M				M
09	M				M
10	M				D
11	M				40D
12	6	75	17.3	290.4	33
13	5	167	20.1	293.2	34
14	7	216	21.6	294.7	57
15	8	220	22.2	295.4	43
16	8	226	22.9	296.0	31
17	9	233	22.5	295.6	33
18	5	230	20.2	293.4	18
19	5	94	16.2	289.3	27
20	5	51	13.8	286.9	34
21	4	76	12.3	285.4	33
22	2	115	10.4	283.5	37
23	2	145	9.0	282.2	37
Max :	9	233	22.9	296.0	57
Min :	2	51	9.0	282.2	18
Mean :	5	157	17.3	290.5	35
Hours :	12	12	12	12	13

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/10/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	8	247	15.3	288.4	
01	7	249	14.1	287.2	
02	7	236	13.9	287.0	15
03	7	237	13.4	286.5	16
04	7	234	13.2	286.3	19
05	6	225	12.1	285.2	21
06	3	75	10.2	283.3	38
07	6	236	15.8	289.0	32
08	9	256	16.5	289.7	16
09	9	260	17.4	290.5	80
10	9	254	19.7	292.8	66
11	12	244	20.9	294.0	189
12	11	242	22.3	295.4	117
13		239	23.4	296.6	123
14	12	242	24.7	297.8	101
15	11	239	26.3	299.4	49
16	14	235	26.8	299.9	86
17	17	235	25.6	298.7	337
18	14	237	23.7	296.9	146
19	12	232	22.0	295.2	31
20	14	235	21.4	294.6	64
21	7	236	18.9	292.0	37
22	6	246	17.1	290.2	4
23	6	233	16.3	289.5	13
Max :	17	260	26.8	299.9	337
Min :	3	75	10.2	283.3	4
Mean :	9	239	18.7	291.9	72
Hours :	23	24	24	24	22

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/11/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	5	244	15.3	288.4	15
01	6	229	15.2	288.3	10
02	8	232	15.0	288.2	12
03	6	233	13.5	286.7	16
04	4	93	5.7	278.9	25
05	3	103	3.6	276.7	19
06	2	88	9.6	282.8	8
07	6	260	16.0	289.1	13
08	9	264	17.2	290.3	14
09	10	260	18.3	291.4	23
10	11	249	19.9	293.0	24
11	12	244	20.8	294.0	25
12	12	243	21.7	294.8	28
13	10	252	23.4	296.6	18
14	10	234	25.0	298.1	13
15	9	231	25.8	298.9	19
16	10	231	26.6	299.7	15
17	14	234	25.6	298.7	45
18	13	240	23.5	296.6	23
19	10	234	21.4	294.6	20
20	9	235	20.1	293.3	15
21	5	245	17.8	290.9	16
22	6	255	16.4	289.5	20
23	5	238	14.9	288.1	27
Max :	14	264	26.6	299.7	45
Min :	2	88	3.6	276.7	8
Mean :	8	237	18.0	291.1	19
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/12/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	8	247	14.1	287.3	19
01	11	246	12.7	285.9	21
02	9	246	10.8	283.9	25
03	6	253	9.3	282.4	29
04	7	261	8.4	281.6	28
05	6	253	8.4	281.5	32
06	7	244	10.0	283.1	22
07	10	261	10.3	283.4	30
08	10	269	10.1	283.2	34
09	8	267	11.3	284.4	18
10	8	269	12.5	285.6	19
11	9	272	13.6	286.8	15
12	9	251	15.2	288.4	12
13	9	276	16.3	289.4	18
14	10	270	17.1	290.2	16
15	11	270	17.6	290.7	11
16	8	271	18.1	291.2	15
17	6	305	18.0	291.1	11
18	3	298	15.6	288.7	17
19	3	98	11.6	284.8	26
20	3	107	7.8	280.9	16
21	5	38	9.7	282.9	21
22	6	28	10.0	283.1	36
23	8	33	9.0	282.2	15
Max :	11	305	18.1	291.2	36
Min :	3	28	7.8	280.9	11
Mean :	7	271	12.3	285.5	21
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/13/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour

00	5	34	7.5	280.6	15
01	6	48	6.1	279.3	15
02	5	49	5.1	278.2	8
03	6	44	4.3	277.5	13
04	5	44	3.5	276.7	13
05	6	44	3.9	277.0	10
06	6	43	5.8	278.9	2
07	7	79	7.7	280.9	10
08	8	85	9.7	282.8	8
09	7	99	11.7	284.8	11
10	6	96	14.1	287.3	13
11	5	116	16.9	290.1	8
12	6	109	18.8	292.0	26
13	6	117	20.3	293.5	23
14	5	240	21.8	294.9	18
15	7	286	22.0	295.1	14
16	6	281	22.4	295.5	19
17	4	214	22.6	295.7	9
18	7	135	18.7	291.8	27
19	5	103	15.2	288.3	20
20	5	40	13.1	286.3	18
21	5	50	11.5	284.6	12
22	5	80	9.5	282.7	9
23	5	80	7.7	280.9	18
Max :	8	286	22.6	295.7	27
Min :	4	34	3.5	276.7	2
Mean :	5	73	12.4	285.6	14
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/14/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	4	109	5.8	279.0	11
01	3	108	3.4	276.6	14
02	2	113	1.5	274.6	6
03	3	115	.0	273.2	12
04	2	116	-.8	272.2	15
05	3	117	.0	273.0	20
06	2	115	7.7	280.8	26
07	9	258	13.1	286.3	24
08	7	241	15.5	288.6	17
09	8	245	17.2	290.3	37
10	8	234	18.6	291.7	43
11	6	221	19.6	292.8	62
12	6	221	20.9	294.1	48
13	5	213	21.9	295.1	52
14	6	235	22.1	295.2	54
15	7	292	15.0	288.1	45
16	3	79	11.0	284.2	41
17	4	49	13.1	286.3	22
18	3	92	11.8	285.0	18
19	4	78	11.4	284.5	14
20	3	114	10.0	283.2	11
21	2	138	8.3	281.5	16
22	3	144	10.0	283.1	16
23	3	261	13.6	286.7	17
Max :	9	292	22.1	295.2	62
Min :	2	49	-.8	272.2	6
Mean :	4	152	11.2	284.4	26
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/15/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	4	34	13.2	286.4	15
01	3	50	11.2	284.3	22
02	3	66	9.3	282.4	19
03	2	81	6.2	279.4	16
04	1	119	4.1	277.3	15
05	2	117	3.4	276.6	22
06	2	90	9.1	282.2	3
07	5	288	14.4	287.6	13
08	7	248	16.8	290.0	15
09	7	261	18.7	291.8	30
10	10	263	20.2	293.3	40
11	12	256	21.9	295.0	50
12	11	239	22.8	295.9	43
13	10	240	23.1	296.2	45
14	9	236	23.7	296.8	21
15	9	233	24.8	298.0	14
16	11	237	25.3	298.4	25
17	10	235	24.3	297.5	14
18	9	228	23.3	296.5	9
19	5	236	21.6	294.7	13
20	2	88	16.9	290.0	14
21	2	105	13.1	286.2	17
22	2	112	9.9	283.1	10
23	1	120	6.8	280.0	23
Max :	12	288	25.3	298.4	50
Min :	1	34	3.4	276.6	3
Mean :	5	197	16.0	289.1	21
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/16/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	1	103	5.6	278.7	11
01	2	112	6.0	279.1	11
02	2	110	3.8	276.9	9
03	2	105	2.4	275.6	12
04	2	104	2.3	275.4	7
05	2	117	2.3	275.4	21
06	1	90	9.0	282.1	9
07	7	273	16.4	289.5	12
08	9	243	18.4	291.5	30
09	8	242	20.0	293.1	24
10	8	254	21.3	294.4	59
11					
12	8	260	23.0	296.2	62
13	8	250	24.1	297.2	48
14	6	249	25.3	298.4	15
15	7	264	25.9	299.1	21
16	8	252	25.7	298.8	15
17	7	247	25.1	298.2	16
18	6	258	23.8	296.9	14
19	5	323	21.3	294.5	21
20	5	330	20.2	293.4	10
21	3	44	16.3	289.4	20
22	2	115	10.6	283.7	22
23	3	102	7.8	280.9	18
Max :	9	330	25.9	299.1	62
Min :	1	44	2.3	275.4	7
Mean :	4	215	15.5	288.6	21
Hours :	23	23	23	23	23

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/17/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	3	107	4.8	278.0	16
01	2	116	5.5	278.7	9
02	5	114	5.6	278.8	13
03	4	109	6.3	279.5	9
04	5	95	5.6	278.7	16
05	5	80	7.3	280.5	32
06	5	69	10.9	284.0	15
07	8	91	12.5	285.7	12
08	9	116	13.4	286.6	17
09	6	88	15.6	288.7	21
10	6	97	18.1	291.3	14
11	5	132	20.3	293.5	31
12	6	113	22.3	295.4	20
13	7	129	21.9	295.0	17
14	6	127	22.9	296.0	13
15	6	142	23.7	296.8	14
16	8	124	23.9	297.1	12
17	8	120	23.5	296.6	14
18	9	119	20.3	293.4	25
19	6	75	17.0	290.1	25
20	6	56	15.1	288.2	21
21	6	45	13.5	286.6	19
22	6	37	11.8	285.0	24
23	8	40	10.3	283.4	23
Max :	9	142	23.9	297.1	32
Min :	2	37	4.8	278.0	9
Mean :	6	98	14.6	287.8	18
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
 Current Time : 14:22

Daily Data Report - Hourly Averages
 Environmental Systems Corporation
 05/18/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	7	32	9.0	282.1	15
01	6	30	7.7	280.8	16
02	5	38	6.6	279.8	14
03	5	38	6.3	279.4	10
04	5	55	5.6	278.8	13
05	6	56	5.4	278.5	7
06	5	58	6.4	279.5	15
07	5	34	8.6	281.7	1
08	3	33	12.4	285.5	2
09	4	297	16.7	289.9	12
10	8	268	18.2	291.4	26
11	10	264	19.6	292.7	35
12	7	264	21.8	294.9	29
13	7	268	23.7	296.8	28
14	7	255	25.4	298.6	17
15	7	251	25.7	298.9	22
16	9	247	23.6	296.7	48
17	8	229	20.0	293.1	515
18	4	225	19.6	292.7	73
19	3	229	17.8	290.9	36
20	1	93	14.7	287.8	22
21	3	94	12.6	285.8	27
22	1	127	11.0	284.1	41
23	2	130	9.5	282.7	29
Max :	10	297	25.7	298.9	515
Min :	1	30	5.4	278.5	1
Mean :	5	348	14.4	287.6	43
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/19/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	8	243	15.1	288.2	9
01	7	258	14.8	288.0	15
02	5	240	14.9	288.1	11
03	2	92	11.7	284.9	20
04	4	82	10.7	283.9	18
05	5	112	9.0	282.1	16
06	3	91	10.1	283.2	15
07	1	68	14.9	288.0	5
08	7	268	17.9	291.0	9
09	6	229	18.0	291.1	21
10	4	282	21.3	294.4	12
11	6	273	22.9	296.1	17
12	7	245	24.9	298.0	12
13	7	233	26.2	299.3	12
14	5	198	26.0	299.2	16
15	5	169	23.0	296.1	30
16	6	62	21.6	294.8	17
17	4	49	20.0	293.2	16
18	5	324	17.4	290.5	23
19	4	109	14.7	287.8	19
20	4	25	13.5	286.6	11
21	5	268	11.1	284.2	17
22	2	112	10.3	283.4	29
23	3	60	10.1	283.2	12
Max :	8	324	26.2	299.3	30
Min :	1	25	9.0	282.1	5
Mean :	4	187	16.6	289.8	15
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/20/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	4	105	9.8	282.9	9
01	6	252	9.7	282.8	10
02	4	251	8.7	281.9	10
03	2	81	7.9	281.1	9
04	1	122	7.1	280.2	9
05	1	105	7.3	280.4	13
06	1	50	10.3	283.4	6
07	2	55	13.1	286.2	2
08	3	342	16.3	289.5	5
09	9	255	17.3	290.5	20
10	7	256	18.8	291.9	56
11	8	249	20.4	293.5	39
12	8	241	21.7	294.8	55
13					
14	8	240	24.0	297.1	37
15	7	229	24.8	297.9	20
16	6	226	25.2	298.4	12
17	5	227	24.4	297.5	7
18	4	241	21.7	294.8	12
19	2	179	19.3	292.4	13
20	2	159	19.2	292.4	15
21	1	157	18.0	291.2	12
22	1	85	15.0	288.1	5
23	4	65	14.2	287.4	19
Max :	9	342	25.2	298.4	56
Min :	1	50	7.1	280.2	2
Mean :	4	197	16.2	289.4	17
Hours :	23	23	23	23	23

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
 Current Time : 14:22

Daily Data Report - Hourly Averages
 Environmental Systems Corporation
 05/21/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
 Units : MPH DEG DEG DEG DEG UG/M3
 Hour -----

00	4	80	12.3	285.4	8
01	5	69	10.6	283.7	11
02	4	78	9.3	282.4	17
03	4	91	7.9	281.0	18
04	5	113	5.5	278.6	25
05	6	115	4.8	277.9	17
06	4	108	10.6	283.8	6
07	4	261	16.3	289.4	12
08	13	244	19.2	292.3	37
09	13	241	20.9	294.0	51
10	14	235	22.4	295.5	114
11	15	234	23.1	296.3	325
12	14	233	23.7	296.8	260
13	14	229	24.5	297.7	293
14	13	227	25.1	298.3	176
15	15	234	25.5	298.7	231
16	18	235	25.6	298.7	200
17	18	235	24.7	297.8	276
18	17	227	22.8	295.9	99
19	15	236	20.6	293.8	78
20	11	254	17.5	290.7	34
21	11	249	15.7	288.8	27
22	9	250	13.6	286.8	15
23	8	250	12.2	285.3	25
Max :	18	261	25.6	298.7	325
Min :	4	69	4.8	277.9	6
Mean :	10	221	17.2	290.4	98
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
 Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
 'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
 'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
 'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
 'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/22/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	10	251	10.8	284.0	10
01	10	242	9.7	282.9	17
02	10	243	8.3	281.5	7
03	9	239	6.9	280.0	8
04	9	236	6.0	279.1	10
05	9	234	6.0	279.1	8
06	10	226	6.7	279.8	6
07	9	224	8.0	281.1	8
08	9	247	9.9	283.0	15
09	11	250	11.0	284.1	33
10	10	254	12.5	285.7	37
11	11	253	14.3	287.4	69
12	10	255	16.2	289.4	25
13	10	255	18.2	291.3	24
14	7	250	19.6	292.7	12
15	6	250	21.3	294.4	16
16	7	240	22.2	295.3	11
17	6	253	21.9	295.1	16
18	2	299	19.0	292.1	23
19	3	111	15.1	288.2	33
20	2	106	11.9	285.1	26
21	4	104	10.2	283.3	7
22	3	75	8.4	281.5	19
23	3	91	5.3	278.5	17
Max :	11	299	22.2	295.3	69
Min :	2	75	5.3	278.5	6
Mean :	7	237	12.4	285.6	19
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/23/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	3	106	3.5	276.6	9
01	2	106	3.9	277.0	4
02	2	116	4.6	277.7	3
03	7	252	11.5	284.7	3
04	5	243	10.3	283.4	11
05	3	79	6.5	279.7	17
06	1	52	10.7	283.8	8
07	6	239	14.0	287.2	19
08	7	257	14.9	288.0	22
09	7	244	16.3	289.4	20
10	7	243	17.6	290.7	18
11	6	240	19.3	292.5	22
12	10	247	19.8	292.9	42
13	8	221	21.0	294.1	43
14	7	228	22.6	295.7	19
15	10	240	23.3	296.5	25
16	8	229	22.1	295.2	24
17	9	238	23.0	296.1	12
18	8	278	20.6	293.7	14
19	7	268	19.1	292.2	16
20	5	258	17.6	290.8	13
21	3	226	14.6	287.7	16
22	3	116	9.8	282.9	30
23	4	189	10.9	284.0	19
Max :	10	278	23.3	296.5	43
Min :	1	52	3.5	276.6	3
Mean :	5	227	14.8	288.0	17
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/24/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	7	239	13.0	286.1	7
01	7	240	11.5	284.6	5
02	8	252	10.3	283.5	16
03	9	257	9.7	282.9	17
04	9	252	9.3	282.4	14
05	9	246	9.9	283.1	10
06	12	240	11.4	284.5	12
07	9	254	12.6	285.7	20
08	10	233	14.4	287.5	21
09	11	252	15.6	288.7	101
10	12	257	16.1	289.2	47
11	13	256	17.1	290.3	42
12	12	256	18.6	291.7	25
13					
14	12	252	20.9	294.0	C
15	10	269	21.8	294.9	16
16	10	249	22.2	295.4	11
17	8	251	22.1	295.3	7
18	5	304	19.9	293.0	13
19	3	67	16.0	289.1	23
20	2	99	10.6	283.7	29
21	2	112	7.5	280.6	15
22	2	101	4.8	278.0	18
23	2	116	3.2	276.3	15
Max :	13	304	22.2	295.4	101
Min :	2	67	3.2	276.3	5
Mean :	8	243	13.8	286.9	22
Hours :	23	23	23	23	22

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/25/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour

Hour	WS	WDIR	TEMPC	TEMPK	PM10
00	4	65	6.7C	279.6	8
01	4	73	6.2	279.3	7
02	5	71	4.4	277.6	9
03	5	78	3.9	277.0	10
04	5	84	2.7	275.8	8
05	5	89	2.7	275.8	10
06	5	76	6.6	279.7	5
07	4	58	11.8	285.0	1
08	3	3	15.9	289.0	5
09	9	260	16.5	289.7	24
10	11	260	17.5	290.6	24
11	9	256	19.5	292.6	19
12	7	269	20.8	294.0	14
13	7	283	21.5	294.7	12
14	7	269	21.9	295.1	19
15	6	261	23.0	296.1	7
16	6	259	23.9	297.1	11
17	5	253	23.6	296.7	3
18	3	236	21.5	294.6	11
19	2	116	16.0	289.2	19
20	3	117	11.3	284.4	28
21	3	117	7.9	281.0	17
22	3	118	6.0	279.1	16
23	3	113	5.7	278.8	18
Max :	11	283	23.9	297.1	28
Min :	2	3	2.7	275.8	1
Mean :	5	105	13.2	286.3	12
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/26/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	2	118	4.8C	278.0	6
01	2	116	3.6	276.7	6
02	3	112	1.7	274.9	9
03	3	117	.7	273.9	6
04	3	119	.0	273.2	7
05	1	113	1.4	274.6	5
06	1	120	7.8	281.0	5
07	8	263	16.8	290.0	0
08	10	254	18.8	291.9	13
09	9	254	20.4	293.5	16
10	8	261	22.5	295.6	11
11	8	275	23.1	296.3	32
12	7	251	23.0	296.1	14
13	9	273	24.2	297.4	15
14	7	267	24.5	297.7	14
15	6	244	25.1	298.2	15
16	6	234	26.1	299.2	6
17	7	263	25.6	298.8	11
18	7	248	22.6	295.7	18
19	6	172	18.9	292.0	28
20	3	140	16.2	289.4	16
21	2	116	15.8	288.9	4
22	3	152	14.8	287.9	43
23	4	256	13.7	286.9	8
Max :	10	275	26.1	299.2	43
Min :	1	112	.0	273.2	0
Mean :	5	204	15.5	288.6	12
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/27/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	3	221	14.2C	287.3	12
01	2	76	12.9	286.0	7
02	2	111	11.7	284.8	7
03	4	14	11.5	284.7	15
04	3	77	9.1	282.3	14
05	2	102	8.2	281.4	8
06	5	19	12.2	285.3	2
07	8	336	14.0	287.2	9
08	6	256	15.3	288.4	5
09	9	247	16.7	289.8	7
10	10	254	18.8	291.9	7
11	8	261	19.8	293.0	13
12	7	258	21.6	294.7	12
13	8	256	22.9	296.0	5
14	7	261	23.5	296.6	14
15	8	251	24.3	297.5	12
16	7	263	24.3	297.4	18
17	6	266	24.4	297.5	9
18	6	244	22.8	296.0	14
19	3	242	20.3	293.4	18
20	2	193	16.9	290.0	21
21	4	90	15.3	288.4	13
22	5	68	17.2	290.3	17
23	5	340	17.2	290.4	19
Max :	10	340	24.4	297.5	21
Min :	2	14	8.2	281.4	2
Mean :	5	263	17.2	290.4	11
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/28/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param :	WS	WDIR	TEMPC	TEMPK	PM10
Units :	MPH	DEG	DEG	DEG	UG/M3
Hour	-----				
00	3	99	12.8C	286.1	20
01	3	113	8.4	281.5	23
02	2	116	5.6	278.8	12
03	2	112	3.9	277.1	7
04	2	112	3.2	276.4	11
05	2	109	3.8	276.9	18
06	1	101	10.9	284.0	5
07	1	279	18.6	291.7	0
08	1	261	21.9	295.0	3
09	5	286	22.7	295.8	15
10	7	273	22.2	295.3	31
11	5	277	23.7	296.9	20
12	9	246	25.8	298.9	10
13	9	241	26.4	299.5	10
14	8	240	27.3	300.5	10
15	7	244	28.2	301.3	8
16	5	250	28.6	301.7	13
17	5	354	28.5	301.6	76
18	4	209	26.1	299.2	34
19	3	185	22.9	296.0	27
20	4	104	19.8	292.9	17
21	3	62	18.1	291.2	16
22	2	99	15.4	288.6	5
23	4	114	14.6	287.7	16
Max :	9	354	28.6	301.7	76
Min :	1	62	3.2	276.4	0
Mean :	4	177	18.3	291.4	16
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04
Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/29/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour -----

00	6	95	13.3C	286.5	10
01	4	92	10.8	284.0	21
02	3	107	8.3	281.5	8
03	2	110	6.9	280.0	16
04	3	120	6.8	279.9	10
05	3	93	8.8	281.9	3
06	1	65	14.8	287.9	2
07	3	306	20.6	293.7	3
08	8	256	22.1	295.3	16
09	10	255	23.5	296.6	21
10	12	250	24.7	297.9	22
11					
12	9	270	27.6	300.7	24
13	10	262	28.2	301.3	11
14	10	248	29.0	302.1	15
15	8	253	29.6	302.7	14
16	6	256	30.2	303.4	13
17	6	251	30.0	303.1	15
18	5	255	28.0	301.1	12
19	3	313	24.7	297.8	17
20	3	351	23.2	296.3	12
21	4	83	17.0	290.1	23
22	3	88	13.6	286.7	31
23	2	102	11.1	284.2	26
Max :	12	351	30.2	303.4	31
Min :	1	65	6.8	279.9	2
Mean :	5	235	19.6	292.8	15
Hours :	23	23	23	23	23

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/30/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour -----

00	3	118	8.6C	281.8	11
01	2	125	7.0	280.1	11
02	3	116	6.2	279.3	12
03	4	120	5.6	278.7	5
04	4	112	5.9	279.0	12
05	3	107	7.9	281.0	7
06	3	102	15.2	288.3	5
07	4	57	23.7	296.9	7
08	6	69	26.2	299.4	13
09	5	91	28.0	301.1	23
10	4	78	29.4	302.6	18
11	8	266	29.1	302.2	27
12	6	259	29.9	303.0	19
13	6	261	31.4	304.5	20
14	6	283	32.0	305.1	19
15	6	264	32.8	305.9	15
16	6	259	32.9	306.0	22
17	6	255	32.2	305.3	21
18	4	254	30.2	303.3	21
19	2	189	26.0	299.1	29
20	2	105	20.9	294.0	28
21	2	111	17.8	290.9	37
22	2	57	17.7	290.9	39
23	4	70	19.2	292.4	23
Max :	8	283	32.9	306.0	39
Min :	2	57	5.6	278.7	5
Mean :	4	121	21.4	294.6	18
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.

Current Date : 11/02/04

Current Time : 14:22

Daily Data Report - Hourly Averages
Environmental Systems Corporation
05/31/02

Logger Id : TR

Logger Name : Roosevelt

Interval : 001H

Param : WS WDIR TEMPC TEMPK PM10
Units : MPH DEG DEG DEG DEG UG/M3
Hour -----

00	4	98	17.4C	290.6	16
01	5	116	16.2	289.3	10
02	4	105	16.0	289.1	12
03	5	104	13.8	286.9	15
04	4	104	12.0	285.2	15
05	3	99	11.8	284.9	24
06	3	117	17.5	290.6	13
07	2	96	24.6	297.8	18
08	6	267	27.7	300.8	15
09	8	265	28.1	301.2	18
10	8	241	29.7	302.8	28
11	9	253	30.8	303.9	17
12	9	251	31.9	305.0	30
13	8	263	32.9	306.0	16
14	7	248	33.8	306.9	10
15	7	271	34.3	307.5	11
16	7	275	34.6	307.7	14
17	5	243	34.6	307.8	11
18	5	250	32.0	305.1	14
19	3	173	27.0	300.2	22
20	2	119	22.1	295.2	21
21	1	121	18.6	291.8	20
22	2	79	18.6	291.8	34
23	3	93	20.5	293.6	25
Max :	9	275	34.6	307.8	34
Min :	1	79	11.8	284.9	10
Mean :	5	171	24.4	297.5	17
Hours :	24	24	24	24	24

Data : '<' - Less than ### Data, 'P' - Power Fail, 'D' - Disabled, 'T' - Out-of-Control, 'F' - Boiler Off-Line,
Flags : 'B' - Bad Status, 'C' - Calibration, 'M' - Maintenance, 'O' - Analog Overrange, 'U' - Analog Underrange,
'A' - Arithmetic Error, '+' - Maximum, '-' - Minimum, 'R' - Rate of Change, 'H' - High-High Alarm,
'L' - Low-Low Alarm, 'h' - High Alarm, 'l' - Low Alarm, 'J' - High Rate of Change, 'j' - Low Rate of Change,
'V' - DIS #1 Obs, 'W' - DIS #2 Obs, 'X' - DIS #3 Obs, 'Y' - DIS #4 Obs, 'Z' - DIS #5 Obs,
'f' - Floor Exceeded, 'c' - Ceiling Exc.