

PUBLIC NOTICE
Air Quality Construction Permit For
SUMCO Phoenix Corporation

SUMCO Phoenix Corporation has submitted an application to modify an air quality construction permit to the Air Quality Program (Program) of the City of Albuquerque Environmental Health Department. The application was received by the Program on May 13, 2021. The owner of the facility is SUMCO Phoenix Corporation, 9401 San Mateo Blvd NE, Albuquerque, NM 87113. The facility, SUMCO Phoenix Corporation, is located at 9401 San Mateo Blvd NE, Albuquerque, NM 87113. This application file has been assigned Permit Application No. 0444-M4. The Program has made an affirmative administrative completeness determination and is providing this notice pursuant to 20.11.41.14 NMAC.

The applicant is requesting a modification to Permit No. 0444-M2-5TR. The applicant proposes to modify the following:

- 1) Replace an existing humidifier with a new 0.8 MMBtu/hr natural gas fired steam humidifier, which will be used as a backup unit.
- 2) Change the operational requirements of the boilers and humidifiers, which will allow the facility to operate only one boiler and one humidifier at a time, and will result in a decrease in emissions of most pollutants.
- 3) Increase the control efficiency of four scrubbers from 95% to 99%, which will result in an overall decrease of hazardous air pollutant (HAP) emissions.
- 4) Include emissions from five cooling towers.

The proposed air pollution maximum allowable emissions from this facility have been estimated to be:

POLLUTANT	Proposed Net Changes		Proposed Total Emissions ¹	
	(lbs/hr)	(tpy)	(lbs/hr)	(tpy)
Carbon Monoxide (CO)	-1.14	-1.03	6.85	4.77
Nitrogen Oxides (NOx)	-1.41	-1.31	20.79	8.89
Volatile Organic Compounds (VOC)	-0.16	-0.12	1.65	0.61
Sulfur Oxides (SOx)	0	-0.02	1.31	0.32
Particulate Matter ≤ 10 microns (PM ₁₀)	0.06	0.72	1.67	1.56
Particulate Matter ≤ 2.5 microns (PM _{2.5})	-0.14	-0.14	1.47	0.70
Hazardous Air Pollutants (HAP)	-0.04	-0.19	0.15	0.65

¹The proposed total emission in this notice could change slightly during the course of the Program's review of the application.

The Program has conducted a preliminary review of the air quality modeling information submitted with the permit application. The Program's preliminary review and the applicant's analysis of ambient air quality impacts indicated that the facility's air emissions will meet the air quality standards for CO, NOx, SO₂, and Particulate Matter (both PM₁₀ and PM_{2.5}). In regards to the ozone air quality standard, ozone is normally only modeled for regional compliance demonstrations and does not need to be modeled for air quality permits subject to certain exceptions not applicable here. The Program's modeling guidelines are available at: <http://www.cabq.gov/airquality/air-quality-permits/dispersion-modeling-guidelines>.

A copy of the permit application, all supporting documentation, and the Program's technical analysis, if and when it is completed, may be inspected by the public at the Program offices at Room 3047, One Civic Plaza NW, Albuquerque, NM. Any person who wishes to receive notice of the availability of the Program's technical analysis for review and comment, must expressly request notice in writing to the Program at: Albuquerque Environmental Health Department, Air Quality Program – Permitting Section P.O. Box 1293, Albuquerque, New Mexico 87103 before the end of the public comment period on July 24, 2021. The public will have no fewer than 30 days to submit written comments and evidence, request a public information hearing, or both on the permit application to the Program. Comments will be accepted and considered if postmarked by the end of the public comment period. Formal action on the application will be reserved pending receipt and analysis of any additional details or information developed during the public comment period. Any person who does not participate in the permitting action will not receive notification of the Program's decision regarding the proposed permit, unless the person has delivered a written request for notice to the department. The application, all supporting documentation, and the public notice are available online at <http://www.cabq.gov/airquality/air-quality-permits>.

The Program shall hold a Public Information Hearing pursuant to 20.11.41.15 NMAC if the Director determines there is significant public interest and a significant air quality issue is involved.

The Program expects to issue, issue subject to conditions, or deny this application before September 12, 2021. The Program will not issue any air quality permit with or without conditions unless an air quality ambient impact dispersion modeling study, if deemed necessary by the Program, shows that the facility would not cause or contribute to a potential violation of air quality standards. If the Program issues the permit with conditions, the conditions will include those that limit the emissions, and conditions that will require recordkeeping and reporting to the Program to ensure compliance with federal and local air regulations.

The Program's offices are located at One Civic Plaza NW, Room 3047, Albuquerque, NM 87102. The Program's mailing address is Albuquerque Environmental Health Department, Air Quality Program – Permitting Section, PO Box 1293, Albuquerque, NM 87103.

For more information, contact Ms. Regan Eyerman, Senior Environmental Health Scientist, at 505-767-5625 or reyerman@cabq.gov.

NOTICE OF NONDISCRIMINATION AND ASSISTANCE FOR PERSONS WITH DISABILITIES OR SPECIAL NEEDS: The City of Albuquerque does not discriminate on the basis of race, color, national origin, age, disability, religion, ancestry, sexual orientation, gender identity, spousal affiliation or sex. If you believe you have been discriminated against, you may submit a complaint at <https://www.cabq.gov/civilrights>. You may also contact Torri Jacobus at civilrights@cabq.gov.

If you have a disability and require special assistance to participate, please contact Ms. Regan Eyerman at 505-767-5625 as soon as possible before the deadline. Those in need of hearing assistance may call 711.