



City of Albuquerque

Planning Department
Development & Building Services Division

Erosion & Sediment Control (ESC) Plan - CHECKLIST

ESC Plan - General Content

- Site Location Map / North Arrow, Scale, etc.
- Drafting standards must generally comply with DPM Chapter 27
- Show Project Boundary and Limits of Construction Disturbance
- Show Site Drainage / topography survey / contours/ grading plan
- Identify locations where Offsite run-off enters the site
- Identify Discharge locations (ditch, channel, stream, river)
- Design Sediment BMPs of 2-year/24-hour storm per NOAA Atlas 14
- Provide Total Disturbed Acres on the Plan
- Show limits of soil disturbance covered by this ESC Plan
- Provide a Legend of BMPs and other symbols used on the plan
- Shown Erosion & Sediment Control BMP's
- Provide BMP installation details
- Provide temporary sediment pond(s)/berm(s) on sites 5 acres and greater or steeper than 8%

Narrative / General Notes

- Name of Plan Designer, P.E. Stamp, Signature & Date
- Refer to SWPPP and requirement for site to be in compliance
- Describe Construction Phasing, if applicable
- Keep dirt and debris on the site
- Clean fugitive dirt/debris from street at end of each day
- Maintain Good Housekeeping per SWPPP
- BMP Inspection and Maintenance Requirements
- BMP Remove schedule / sequence
- Describe Final Site Stabilization Measures