



**Environmental
Planning
Commission**

Staff Report

**Agenda Number: 3
Project #: PR-2024-009765
Case #: SI-2024-00468
Hearing Date: May 16, 2024**

Agent	Tierra West, LLC
Applicant	Cross Development
Request	Major Amendment – Gateway Center Site Plan for Subdivision
Legal Description	All or a portion of Tract A Plat of Gateway Subdivision, Tract B-1, Plat of Tract B-1, Gateway Subdivision, A replat of Tracts B & C, Gateway Subdivision; Tract, D-1-B-1, Plat of Tract D-1-B-1 and D-1-B-2, Gateway Subdivision (being a replat of Tract D-1-B, Gateway Subdivision, Lots 16 and 17, Trotter Addition NO. 2 and A; and Tract D-1-A-1, Plat for Lots 1 & 2, Tract D-1-A-1, Gateway Subdivision (being a replat of Tract D-1-A, Gateway Subdivision & an unplatted parcel)
Location	1100 Woodward Pl NE, between Mountain Rd, Lomas Blvd, Edith Blvd. and I-25 frontage
Size	Approximately 23.0 acres
Existing Zoning	MX-M (MX-H pending zoning certification)

Staff Recommendation

APPROVAL of PR-2024-009765, SI-2024-00468, based on the Findings beginning on Page 25 and the beginning on page 33.

Staff Planners

**Megan Jones – Principal Planner
Vicente Quevedo – Senior Planner**

Summary of Analysis

The request is for a Major Amendment to the Gateway Center Site Development Plan (SDP) for Subdivision for an approximately 3-acre portion of the larger 23-acre site to add a Hospital Use and change setbacks to be pursuant to the IDO for Area 3/Tract A. The amendment will facilitate development of the proposed Hospital (Rehabilitation Facility) being reviewed as a new Site Plan on Tract 2 (the “subject site”).

The subject site is in an Area of Change and is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660’ of the Lomas Blvd. Major Transit Corridor.

The EPC approved a zone change to MX-H (Mixed-use, high intensity) on February 16, 2024, which is scheduled for an appeal hearing on May 15, 2024. Staff has reviewed the proposed Site Plan pursuant to development standards listed on the controlling SDP and the MX-H zone district. If a zoning certificate is not obtained, the site plan shall comply with MX-M zone district standards, prior to DFT final sign off.

The applicant has adequately justified the request pursuant to IDO Review and Decision Criteria 14-16-6-6(i)(3) for A Site Plan-EPC Major Amendment. The applicant notified all eligible Neighborhood Associations and adjacent property owners (within 100 feet) as required. Staff is aware of opposition to this request by the Santa Barbara Martineztown Neighborhood Association.

Staff recommends Approval subject to Conditions 1-11 starting on page 33.

Table of Contents

Introduction..... p. 8

Analysis of Ordinances, Plans, and Policies.....p. 10

Review and Decision Criteria for Site Plan EPC, Major Amendment.....p. 16

Site Plan-EPC Major Amendment Analysis..... p. 18

Agency and Neighborhood Concerns..... p. 22

Conclusion..... p. 23



Findings and Recommendation..... p. 33

Agency Comments.....p. 36

Attachments

2- Photographs	p. 39-40
3- Zoning	p. 41
4- History	p. 42-54
5- Applicant Information	p. 55-78
6- Staff Information	p. 79-86
7- Notification	p. 87-300
8- Facilitated Meeting Report	p. 301-303
9- Controlling Site Plan	p. 304-317
10- Site Plan-EPC Drawings	p. 318-334





IDO ZONING MAP

Note: Gray shading
 Indicates County.



1 inch = 300 feet

Hearing Date:
 5/16/2024
 Project Number:
 PR-2024-009765
 Case Numbers:
 SI-2023-00468

Zone Atlas Page:
 J-15



LAND USE MAP

Note: Gray shading indicates County.

- Key to Land Use Abbreviations**
- LDRES | Low-density Residential
 - MULT | Multi-family
 - COMM | Commercial Retail
 - CMSV | Commercial Services
 - OFC | Office
 - IND | Industrial
 - INSMED | Institutional / Medical
 - ED | Educational
 - APRT | Airport
 - TRANS | Transportation
 - AGRI | Agriculture
 - PARK | Parks and Open Space
 - DRNG | Drainage
 - VAC | Vacant
 - UTIL | Utilities
 - CMTY | Community
 - KAFB | Kirtland Air Force Base





1 inch = 300 feet

Hearing Date:
5/16/2024

Project Number:
PR-2024-009765

Case Numbers:
SI-2023-00468

Zone Atlas Page:
J-15



HISTORY MAP

Note: Gray shading
 Indicates County.


1 inch = 300 feet

Hearing Date:
 5/16/2024

Project Number:
 PR-2024-009765


Case Numbers:
 SI-2023-00468

Zone Atlas Page:
 J-15



Public Facilities Map with One-Mile Buffer

- | | | | |
|----------------------|-------------|--------------------------|-----------------------------|
| Community Center | Fire | Public School | Landfill designated by EHD |
| Multi-Service Center | Police | Proposed Bike Facilities | Landfill Buffer (1000-feet) |
| Senior Center | Sheriff | ABQ Ride Route | Developed City Park |
| Library | Solid Waste | Albuquerque City Limits | Undeveloped City Park |
| Museum | | | Developed County Park |
| | | | Undeveloped County Park |



I. INTRODUCTION

Surrounding zoning, plan designations, and land uses:

	Zoning	Comprehensive Plan Area	Land Use
Site	MX-M (MX-H pending zoning certification)	Area of Change	Vacant (informally used for surface parking)
North	MX-T	Area of Change	Educational (High School)
South	MX-M	Area of Change	Commercial Services (Hotel)
East	N/A	N/A	Interstate Highway (I-25) and Frontage Rds.
West	MX-M	Area of Change	Office (Research or testing facility)

Request

The request is for a Site Plan EPC Major Amendment to the controlling approximately 23-acre Gateway Center Site Development Plan for Subdivision for an approximately 3-acre site legally described as all or a portion of Tract A Plat of Gateway Subdivision, located at 1100 Woodward Pl NE, between Mountain Rd, and Lomas Blvd (the “subject site”). The requested major amendment is to 1) add the hospital use to Area 3 of the controlling Site Development Plan and 2) changes setbacks for Area 3 to be pursuant to the IDO. The amendment will allow for the development of a hospital use on the subject site, which is being reviewed as a new Site Plan as part of this request.

The site is currently zoned MX-M (Mixed-use, moderate intensity), the EPC approved a zone change to MX-H (Mixed-use, high intensity) on February 16, 2024, which is scheduled for an appeal hearing with the Land Use Hearing Officer on May 15, 2024. For the purposes of this request, staff has reviewed the proposed Site Plan pursuant to development standards listed on the controlling SDP and the MX-H zone district. If a zoning certificate is not obtained, the site plan shall comply with MX-M zone district standards.

EPC Role

The EPC is hearing this request because the controlling Gateway Center Site Development Plan for Subdivision was originally approved by the EPC in 1994 (Z-93-46 DRB-94-183) pursuant to the requirements of the (rescinded) Santa Barbara/Martineztown Sector Development Plan and it exceeds the thresholds for a minor amendment in IDO section n 14-16-6-4(Y)(2). In this case, the request would affect a property in an overlay zone and add a use that was not previously allowed on the SDP pursuant to Table 6-4-4 [6-4(Y)(2)(a)11. and 6-4(Y)(2)(a)12.] this is considered a Major Amendment. Therefore, any major amendments to the approved SDP must be reviewed by the EPC to ensure compliance with Section 14-16-6-6(I)(3)(a) – (g) of the Integrated Development Ordinance (IDO).

The decision-making body may impose conditions necessary to ensure compliance with the development standards of this IDO via the Site Plan-EPC Review and Decision Criteria of IDO Section 14-16-6-6(I).

The EPC is the final decision-making body unless the EPC decision is appealed. If so, the Land Use Hearing Officer (LUHO) would hear the appeal and make a recommendation to the City Council. The City Council would then make the final decision. The request is a quasi-judicial matter.

Context

The 3-acre subject site is vacant and surrounded by the larger 23-acre subject area of the Gateway Center development. The surrounding development includes a mix of commercial, educational, and office land uses that generally range from mid-to-high intensity. The subject site directly abuts I-25 and Frontage Rd S. to the east. A hotel directly abuts the subject site to the south. A medical facility is adjacent to the subject site's west, across Woodward Pl. APS's Early College Academy / Career Enrichment Center is north of and adjacent to the subject site, across Mountain Rd.

History

The 3-acre subject site (Tract A) is currently vacant and controlled by the Gateway Center Site Development Plan for Subdivision (***EPC Z-93-46_DRB-94-183***). The rescinded Martineztown/Santa Barbara Sector Development Plan required this location to have an approved EPC site plan, and since the overall site is already built out more than 50%, the subject site is controlled by the Site Plan. On March 24, 1994 the EPC voted to approve Z-93-46 and the site plan was reviewed and delegated for approval by the (former) DRB on July 12, 1994.

On February 15, 2024 the EPC voted to approve a Zone Map Amendment from MX-M to MX-H for the subject site (PR-2024-00975, RZ-2024-00001). The EPC approval is currently undergoing an appeal, which is scheduled to be heard by the Land Use Hearing Officer on May 15, 2024. Upon the LUHO's decision, the appeal will go to City Council for an accept/deny vote. If the EPC's decision is upheld, a zoning certificate will be issued for the MX-H zone district.

Transportation System

The Long-Range Roadway System (LRRS) map, produced by the Mid-Region Metropolitan Region Planning Organization (MRMPO), identifies the functional classifications of roadways. Mountain Rd. is classified as a Major Collector, Woodward Pl. is classified as a local street, Lomas Blvd. is classified as an urban principal arterial, and I-25 is classified as an interstate.

Comprehensive Plan Designations

The subject site is located wholly in an Area of Change as designated by the Comprehensive Plan. It is not located within a designated Center. The subject area is located along the I-25

Frontage and Mountain Rd. Major Transit Corridors and along/within 660' of the Lomas Blvd. Major Transit Corridor.

The subject site is also located within the Santa Barbara Martineztown Character Protection Overlay Zone (CPO-7), however the approved standards in the controlling site development plan for subdivision take precedent over the overlay zone pursuant to IDO section 14-16-1-10(A)A Pre-IDO Approvals. Where the site development plan is silent, IDO standards apply.

The subject site is included in the Central Albuquerque Community Planning Assessment (CPA) area. The Central ABQ Community Planning Area (CPA) is centrally located in Albuquerque, spanning the area between I-25 and the Rio Grande and between I-40 and the city's southern boundary with Bernalillo County. The Central ABQ CPA area is characterized by a wealth of history, culture, nature, and urban activity that creates a dynamic environment that is home to some of the most diverse and historic neighborhoods in the city.

Trails/Bikeways

The section of Mountain Rd. abutting the subject site is designated as an existing bike lane, which merges into a Bike Route west of the subject site on Mountain Rd.

Transit

The subject site is directly served by Bus Route 5 (Montgomery-Carlisle) and Bus Route 11 (Lomas) runs east to west along Lomas Blvd. The nearest Bus stop directly abuts the subject site's northern boundary. The subject site is located along two Major Transit Corridors and within 660' of one other (see above).

Public Facilities/Community Services

Please refer to the Public Facilities Map (see attachment), which shows public facilities and community services located within one mile of the subject site.

II. ANALYSIS of APPLICABLE ORDINANCES, PLANS, AND POLICIES

Integrated Development Ordinance (IDO)

Definitions:

Area of Change: An area designated as an Area of Change in the Albuquerque/Bernalillo County Comprehensive Plan (ABC Comp Plan), as amended, where growth and development are encouraged, primarily in Centers other than Old Town, Corridors other than Commuter Corridors, Master Development Plan areas, planned communities, and Metropolitan Redevelopment Areas.

Amendment: Any repeal, modification, or addition to a regulation; any new regulation; any change in the number, shape, boundary, or area of any zone district or Overlay zone; or any repeal or abolition of any map, part thereof, or addition thereto.

Site Plan: An accurate plan that includes all information required for that type of application, structure, or development.

Site Development Plan: A term used prior to the effective date of the IDO for a scaled plan for development on one or more lots that specifies at minimum the site, proposed use(s), pedestrian and vehicular access, any internal circulation, maximum building height, building setbacks, maximum total dwelling units, and/or nonresidential floor area. A more detailed site development plan would also specify the exact locations of structures, their elevations and dimensions, the parking and loading areas, landscaping, and schedule of development. The equivalent approval in the IDO will be determined based on the level of detail provided in the prior approval.

Mixed-use Zone District: Any zone district categorized as Mixed-use in Part 14-16-2 of the IDO.

Overlay Zone: Regulations that prevail over other IDO regulations to ensure protection for designated areas. Overlay zones include Airport Protection Overlay (APO), Character Protection Overlay (CPO), Historic Protection Overlay (HPO), and View Protection Overlay (VPO). Character Protection and View Protection Overlay zones adopted after May 18, 2018 shall be no less than 10 acres, shall include no fewer than 50 lots, and shall include properties owned by no fewer than 25 property owners. There is no minimum size for Airport Protections Overlay or Historic Protection Overlay zones. See also Small Area.

Zone District: One of the zone districts established by the IDO and the boundaries of such zone districts shown on the Official Zoning Map. Zoning regulations include the Use Regulations, Development Standards, and Administration and Enforcement provisions of the IDO.

Zoning

The subject site is currently zoned MX-M [Mixed-use – Medium Intensity Zone District, IDO 14-16-2-4(C)], which was assigned upon adoption of the IDO as a conversion from the former SU-2 (C-3) zoning designation (Industrial/Wholesale/Manufacturing) zoning. The purpose of the MX-M zone district is to provide for a wide array of moderate-intensity retail, commercial, institutional and moderate-density residential uses, with taller, multi-story buildings encouraged in Centers and Corridors. Specific permissive uses are listed in Table 4-2-1: Allowable Uses, IDO pg. 145.

The applicant has secured an EPC approval (Project # PR-2024-009765, RZ-2024-00001, February 15, 2024) to change the subject site's zoning to MX-H (Mixed Use, High Intensity Zone District, IDO 14-16-2-4(D)). The EPC approval was appealed and is currently scheduled to be heard by the Land Use Hearing Officer (LUHO) on May 15, 2024.

The purpose of the MX-H zone district is to provide for large-scale destination retail and high-intensity commercial, residential, light industrial, and institutional uses, as well as high-density residential uses, particularly along Transit Corridors and in Urban Centers. The MX-H zone district is intended to allow higher-density infill development in appropriate locations. Specific permissive uses are listed in Table 4-2-1 of the IDO.

Generally, the permissive uses allowed in the MX-H zone district are extremely similar to those allowed in the MX-M zone district, with a few exceptions.

ALBUQUERQUE / BERNALILLO COUNTY COMPREHENSIVE PLAN

The subject site is located wholly in an area that the 2017 Albuquerque/Bernalillo County Comprehensive Plan has designated an Area of Change. Areas of Change allow for a mix of uses and development of higher density and intensity in areas where growth is desired and can be supported by multi-modal transportation. The intent is to make Areas of Change the focus of new urban-scale development that benefit job creation and expanded housing options. By focusing growth in Areas of Change, additional residents, services, and jobs can be accommodated in locations ready for new development.

Applicable Goals and Policies are listed below. IDO section 14-6-6(I)(3)(a) requires that any application for a Site Plan – EPC be **consistent** with the ABC Comp Plan, as amended. Staff analysis follows in bold italic text. In this case, the Goals and policies below were included by the applicant in the justification letter.

Chapter 4: Community Identity

Goal 4.1 Character: Enhance, protect, and preserve distinct communities.

The request would locate a hospital use to the southern portion of the subject site, which is also the southeastern most corner of the Santa Barbara/Martineztown Neighborhood. This will ensure that the existing residential neighborhood uses will be protected and preserved. The request is consistent with Goal 4.1 Character.

Policy 4.1.1 Distinct Communities: Encourage quality development that is consistent with the distinct character of communities.

The request would contribute to the existing varying intensity of uses that distinctly characterize the Santa Barbara/Martineztown Neighborhood. These uses include industrial, manufacturing, mixed use zones, and residentially zoned parcels. The request would locate a hospital use away from existing residentially zoned parcels. The request is consistent with Policy 4.1.1 Distinct Communities.

Policy 4.1.2. Identity and Design: Protect the identity and cohesiveness of neighborhoods by ensuring the appropriate scale and location of development, mix of uses, and character of building design.

The request will protect the identity and cohesiveness of the Santa Barbara/Martineztown Neighborhood by locating more intense uses on the subject site at the southeastern most corner of the neighborhood. The hospital use will also be appropriately located within 660 feet of three designated Major Transit Corridors. The request is consistent with Policy 4.1.2 Identity and Design.

Chapter 5: Land Use

Goal 5.1 Centers and Corridors: Grow as a community of strong Centers connected by a multi-modal network of Corridors.

The subject site is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660' of the Lomas Blvd. Major Transit Corridor, and also lies between two designated Centers to the west (Downtown Center) and to the east (UNM Center). The request would allow a hospital use on the subject site which is currently vacant, and located along and

within the aforementioned Corridors. The request is consistent with Goal 5.1 Centers and Corridors.

Policy 5.1.1 Desired Growth: Capture regional growth in Centers and Corridors to help shape the built environment into a sustainable development pattern.

The subject site is located along and within three Major Transit Corridors - the I-25 Frontage, Mountain Rd., and Lomas Blvd. Major Transit Corridors. Capturing growth within Transit Corridors promotes sustainable development patterns as articulated in the ABC Comp Plan. The request is consistent with Policy 5.1.1 Desired Growth.

Policy 5.1.1(c): Encourage employment density, compact development, redevelopment, and infill in Centers and Corridors as the most appropriate areas to accommodate growth over time and discourage the need for development at the urban edge.

The request will result in a hospital use and encourage employment density, compact development, and infill on the currently-vacant subject site, which is located along and within three Major Transit Corridors. Additionally, the request will not result in the need for development at the urban edge of Albuquerque. The request is consistent with Sub-Policy 5.1.1(c).

Policy 5.1.2 Development Areas: Direct more intense growth to Centers and Corridors and use Development Areas to establish and maintain appropriate density and scale of development within areas.

The subject site is located within an ABC Comp Plan designated Area of Change, and is located along and within three Major Transit Corridors. The request will result in a new hospital use on the vacant subject site which will serve to maintain appropriate density and scale of development within an Area of Change. The request is consistent with Policy 5.1.2 Development Areas.

Policy 5.1.10 Major Transit Corridors: Foster corridors that prioritize high frequency transit service with pedestrian-oriented development.

The request fosters and promotes corridors that prioritize high frequency transit service with pedestrian-oriented development because the Mountain/Woodward transit stop is located along the northern edge of the subject site. This will allow individuals without a vehicle to access the hospital use on the subject site. Additionally, the intent of the MX-H zone district is to allow higher-density infill development in appropriate locations, which include Major Transit Corridors, according to the ABC Comp Plan. The request is consistent with Policy 5.1.10 Major Transit Corridors.

Goal 5.2 Complete Communities: Foster communities where residents can live, work, learn, shop, and play together.

Tract A (the subject site) is currently vacant and surrounded by a mix of commercial, educational, and office land uses that generally range from mid-to-high intensity. The proposed hospital use may serve local residents of Santa Barbara/Martineztown and the greater Albuquerque Metropolitan area, and may also employ local Albuquerque residents as well. The request is partially consistent with Goal 5.2 Complete Communities.

Policy 5.2.1 Land Uses: Create healthy, sustainable, and distinct communities with a mix of uses that are conveniently accessible from surrounding neighborhoods.

The request will serve to help build out a vacant lot thereby continuing to promote the existing mixed-use character of the area. The subject site is also located between two ABC Comp Plan Centers (Downtown & UNM) and is conveniently accessible from surrounding neighborhoods via the City of Albuquerque's public transit service. The request is consistent with Policy 5.2.1 Land Uses.

Policy 5.2.1(h): Encourage infill development that adds complementary uses and is compatible in form and scale to the immediately surrounding development.

The request will encourage infill development of a hospital use that adds complementary uses and is compatible in form and scale to the immediately surrounding/adjacent hotel use, and lab use, and nearby educational use. The request is consistent with Sub-Policy 5.2.1(h).

Policy 5.2.1 n): Encourage more productive use of vacant lots and under-utilized lots, including surface parking.

The request will encourage the more productive use of vacant lots and under-utilized lots because the subject site is currently vacant and being used (informally) as surface parking. The development of a hospital use on the site is also more beneficial to surrounding neighborhoods and the greater Albuquerque Metropolitan area. The request is consistent with Sub-Policy 5.2.1 n).

Goal 5.3 Efficient Development Patterns: Promote development patterns that maximize the utility of existing infrastructure and public facilities and the efficient use of land to support the public good.

The subject site is already served by existing infrastructure and public facilities. The request would help to maximize the utility of this existing infrastructure by adding a hospital use to the area. Additionally, the subject site is located within three Major Transit Corridors and can be accessed by existing public transit routes. The request is consistent with Goal 5.3 Efficient Development Patterns.

Policy 5.3.1 Infill Development: Support additional growth in areas with existing infrastructure and public facilities.

The request will result in additional growth in the form of a hospital use on the subject site in an area with existing infrastructure and public facilities, and is accessible by existing public transit routes. The request is consistent with Policy 5.3.1 Infill Development.

Policy 5.3.2 Leapfrog Development: Discourage growth in areas without existing infrastructure and public facilities.

The request will not result in Leapfrog Development as the hospital use will be developed in an area with existing infrastructure and public facilities. The request is consistent with Policy 5.3.2 Leapfrog Development.

Policy 5.3.7 Locally Unwanted Land Uses: Ensure that land uses that are objectionable to immediate neighbors but may be useful to society are located carefully and equitably to ensure that social assets are distributed evenly and social responsibilities are borne fairly across the Albuquerque area.

The request will result in a rehabilitation hospital that will add to the non-emergency medical services network in the greater Albuquerque Metropolitan area. These services are useful to society by easing pressure on local hospitals by providing an avenue for outpatient care. The request is consistent with Policy 5.3.7 Locally Unwanted Land Uses.

Policy 5.3.7(b): Ensure appropriate setbacks, buffers, and/or design standards to minimize offsite impacts.

Where the controlling site plan is silent with regard to design standards, the applicant will be required to follow all IDO design standard requirements which include setbacks, buffers and other design standards to minimize offsite impacts. Additionally, with regard to building height, the applicant has stated that the proposed development building height would be capped at 55 feet, which is much lower than the 180-foot building height allowance in the controlling site development plan. The request is consistent with Policy 5.3.7(b).

Goal 5.6 City Development Areas: Encourage and direct growth to Areas of Change where it is expected and desired and ensure that development in and near Areas of Consistency reinforces the character and intensity of the surrounding area.

The subject site is located entirely in an ABC Comp Plan designated Area of Change, where growth is both expected and desired. Developing the hospital use on the subject site will also ensure that the character and intensity of the residential portions of the Santa Barbara/Martineztown community (that are located within an Area of Consistency) are reinforced. The request is consistent with Goal 5.6 City Development Areas.

Policy 5.6.2 Areas of Change: Direct growth and more intense development to Centers, Corridors, industrial and business parks, and Metropolitan Redevelopment Areas where change is encouraged.

The request will direct growth on the subject site under the MX-H zone district. The proposed development of a hospital use will be located along designated Major Transit Corridors within an Area of Change, which is encouraged as articulated in the ABC Comp Plan. The request is consistent with Policy 5.6.2 Area of Change.

Chapter 8: Economic Development

Goal 8.1 Placemaking: Create places where businesses and talent will stay and thrive.

The request will create additional jobs in the area. A 2023 report issued from the New Mexico Health Care Workforce Committee noted that New Mexico needs over 5,800 more registered nurses (https://digitalrepository.unm.edu/nmhc_workforce/). However, it is unclear from the requested site plan major amendment how this will contribute to creating a place where businesses and talent will stay and thrive. The request is partially consistent with Goal 8.1 Placemaking.

Policy 8.1.1 Diverse Places: Foster a range of interesting places and contexts with different development intensities, densities, uses, and building scales to encourage economic development opportunities.

The request will contribute to a place with different development intensities, uses and building scales, however it is unclear how the request will utilize these contexts to encourage economic development opportunities. The request is partially consistent with Policy 8.1.1 Diverse Places.

Policy 8.1.1(a): Invest in Centers and Corridors to concentrate a variety of employment opportunities for a range of occupational skills and salary levels.

The request is located within three designated Major Transit Corridors and, once operational, will employ approximately one-hundred people contributing to a range of occupational skills and salary levels to include administrative staff, nurses, doctors, and night-time shift workers. The request is consistent with Sub-Policy 8.1(a).

Policy 8.1.1(c): Prioritize local job creation, employer recruitment, and support development projects that hire local residents.

The request will more than likely prioritize local job creation and recruitment during the construction phase of the proposed development, however staff notes that Nobis Rehabilitation Partners headquarters is located in Allen, Texas. It is therefore unclear how the proposed use will continue to prioritize local job creation and hire local residents. The request is generally consistent with Policy 8.1.1(c).

Policy 8.1.2 Resilient Economy: Encourage economic development efforts that improve quality of life for new and existing residents and foster a robust, resilient, and diverse economy.

The request will serve to improve the quality of life for new and existing residents by providing a high-quality hospital use that can be accessed by nearby community members and the larger Albuquerque Metropolitan area. The area surrounding the subject site includes an Embassy Suites Hotel, TriCore Laboratories, and the Career Enrichment Center. The proposed hospital use will help to foster a robust, resilient, and diverse economy. The request is consistent with Policy 8.1.2 Resilient Economy.

Integrated Development Ordinance (IDO) 14-16-6-6(I)(3)- Site Plan-EPC Review and Decision Criteria

IDO Section 14-16-6-6(I)(3) states that any application for a Site Plan-EPC will be approved if it meets all of the following criteria:

- 6-6(I)(3)(a) The site plan is consistent with the ABC Comp Plan, as amended.
As demonstrated by the policy-based analysis, the proposed Site Plan is consistent with applicable Comprehensive Plan Goals and policies.
- 6-6(I)(3)(b) The Site Plan is consistent with any applicable terms and conditions in any previously approved NR-SU or PD zoning covering the property and any related development agreements and/or regulations.
The subject site is not within any previously approved NR-SU or PD zoned property. No development agreements or regulations on the site are known outside of the standards set forth in the Controlling Site Development plan for Subdivision.
- 6-6(I)(3)(c) The Site Plan complies with all applicable provisions of this IDO, the DPM, other adopted City regulations, and any terms and conditions specifically applied to development of the property in a prior permit or approval affecting the property.
The subject site is within the Controlling Gateway Center Site Development Plan for Subdivision (EPC Z-93-46_DRB-94-183). The major amendment allows the hospital use on Area 3/Tract A. The associated site plan proposes the development of the hospital which complies with all applicable site standards in the controlling site plan. Future reviewers shall check the site plan for standards. Where the controlling site development plan is silent, the site plan is required to comply with all applicable provisions of the IDO. The site plan shall comply with the DPM and all other adopted City regulations.
The Site Plan is subject to the allowable maximum heights, setbacks and related standards specified on the controlling site plan. All other IDO standards have been met. The Site is not subject to height standards in the CPO because the Controlling Site plan takes precedent over the IDO pursuant to IDO section 1-10(A) pre-IDO approvals.
All conditions must be met prior to DFT Final Sign off.
- 6-6(I)(3)(d) The City's existing infrastructure and public improvements, including but not limited to its street, trail, drainage, and sidewalk systems, have adequate capacity to serve the proposed development, and any burdens on those systems have been mitigated to the extent practicable.
The City's existing infrastructure has adequate capacity for the proposed development based on existing roadways, transit, water and electric utilities. A TIS is underway for the subject site, which will determine if any additional transportation needs are required. The applicant will be required to work with transportation, hydrology, and fire during the DFT final sign off process.
- 6-6(I)(3)(e) The application mitigates any significant adverse impacts on the surrounding area to the maximum extent practicable.

The applicant has demonstrated that the request would not negatively impact the surrounding area based on responses to applicable Comprehensive Plan Goals and Policies. The applicant has stated that they have taken steps to mitigate any adverse impacts on the surrounding community by choosing to follow applicable IDO Standards for the Site Plan aside from the maximum building height allowance on the controlling site plan.

- 6-6(I)(3)(f) If the subject property is within an approved Master Development Plan, the Site Plan meets any relevant standards in the Master Development Plan in addition to any standards applicable in the zone district the subject property is in.

The subject property is not within a Master Development Plan.

- 6-6(I)(3)(g) If a cumulative impact analysis is required in the Railroad and Spur Area pursuant to Subsections 14-16-5-2(E) (Cumulative Impacts) and 14-16-6-4(H) (Cumulative Impacts Analysis Requirements), the Site Plan incorporates mitigation for all identified cumulative impacts. The proposed development will not create material adverse impacts on water quality or other land in the surrounding area through increases in traffic congestion, parking congestion, noise, vibration, light spillover, or other nuisances without sufficient mitigation or civic or environmental benefits that outweigh the expected impacts.

The subject property is not within the Railroad and Spur Area and no cumulative impact analysis is required.

III. SITE PLAN – EPC, Major Amendment

A. Amendment and Site Plan Request

This request is for a Site Plan-EPC Major Amendment to the controlling Gateway Center Site Development Plan (SDP) for Subdivision. The proposed amendment would allow the proposed Hospital Use on Area 3, or Tract A, and change the setback standards within the SDP to be consistent with the IDO. Where the controlling SDP is silent on Development Standards, the IDO development Standards apply pursuant to IDO section 14-16-1-10(A) Pre-IDO Approvals.

The proposed amendment includes a Site Plan for the proposed Hospital on area 3 (or Tract A) which is an approximately 3-acre portion of the SDP. The Site Plan is consistent with the Site Plan for Subdivision standards and applicable IDO development standards.

The proposed Site Plan includes new development, as follows:

- A 55,098 SF Inpatient Rehabilitation Facility (Hospital Use) with 48 beds
- Site work including: parking, walls/fences, landscaping, utilities, grading and drainage, and signage, etc.

The proposed Site Plan is required to follow all applicable Standards outlined in the Controlling Site Development Plan for Subdivision pursuant IDO section 14-16-1-10(A) which states that: Any approvals granted prior to the effective date of this IDO shall remain valid and that any use standards or development standards associated with any pre-IDO approval or zoning designation establish rights and limitations and are exclusive of and prevail over any provision of this IDO. Where those approvals are silent, provisions in the IDO shall apply.

Zone Designation

The site plan is consistent with the MX-H zone district, which the EPC approved during the February 15, 2024 EPC hearing. The approval was appealed and is scheduled for a hearing with the Land Use Hearing Officer (LUHO) on May 15, 2024. If the LUHO overturns the EPC decision and city council accepts, the site plan will be subject to MX-M zone district standards, which will be conditioned as part of this request.

Pursuant IDO section 14-16-4-3(C)(4) Hospital Use Specific Standards, In the MX-M zone district, this use is limited to no more than 20 overnight beds and, if located within 330 feet of any Residential zone district, shall require a Conditional Use approval, pursuant to Subsection 14-16-6-6(A). If the EPC decision to approve the request for MX-H zoning is upheld, the hospital may have over 20 beds, but is still required to obtain a conditional use approval.

With the EPC's approval, the Site Plan would go to the DFT for final Sign-off.

Pursuant to IDO Section 14-16-6-4(Q), the decision-making body may impose conditions necessary to ensure compliance with the development standards of this IDO via the Site Plan-EPC Review and Decision Criteria of IDO Section 14-16-6-6(J).

The site plan and related drawings were revised based on Staff and Agency Comments and were received on May 1, 2024. For the purposes of this request, staff has reviewed the proposed site plan against the controlling SDP, the IDO and the MX-H zone district. Staff has crafted conditions of approval to create compliance as needed and to provide clarity for the future.

Martineztown / Santa Barbara - CPO-7 Standards

Since the subject site is within CPO-7, staff has provided an analysis of standards for the overlay zone. Since the site is within the controlling SDP, most standards do not apply pursuant to IDO section 2-10(A).

3-4(H)(2)(a) & (b) Site Standards:

- (a) Lot Width, Minimum – *N/A, request is not multi-family.*
- (b) Usable Open Space, Minimum – *N/A, the request is not multi-family.*

3-4(H)(3)(a) & (b) Setback Standards:

- (a) Low-density Residential Development – *N/A, request is not low-density residential.*
- (b) MX-L Zone District – *N/A, request is not zoned MX-L.*

3-4(H)(4)(a) & (b) Building Height:

- (a) Residential and Mixed-use zone districts on project sites less than 5 acres, Maximum building height is 26 feet – *N/A, controlling site development plan for subdivision allows a maximum building height of 180 feet.*
- (b) Building height bonuses do not apply – *N/A, applicant is not requesting building height bonuses.*

3-4(H)(5)(a) & (b) Signs:

- (a) MX-L Zone District – *N/A, subject site is not zoned MX-L.*
- (b) MX-M Zone District – *If the EPC approved zone change to MX-H is reversed on appeal back to MX-M, the applicant would be allowed to place signs on the subject site since it does abut arterial or collector streets pursuant to IDO Subsection 14-16-5-12 (Signs) for the MX-M zone district.*

B. Review of Proposed Site Plan

Site Plan Layout/Configuration

The applicant proposes to develop an approximately 3-acre (2.7454) vacant portion known as Area 3, or Tract A, of the controlling Gateway Center Site Development Plan for subdivision. The subject site would be comprised of a 55,098 SF Rehabilitation Hospital at the center of the Tract with access from Woodward Pl. SE and Mountain Rd. SE. The main pedestrian entrance faces Mountain Rd. or north-east. There is a dumpster enclosure and generator in a walled-off courtyard on the western side of the building, which also contains a pedestrian exit/entrance.

Pedestrian, Bicycle and Transit Access

The proposed development standards for access and connectivity are pursuant to IDO section 14-16-5-3.

Pedestrians can access the site via Bus Route 5 (Montgomery-Carlisle). The nearest Bus stop directly abuts the subject site's northern boundary. There is existing sidewalk infrastructure along the perimeter of the site on Woodward Pl. and Mountain Rd. SE. There are proposed crosswalks from the ADA parking spaces along the front entrance to the hospital with a wraparound sidewalk along the NE and east side of the building.

Bicyclists can access the site via an existing bike lane along Mountain Rd., which merges into a Bike Route west of the subject site on Mountain Rd.

The Site Plan includes new ADA ramps, curb ramps and crosswalks at the vehicular access points.

Vehicular Access, Circulation and Parking

Access and Connectivity Standards: The Site Plan proposes two new access points. One ingress/egress point is located along Woodward Pl. SE and one is located along the center of the site off of Mountain Rd. SE. These will both serve as the entrance/exit for staff vehicles and official vehicles as well as hospital visitors.

Parking requirements comply with the Hospital use in the IDO as noted on the site plan.

- 220 parking spaces are required
- The site qualifies for two parking reductions. 1) a 20% reduction pursuant to IDO 5-5(C)(5)(a) for the Major Transit Corridor Area designation and 2) a 10% reduction pursuant to IDO 5-5(C)(5)(c) for Proximity to Transit, therefore 154 spaces are required.
- The applicant has provided 140 regular spaces and 14 ADA spaces
- 5 Motorcycle spaces have been provided

Bicycle Parking: The Site Plan is required to provide 15 bicycle parking spaces, which are provided. A bike rack is located near the main entrance on the NE corner of the building.

Landscaping, Buffering and Screening

The Site Plan proposes Landscaping Buffering and Screening pursuant to IDO 14-16-5-6 Standards.

The proposed landscaping plan consists of landscaping beds surrounding the entire perimeter of the property along Mountain Rd. and Woodward Pl. SE as well as parking lot landscaping and in parking lot islands.

The Landscape Plan provides the proposed location and type of trees and ground cover being provided which is pursuant to the Official Albuquerque Plant Pallet. Tree details are provided.

A fully automated irrigation system would be used to irrigate the trees, shrubs and groundcover planting areas and maintenance for landscape and irrigation would be the responsibility of the owner.

Landscape Area Coverage for the proposed development (approximately 32,769 SF of the subject site):

- 6 types of trees: total of 89 trees
- 10 types of shrubs and ground cover: 261 total shrubs
- Boulders and landscape gravel proposed, but types and amounts are not provided.
- Required Landscaping: 15,528.45 SF (15%), provided: 32,769 SF (212%)
- Total live plants provided: 41,267.5 SF
- Total ground cover provided: 8,752.25 SF

The applicant shall show all square footage of planting beds and dimensions between trees on the Site Plan.

Walls/Fences and Lighting

Proposed Wall and fence Standards: The applicant has proposed an attached wall to enclose the dumpster and generator area on the western side of the building. A detail shall be provided.

Lighting is proposed pursuant to IDO 14-16-5-8 and Table 5-8-1 Maximum Height for Light Poles. A light detail package is provided. Illuminated bollards are provided along the sidewalk perimeter of the building. Light poles are provided in the parking lot area and are subject to a maximum of 20-feet pursuant to IDO Table 5-8-1: Maximum Height for Light Poles.

Signage

Sign Standards: Building mounted signage is included with this request. All signage is pursuant to IDO 14-16-5-12 and Table 5-12-2, as indicated on proposed building elevations. The proposed sign is approximately 137'6." It is a standard aluminum construction with Matthews satin acrylic polyurethane finish and an illuminated surface. The 2 proposed signs on the north and south facades are subject to a sign permit, reviewed administratively.

A 7'4" x 10' illuminated monument sign is proposed, which is also subject to Sign Standards in the IDO and is subject to a separate sign permit. The location of the monument sign shall be specified on the site plan.

Building Design/Architecture

Building Design Standards are pursuant to IDO section 5-11. The proposed building meets applicable façade requirements.

Conceptual Grading & Drainage Plan

The subject property currently drains from east to west and is located in the Gateway Center Master Drainage plan. The subject site is within Basin 1 of the master drainage plan. The proposed development will contain 4 new basins that will discharge into an underground detention facility and discharge into existing storm sewage off of Woodward Pl. Surface water will discharge to the street.

Conceptual Utility Plan

The applicant provided a Utility Plan showing new and existing utilities, sanitary sewer lines, water, meter lines, and storm sewer lines.

III. AGENCY & NEIGHBORHOOD CONCERNS

Reviewing Agencies

City departments and other agencies reviewed this application. Albuquerque Public Schools (APS), Solid Waste Department (SWD), and Public Service Company of NM (PNM) submitted the most substantial comments. APS noted vehicular entry/exit for the subject site directly across from school entry/egress, SWD stated that an approved site plan for access will

be required, and PNM noted facilities / easements on or near the site and a request for the applicant to contact the New Delivery Department to coordinate electric service.

Neighborhood/Public

The applicant provided notice of the application to all eligible Neighborhood Association representatives and adjacent property owners (within 100 feet) via certified mail and email as required.

A facilitated meeting between the applicant and the Santa Barbara Martineztown Neighborhood Association was held virtually on March 21, 2024 from 6 – 8 PM. Aggregate community concerns noted from the facilitated meeting report (attached) include: Existing uses in the area currently exceed traffic infrastructure capacity on Mountain Rd., excessive commercial vehicle uses in the area, proximity to Albuquerque High School exacerbating traffic impacts. Community members also mentioned that a roundabout or other physical barrier at interstate frontage and Mountain Rd. along with a request for a comprehensive environmental impact study.

The applicant notes that while the neighborhood association is opposed to the request, there was no direct input on the proposed site plan amendment, or comments from the neighborhood regarding site design, or building placement.

Finally, the facilitated meeting report notes community objection to the request, that consensus was not achieved, and that the parties remain at an impasse with regard to this project.

IV. CONCLUSION

The request is for a Site Plan-EPC Major Amendment to the controlling approximately 23-acre Gateway Center Site Development Plan for Subdivision for an approximately 3-acre site legally described as all or a portion of Tract A Plat of Gateway Subdivision, located at 1100 Woodward Pl NE, between Mountain Rd, and Lomas Blvd (the “subject site”).

The requested major amendment is to 1) add the hospital use to Area 3 of the controlling Site Development Plan and 2) changes setbacks for Area 3 to be pursuant to the IDO. The amendment will allow for the development of a hospital use on the subject site, which is being reviewed as a new Site Plan as part of this request.

The site is currently zoned MX-M (Mixed-use, moderate intensity). The EPC approved a zone change to MX-H (Mixed-use, high intensity) on February 15, 2024 is scheduled for an appeal hearing with the Land Use Hearing Officer on May 15, 2024. For the purposes of this request, staff has reviewed the proposed Site Plan pursuant to development standards listed on the controlling SDP and the MX-H zone district. If a zoning certificate is not obtained, the site plan shall comply with MX-M zone district standards.

The applicant has adequately justified the request pursuant to IDO review and decision criteria in section 14-16-6-7(I)(3).

The applicant provided notice of the application to all eligible Neighborhood Association representatives and adjacent property owners (within 100 feet) via certified mail and email as required. Staff is aware of opposition to this request from the Santa Barbara Martineztown Neighborhood Association.

Staff recommends approval subject to conditions to create clarity and consistency.

FINDINGS - SI-2023-00468, May 16, 2024- Major Amendment, Site Development Plan EPC

1. The request is for a Major Amendment to a 3-acre portion (Tract A) within the Gateway Center Site Development Plan for Subdivision for an approximately 23-acre site legally described as All or a portion of Tract A Plat of Gateway Subdivision, Tract B-1, Plat of Tract B-1, Gateway Subdivision, A replat of Tracts B & C, Gateway Subdivision; Tract, D-1-B-1, Plat of Tract D-1-B-1 and D-1-B-2, Gateway Subdivision (being a replat of Tract D-1-B, Gateway Subdivision, Lots 16 and 17, Trotter Addition NO. 2 and A; and Tract D-1-A-1, Plat for Lots 1 & 2, Tract D-1-A-1, Gateway Subdivision (being a replat of Tract D-1-A, Gateway Subdivision & an un-platted parcel), located at 1100 Woodward Pl NE, between Mountain Rd, Lomas Blvd, Edith Blvd. and I-25 frontage (the “subject site”).
2. The subject site is controlled by the approved Gateway Center Site Development Plan for Subdivision. The (rescinded) Martineztown/Santa Barbara Sector Development Plan required this location to have an approved EPC site plan, and since the overall site is already built out more than 50%, the subject site is controlled by the Site Plan. On March 24, 1994 the EPC voted to approve Z-93-46 and the site plan was reviewed and delegated for approval by the (former) DRB on July 12, 1994. Project #1000060 included two separate 2-year extensions (one in 2011, the other in 2014) of a Subdivision Improvements Agreement for the Gateway Subdivision.
3. The requested major amendment is to 1) add the hospital use to Area 3 of the controlling Site Development Plan and 2) changes setbacks for Area 3 to be pursuant to the IDO. The amendment will allow for the development of a hospital use on the subject site, which is being reviewed as a new Site Plan as part of this request.
4. On February 15, 2024 the EPC approved a Zone Map Amendment from MX-M (Mixed use – Medium Intensity) to MX-H (Mixed use – High Intensity) for the subject site (PR-2024-009765, RZ-2024-00001). The approval was appealed and is being heard by the LUHO on May 15, 2024. The applicant designed the proposed hospital use to comply with the MX-H zone district standards. If the LUHO and City Council do not uphold the EPC decision, the site plan will be subject to MX-M zone district standards. See related condition of approval.
5. Pursuant to IDO section 14-16-4-3(C)(4) Hospital Use Specific Standards, In the MX-M zone district, this use is limited to no more than 20 overnight beds and, if located within 330 feet of any Residential zone district, shall require a Conditional Use approval, pursuant to Subsection 14-16-6-6(A). If the EPC decision to approve the request for MX-H zoning is upheld, the hospital may have over 20 beds, but is still required to obtain a conditional use approval.
6. The proposed Site Plan is required to follow all applicable Standards outlined in the Controlling Site Development Plan for Subdivision pursuant IDO section 14-16-1-10(A) which states that: Any approvals granted prior to the effective date of this IDO shall remain valid and that any use standards or development standards associated with any pre-IDO approval or zoning designation establish rights and limitations and are exclusive of and prevail

over any provision of this IDO. Where those approvals are silent, provisions in the IDO shall apply.

7. Staff has reviewed the Site Plan pursuant to the controlling Site Development Plan Standards and where silent Applicable IDO standards and the MX-H zone district.
8. The subject site is in an area that the Comprehensive Plan designates an Area of Change. It is not within a designated Center. It is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660' of the Lomas Blvd. Major Transit Corridor.
9. The subject site is located within the Santa Barbara Martineztown Character Protection Overlay Zone (CPO-7), although is subject to the development standards of the Controlling Site Development Plan pursuant to IDO section 14-16-1-10(A) Pre IDO-Approvals, which states that any use standards or development standards associated with any pre-IDO approval or zoning designation establish rights and limitations and are exclusive of and prevail over any other provision of the IDO. Where those approvals are silent, provisions in this IDO shall apply.
10. The City of Albuquerque Integrated Development Ordinance (IDO) and the Albuquerque Bernalillo County (ABC) Comprehensive Plan are incorporated herein by reference and made part of the record for all purposes.
11. The request is wholly or generally consistent with the following ABC Comprehensive Plan Goal and Policies regarding Community Identity from Chapter 4:

A. Goal 4.1 Character: Enhance, protect, and preserve distinct communities.

The request would locate more intense uses to the southern portion of the subject site, which is also the southeastern most corner of the Santa Barbara/Martineztown Neighborhood. This will ensure that the existing residential neighborhood uses will be protected and preserved.

B. Policy 4.1.1 Distinct Communities: Encourage quality development that is consistent with the distinct character of communities.

The request would contribute to the existing varying intensity of uses that distinctly characterize the Santa Barbara/Martineztown Neighborhood. These uses include industrial, manufacturing, mixed use zones, and residentially zoned parcels. The request would locate a hospital use away from existing residentially zoned parcels.

C. Policy 4.1.2. Identity and Design: Protect the identity and cohesiveness of neighborhoods by ensuring the appropriate scale and location of development, mix of uses, and character of building design.

The request will protect the identity and cohesiveness of the Santa Barbara/Martineztown Neighborhood by locating more intense uses on the subject site at the southeastern most corner of the neighborhood. The hospital use will also be appropriately located within 660 feet of three designated Major Transit Corridors.

12. The request is wholly or generally consistent with the following ABC Comprehensive Plan Goal and Policies regarding Centers and Corridors from Chapter 5 Land Use:

- A. Goal 5.1 Centers and Corridors: Grow as a community of strong Centers connected by a multi-modal network of Corridors.

The subject site is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660' of the Lomas Blvd. Major Transit Corridor, and also lies between two designated Centers to the west (Downtown Center) and to the east (UNM Center). The request would allow a broader range of higher-intensity land uses on the subject site which is currently vacant, and located along and within the aforementioned Corridors.

- B. Policy 5.1.1 Desired Growth: Capture regional growth in Centers and Corridors to help shape the built environment into a sustainable development pattern.

The subject site is located along and within three Major Transit Corridors - the I-25 Frontage, Mountain Rd., and Lomas Blvd. Major Transit Corridors. Capturing growth within Transit Corridors promotes sustainable development patterns as articulated in the ABC Comp Plan.

- C. Policy 5.1.1(c): Encourage employment density, compact development, redevelopment, and infill in Centers and Corridors as the most appropriate areas to accommodate growth over time and discourage the need for development at the urban edge.

The request will result in a hospital use and encourage employment density, compact development, and infill on the currently-vacant subject site, which is located along and within three Major Transit Corridors. Additionally, the request will not result in the need for development at the urban edge of Albuquerque.

- D. Policy 5.1.2 Development Areas: Direct more intense growth to Centers and Corridors and use Development Areas to establish and maintain appropriate density and scale of development within areas.

The subject site is located within an ABC Comp Plan designated Area of Change, and is located along and within three Major Transit Corridors. The request will result in a new hospital use on the vacant subject site which will serve to maintain appropriate density and scale of development within an Area of Change.

- E. Policy 5.1.10 Major Transit Corridors: Foster corridors that prioritize high frequency transit service with pedestrian-oriented development.

The request fosters and promotes corridors that prioritize high frequency transit service with pedestrian-oriented development because the Mountain/Woodward transit stop is located along the northern edge of the subject site. This will allow individuals without a vehicle to access the hospital use on the subject site. Additionally, the intent of the MX-H zone district

is to allow higher-density infill development in appropriate locations, which include Major Transit Corridors, according to the ABC Comp Plan.

13. The request is wholly or generally consistent with the following ABC Comprehensive Plan Policy and Subpolicies from Chapter 5 Land Use:

- A. Policy 5.2.1 Land Uses: Create healthy, sustainable, and distinct communities with a mix of uses that are conveniently accessible from surrounding neighborhoods.

The request will serve to help build out a vacant lot thereby continuing to promote the existing mixed-use character of the area. The subject site is also located between two ABC Comp Plan Centers (Downtown & UNM) and is conveniently accessible from surrounding neighborhoods via the City of Albuquerque's public transit service.

- B. Policy 5.2.1(h): Encourage infill development that adds complementary uses and is compatible in form and scale to the immediately surrounding development.

The request will encourage infill development of a hospital use that adds complementary uses and is compatible in form and scale to the immediately surrounding/adjacent hotel use, and lab use, and nearby educational use.

- C. Policy 5.2.1 n): Encourage more productive use of vacant lots and under-utilized lots, including surface parking.

The request will encourage the more productive use of vacant lots and under-utilized lots because the subject site is currently vacant and being used (informally) as surface parking. The development of a hospital use on the site is also more beneficial to surrounding neighborhoods and the greater Albuquerque Metropolitan area.

14. The request is wholly or generally consistent with the following ABC Comprehensive Plan Goal and Policies regarding development patterns from Chapter 5 Land Use:

- A. Goal 5.3 Efficient Development Patterns: Promote development patterns that maximize the utility of existing infrastructure and public facilities and the efficient use of land to support the public good.

The subject site is already served by existing infrastructure and public facilities. The request would help to maximize the utility of this existing infrastructure by adding a hospital use to the area. Additionally, the subject site is located within three Major Transit Corridors and can be accessed by existing public transit routes.

- B. Policy 5.3.1 Infill Development: Support additional growth in areas with existing infrastructure and public facilities.

The request will result in additional growth in the form of a hospital use on the subject site in an area with existing infrastructure and public facilities, and is accessible by existing public transit routes.

- C. Policy 5.3.2 Leapfrog Development: Discourage growth in areas without existing infrastructure and public facilities.

The request will not result in Leapfrog Development as the hospital use will be developed in an area with existing infrastructure and public facilities.

- D. Policy 5.3.7 Locally Unwanted Land Uses: Ensure that land uses that are objectionable to immediate neighbors but may be useful to society are located carefully and equitably to ensure that social assets are distributed evenly and social responsibilities are borne fairly across the Albuquerque area.

The request will result in a rehabilitation hospital that will add to the non-emergency medical services network in the greater Albuquerque Metropolitan area. These services are useful to society by easing pressure on local hospitals by providing an avenue for outpatient care.

- E. Policy 5.3.7(b): Ensure appropriate setbacks, buffers, and/or design standards to minimize offsite impacts.

Where the controlling site plan is silent with regard to design standards, the applicant will be required to follow all IDO design standard requirements which include setbacks, buffers and other design standards to minimize offsite impacts. Additionally, with regard to building height, the applicant has stated that the proposed development building height would be capped at 55 feet, which is much lower than the 108-foot building height allowance in the controlling site development plan.

15. The request is wholly or generally consistent with the following ABC Comprehensive Plan Goal and Policy regarding Development Areas from Chapter 5 Land Use:

- A. Goal 5.6 City Development Areas: Encourage and direct growth to Areas of Change where it is expected and desired and ensure that development in and near Areas of Consistency reinforces the character and intensity of the surrounding area.

The subject site is located entirely in an ABC Comp Plan designated Area of Change, where growth is both expected and desired. Developing the hospital use on the subject site will also ensure that the character and intensity of the residential portions of the Santa Barbara/Martineztown community (that are located within an Area of Consistency) are reinforced.

- B. Policy 5.6.2 Areas of Change: Direct growth and more intense development to Centers, Corridors, industrial and business parks, and Metropolitan Redevelopment Areas where change is encouraged.

The request will direct growth on the subject site under the MX-H zone district. The proposed development of a hospital use will be located along designated Major Transit Corridors within an Area of Change, which is encouraged as articulated in the ABC Comp Plan.

16. The request is wholly or generally consistent with the following ABC Comprehensive Plan Goals and Policies regarding from Chapter 8 Economic Development:

- A. Policy 8.1.1(a): Invest in Centers and Corridors to concentrate a variety of employment opportunities for a range of occupational skills and salary levels.

The request is located within three designated Major Transit Corridors and, once operational, will employ approximately one-hundred people contributing to a range of occupational skills and salary levels to include administrative staff, nurses, doctors, and night-time shift workers.

- B. Policy 8.1.1(c): Prioritize local job creation, employer recruitment, and support development projects that hire local residents.

The request will more than likely prioritize local job creation and recruitment during the construction phase of the proposed development; however, staff notes that Nobis Rehabilitation Partners headquarters is located in Allen, Texas. It is therefore unclear how the proposed use will continue to prioritize local job creation and hire local residents.

- C. Policy 8.1.2 Resilient Economy: Encourage economic development efforts that improve quality of life for new and existing residents and foster a robust, resilient, and diverse economy.

The request will serve to improve the quality of life for new and existing residents by providing a high-quality hospital use that can be accessed by nearby community members and the larger Albuquerque Metropolitan area. The area surrounding the subject site includes an Embassy Suites Hotel, TriCore Laboratories, and the Career Enrichment Center. The proposed hospital use will help to foster a robust, resilient, and diverse economy.

17. The request meets the Site Plan-EPC Review & Decision Criteria in IDO Section 14-16-6-6(J)(3) as follows:

- A. 6-6(I)(3)(a) The site plan is consistent with the ABC Comp Plan, as amended.

As demonstrated by the policy-based analysis, the proposed Site Plan is consistent with applicable Comprehensive Plan Goals and policies.

- B. 6-6(I)(3)(b) The Site Plan is consistent with any applicable terms and conditions in any previously approved NR-SU or PD zoning covering the property and any related development agreements and/or regulations.

The subject site is not within any previously approved NR-SU or PD zoned property. No development agreements or regulations on the site are known outside of the standards set forth in the Controlling Site Development plan for Subdivision.

- C. 6-6(I)(3)(c) The Site Plan complies with all applicable provisions of this IDO, the DPM, other adopted City regulations, and any terms and conditions specifically applied to development of the property in a prior permit or approval affecting the property.

The subject site is within the Controlling Gateway Center Site Development Plan for Subdivision (EPC Z-93-46_DRB-94-183). The major amendment allows the hospital use on Area 3/Tract A. The associated site plan proposes the development of the hospital which complies with all applicable site standards in the controlling site plan. Future reviewers shall check the site plan for standards. Where the controlling site development plan is silent, the site plan is required to comply with all applicable provisions of the IDO. The site plan shall comply with the DPM and all other adopted City regulations.

The Site Plan is subject to the allowable maximum heights, setbacks and related standards specified on the controlling site plan. All other IDO standards have been met. The Site is not subject to height standards applicable to CPO-7 because the Controlling Site Development Plan takes precedent over the IDO pursuant to IDO section 1-10(A) pre-IDO approvals.

All conditions must be met prior to DFT Final Sign off.

- D. 6-6(I)(3)(d) The City's existing infrastructure and public improvements, including but not limited to its street, trail, drainage, and sidewalk systems, have adequate capacity to serve the proposed development, and any burdens on those systems have been mitigated to the extent practicable.

The City's existing infrastructure has adequate capacity for the proposed development based on existing roadways, transit, water and electric utilities. A TIS is underway for the subject site, which will determine if any additional transportation needs are required. The applicant will be required to work with transportation, hydrology, and fire during the DFT final sign off process.

- E. 6-6(I)(3)(e) The application mitigates any significant adverse impacts on the surrounding area to the maximum extent practicable.

The applicant has demonstrated that the request would not negatively impact the surrounding area based on responses to applicable Comprehensive Plan Goals and Policies. The applicant has stated that they have taken steps to mitigate any adverse impacts on the surrounding community by choosing to follow applicable IDO Standards for the Site Plan aside from the maximum building height allowance on the controlling site plan.

- F. 6-6(I)(3)(f) If the subject property is within an approved Master Development Plan, the Site Plan meets any relevant standards in the Master Development Plan in addition to any standards applicable in the zone district the subject property is in.

The subject property is not within a Master Development Plan.

- G. 6-6(I)(3)(g) If a cumulative impact analysis is required in the Railroad and Spur Area pursuant to Subsections 14-16-5-2(E) (Cumulative Impacts) and 14-16-6-4(H) (Cumulative Impacts Analysis Requirements), the Site Plan incorporates mitigation for all identified cumulative impacts. The proposed development will not create material adverse impacts on water quality or other land in the surrounding area through increases in traffic congestion, parking congestion, noise, vibration, light spillover, or other nuisances without sufficient mitigation or civic or environmental benefits that outweigh the expected impacts.

The subject property is not within the Railroad and Spur Area and no cumulative impact analysis is required.

18. Since the subject site is within CPO-7, staff has provided an analysis of required standards that the site is subject to. Since the site is within the controlling Site Development Plan, most standards do not apply pursuant to IDO section 2-10(A) Pre IDO Approvals:

- A. 3-4(H)(2)(a) & (b) Site Standards:

Lot Width, Minimum – N/A, request is not multi-family.

Usable Open Space, Minimum – N/A, the request is not multi-family.

- B. 3-4(H)(3)(a) & (b) Setback Standards:

Low-density Residential Development – N/A, request is not low-density residential.

MX-L Zone District – N/A, request is not zoned MX-L.

- C. 3-4(H)(4)(a) & (b) Building Height:

Residential and Mixed-use zone districts on project sites less than 5 acres, Maximum building height is 26 feet – N/A, the controlling site development plan for subdivision allows a maximum building height of 180 feet, which prevails over IDO standards (IDO section 1-10(A))

Building height bonuses do not apply – N/A, applicant is not requesting building height bonuses.

- D. 3-4(H)(5)(a) & (b) Signs:

MX-L Zone District – N/A, subject site is not zoned MX-L.

MX-M Zone District – If the EPC approved zone change to MX-H is reversed on appeal back to MX-M, the applicant would be allowed to place signs on the subject site since it does abut arterial or collector streets pursuant to IDO Subsection 14-16-5-12 (Signs) for the MX-M zone district.

19. The applicant provided notice of the application to all eligible Neighborhood Association representatives and adjacent property owners (within 100 feet) via certified mail and email as required.
20. A facilitated meeting between the applicant and the Santa Barbara Martineztown Neighborhood Association was held virtually on March 21, 2024 from 6 – 8 PM. The facilitated meeting report notes community objection to the request, that consensus was not achieved, and that the parties remain at an impasse with regard to this project.
21. City departments and other agencies reviewed this application. Albuquerque Public Schools (APS), Solid Waste Department (SWD), and Public Service Company of NM (PNM) submitted the most substantial comments. APS noted vehicular entry/exit for the subject site directly across from school entry/egress, SWD stated that an approved site plan for access will be required, and PNM noted facilities / easements on or near the site and a request for the applicant to contact the New Delivery Department to coordinate electric service.

RECOMMENDATION –PR-2024-009765, SI-2024-00468, May 16, 2024

APPROVAL of Project #: 2024-009765, Case #: 2024-00468, a Site Plan-EPC, Major Amendment for a 3 acre portion of the controlling Site Development Plan for all or a portion of Tract A Plat of Gateway Subdivision, Tract B-1, Plat of Tract B-1, Gateway Subdivision, A replat of Tracts B & C, Gateway Subdivision; Tract, D-1-B-1, Plat of Tract D-1-B-1 and D-1-B-2, Gateway Subdivision (being a replat of Tract D-1-B, Gateway Subdivision, Lots 16 and 17, Trotter Addition NO. 2 and A; and Tract D-1-A-1, Plat for Lots 1 & 2, Tract D-1-A-1, Gateway Subdivision (being a replat of Tract D-1-A, Gateway Subdivision & an unplatted parcel), located at 1100 Woodward Pl NE, between Mountain Rd, Lomas Blvd, Edith Blvd. and I-25 frontage, approximately 23 acres., based on the preceding Findings.

CONDITIONS OF APPROVAL - PR-2024-009765, SI-2024-00468

1. The applicant shall coordinate with the Staff Planner prior to submitting to the DFT to ensure that EPC Conditions have been met. Pursuant to IDO section 14-16-6-6(I)(2)(m) Site Plans shall be reviewed administratively for compliance with conditions of approval, DPM, and zoning standards prior to the issuance of a building permit.
2. Pursuant to IDO section 14-16-6-4(P)(4) Any conditions shall be met within 1 year of the approval, unless stated otherwise in the approval. If any conditions are not met within that time, the approval is void. The Planning Director may extend the time limit up to an additional 1 year.
3. Upon approval by the EPC, the proposed site plan shall go to the Development Facilitation Team (DFT) for final sign-off. The reviewer will be responsible for ensuring that the EPC Conditions have been satisfied and that other applicable City requirements have been met. The reviewer shall see the site plan analysis section of the staff report for an in-depth review of the proposed Site Plan.

4. A zoning certification for the MX-H zone designation shall be obtained prior to DFT final sign off. If the LUHO overturns the EPC decision to approve the MX-H zone and city council accepts, the site plan will be subject to MX-M zone district standards, in which case the applicant shall only provide up to 20 overnight beds instead of the 48 proposed.
5. Site Plan Sheet
 - A. The applicant shall define building setbacks listed under the site data section of the site plan and clarify whether they are IDO minimums or the actual setbacks dimensioned on the site plan sheet.
 - B. The applicant shall add a note to the site plan sheet stating that ingress and egress curb cut off of Mountain Road is proposed pending final traffic and/or safety study.
6. Landscape Sheet
 - A. The plan shall show all SF of planting beds and dimensions between trees on the Site Plan.
 - B. Boulders and landscape gravel types and amounts shall be provided.
7. Detail Sheet:
 - a. The applicant shall provide a detailed drawing for the generator.
 - b. A detail of the attached wall to enclose the dumpster and generator area on the western side of the building shall be provided.
8. Elevation Sheet: An elevation shall be provided for the west facing façade showing the door/entrance without the wall enclosure.
9. Signage: A 7'4" x 10' illuminated monument sign is proposed, which is also subject to Sign Standards in the IDO and is subject to a separate sign permit. The location of the monument sign shall be specified on the site plan.
10. Solid Waste Condition: The applicant shall work with the Solid Waste Department to secure an approved site plan for access by the Solid Waste Department.
11. PNM Condition: There are PNM facilities and/or easements along the south side of the site and at the northeast corner. Any existing and/or new PNM easements and facilities shall be reflected on a future Site Plan and any future Plat.

*Megan Jones & Vicente Quevedo
Principle Planner & Senior Planner*

Notice of Decision cc list:

Tierra West, LLC, slozoya@tierrawestllc.com

Cross Development, meagan@crossdevelopment.net

Santa Barbara Martineztown NA, Loretta Naranjo Lopez, lnjalopez@msn.com

Santa Barbara Martineztown NA, Theresa Illgen, theresa.illgen@aps.edu

EPC file

Legal, dking@cabq.gov, nasanchez@cabq.gov

CITY OF ALBUQUERQUE AGENCY COMMENTS

PLANNING DEPARTMENT

Zoning Enforcement

Long Range Planning

No adverse comments.

CITY ENGINEER

Transportation Development

Transportation has no objection to the Zoning Map Amendment for this item.

Hydrology Development

New Mexico Department of Transportation (NMDOT)

DEPARTMENT of MUNICIPAL DEVELOPMENT

Transportation Planning

Traffic Engineering Operations (Department of Municipal Development)

Street Maintenance (Department of Municipal Development)

RECOMMENDED CONDITIONS FROM THE CITY ENGINEER:

WATER UTILITY AUTHORITY

No adverse comments.

Utility Services

ENVIRONMENTAL HEALTH DEPARTMENT

Air Quality Division

Environmental Services Division

PARKS AND RECREATION

Planning and Design

Open Space Division

City Forester

POLICE DEPARTMENT/Planning

SOLID WASTE MANAGEMENT DEPARTMENT

A site plan approved for access by the Solid Waste Department will be required. The site plan can be sent to hgallegos@cabq.gov for review. 30' of overhead clearance will be required if the dumpster will be service in the interior of the building. Will food be served or processed at this facility, if so a sanitary drain will be required where the trash enclosure is located.

FIRE DEPARTMENT/Planning

TRANSIT DEPARTMENT

COMMENTS FROM OTHER AGENCIES

BERNALILLO COUNTY

ALBUQUERQUE METROPOLITAN ARROYO FLOOD CONTROL AUTHORITY

No adverse comments.

ALBUQUERQUE PUBLIC SCHOOLS

- a. EPC Description: SI-2024-00468, Site Plan, EPC, major amendment.
- b. Site Information: Gateway Subdivision, Tract B-1, Tract D-1-B-1, , Lots 16 and 17, Trotter Addition No. 2 and A, and Tract D-1-A-1.
- c. Site Location: 1100 Woodward Place, between Mountain Road and Lomas Blvd.
- d. Request Description: Major amendment to EPC Site Plan for Subdivision, medical rehab facility.
- e. APS Comment: Per comments APS previously submitted, "Location is directly across Mountain Road NW from APS Alternative Schools CEC and ECA campus. The curb cut depicted in the Option on the application indicates vehicular entry/exit will be located directly across from school entry/egress." The plan will have inevitable traffic ramifications that should be addressed.

Kirtland Air Force Base

MID-REGION METROPOLITAN PLANNING ORGANIZATION (MRMPO)

MIDDLE RIO GRANDE CONSERVANCY DISTRICT

PUBLIC SERVICE COMPANY OF NEW MEXICO

- There are PNM facilities and/or easements along the south side of the site and at the northeast corner.

- It is the applicant's obligation to determine if existing utility easements or rights-of-way are located on or adjacent to the property and to abide by any conditions or terms of those easements.
- Any existing easements may have to be revisited and/or new easements may need to be created for any electric facilities as determined by PNM. If existing electric lines or facilities need to be moved, then that is at the applicant's expense.
- Any existing and/or new PNM easements and facilities need to be reflected on a future Site Plan and any future Plat.
- Structures, especially those made of metal like storage buildings and canopies should not be within or near PNM easements without close coordination with and agreement from PNM.
- Perimeter and interior landscape design should abide by any easement restrictions and not impact PNM facilities. Please adhere to the landscape standards contained in IDO Section 14-16-5-6(C)(10) as applicable.
- The applicant should contact PNM's New Service Delivery Department as soon as possible to coordinate electric service regarding any proposed project. Submit a service application at <https://pnmnsd.powerclerk.com/MvcAccount/Login> for PNM to review.
- If existing electric lines or facilities need to be moved, then that is at the applicant's expense. Please contact PNM as soon as possible at <https://pnmnsd.powerclerk.com/MvcAccount/Login> for PNM to review.



Figure 1: Looking north from the subject site, toward existing APS educational uses across Mountain Road.

Figure 2: Looking south from the subject site towards adjacent hotel use.





Figure 3: Looking east from edge of subject site toward I-25 Frontage.

Figure 4: Looking west along Mountain Road, along the northern edge of the subject site. Existing bus route 5 stop (Montgomery-Carlisle) is visible.



ZONING

Please refer to IDO Section 14-16-2-4(C) for the MX-M Zone District

&

Please refer to IDO Section 14-16-4-(D) for the MX-H Zone District

HISTORY

PLANNING DEPARTMENT
URBAN DESIGN & DEVELOPMENT DIVISION
600 2nd Street NW, 3rd Floor, Albuquerque, NM 87102
P.O. Box 1293, Albuquerque, NM 87103
Office (505) 924-3860 Fax (505) 924-3339



OFFICIAL NOTIFICATION OF DECISION

February 15, 2024

City of Albuquerque,
City Council
1 Civic Plaza NW
Albuquerque, NM 87102

Project # PR-2024-009765
RZ-2024-00001– Zoning Map Amendment
(Zone Change)

LEGAL DESCRIPTION:

Tierra West, LLC, Inc., agent for Cross Development, requests a zoning map amendment from MX-M to MX-H, for all or a portion of Tract A, Plat of Gateway Subdivision, located at 1100 Woodward Pl NE, between Mountain Rd, and Lomas Blvd, approximately 3.0 acres. (J-15-Z)
Staff Planner: Seth Tinkle

On February 15, 2024, the Environmental Planning Commission (EPC) voted to APPROVE Project # PR-2024-009765, RZ-2024-00001– Zoning Map Amendment (Zone Change), based on the following Findings:

1. The request is for a zoning map amendment (zone change) for an approximately 3-acre site legally described as all or a portion of Tract A Plat of Gateway Subdivision, located at 1100 Woodward Pl NE, between Mountain Rd, and Lomas Blvd (the “subject site”).
2. The subject site is zoned MX-M (Mixed-use - Medium Intensity) and is currently vacant. The applicant is requesting a zone change to MX-H (Mixed use – High Intensity) which would result in a spot zone.
3. The applicant proposes to change the zoning to facilitate the proposed future development of a hospital use on the subject site. There is not a site plan associated with this request, therefore staff’s analysis is based solely on the zone change to MX-H.
4. The subject site is in an area that the Comprehensive Plan designates an Area of Change. It is not within a designated Center. It is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660’ of the Lomas Blvd. Major Transit Corridor.
5. The subject site is located within the Santa Barbara Martineztown Character Protection Overlay Zone (CPO-7), and thus must adhere to the standards associated with this Overlay Zone.
6. The City of Albuquerque Integrated Development Ordinance (IDO) and the Comprehensive Plan are incorporated herein by reference and made part of the record for all purposes.

7. The request clearly facilitates the following applicable Goal and Policies from Comprehensive Plan Chapter 5 - Land Use:

- A. Goal 5.1 Centers and Corridors: Grow as a community of strong Centers connected by a multi-modal network of Corridors.

The request would allow a broader range of higher-intensity land uses on the subject site, which is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660' of the Lomas Blvd. Major Transit Corridor. Any development made possible by the request could result in growth on the subject site, which is currently vacant, and located along and within the aforementioned Corridors.

- B. Policy 5.1.1 Desired Growth: Capture regional growth in Centers and Corridors to help shape the built environment into a sustainable development pattern.

The request would allow a broader range of higher-intensity land uses on the subject site, which is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660' of the Lomas Blvd. Major Transit Corridor. Any development made possible by the request could result in growth on the subject site, which is located within these aforementioned Corridors. Locating growth within Centers and Corridors promotes sustainable development patterns, according to the ABC Comp Plan.

- C. Policy 5.1.2 Development Areas: Direct more intense growth to Centers and Corridors and use Development Areas to establish and maintain appropriate density and scale of development within areas.

The request would allow a broader range of higher-intensity land uses on the subject site, which is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660' of the Lomas Blvd. The subject site is also located in an Area of Change, where growth is both expected and desired, according to the ABC Comp Plan. Any development made possible by the request could result in growth on the subject site, which is vacant and located within the aforementioned Corridors and Area of Change.

8. The request clearly facilitates the following applicable Goal and Policies from Comprehensive Plan Chapter 5 - Land Use:

- A. Goal 5.2 Complete Communities: Foster communities where residents can live, work, learn, shop, and play together.

The request could foster a community where residents can live, work, learn, shop, and play together because the MX-H zone district allows a broader mix of higher-intensity land uses in comparison to the MX-M Zone District. The subject site is currently vacant and surrounded by a mix of commercial, educational, and office land uses that generally range from mid-to-high intensity. Any development made possible by the request could add to this diversity of land uses, since the subject site is currently vacant.

- B. Policy 5.2.1 Land Uses: Create healthy, sustainable, and distinct communities with a mix of uses that are conveniently accessible from surrounding neighborhoods.

The request could create a healthy, sustainable, and distinct community with a mix of uses that are conveniently accessible from surrounding neighborhoods. It would allow for a broader mix of higher-intensity land uses on the subject site, which is located in a distinct mixed-use area and community (Santa Barbara Martineztown), and in close proximity to numerous other communities. Any development made possible by the request could add to the already-existing mix of uses near and surrounding the subject site, which is currently vacant and located along and within several Major Transit Corridors, and in an Area of Change, where the ABC Comp Plan encourages development to accommodate growth sustainably over time.

- C. Policy 5.2.1 e): Create healthy, sustainable communities with a mix of uses that are conveniently accessible from surrounding neighborhoods.

The request could create a healthy, sustainable community with a mix of uses that are conveniently accessible from surrounding neighborhoods because the MX-H zone district would allow a broader mix of higher-intensity land uses on the subject site, which is conveniently accessible from surrounding neighborhoods. Any development made possible by the request could add to the already-existing mix of uses near and surrounding the subject site, which is currently vacant and located along and within several Major Transit Corridors, and in an Area of Change, where the ABC Comp Plan encourages development to accommodate growth sustainably over time.

- D. Policy 5.2.1 h): Encourage infill development that adds complementary uses and is compatible in form and scale to the immediately surrounding development.

The request could encourage infill development that adds complementary uses and is compatible in form and scale to the immediately surrounding area because the subject site is currently vacant and the uses and standards allowed in the MX-H zone district are generally similar to the surrounding properties zoned MX-M, with a few exceptions. Due to the standards established by the CPO-7 Overlay Zone, including site standards, setback standards, and building height standards, any future development that adheres to CPO-7 standards would be compatible in form and scale to the immediately surrounding development, where CPO-7 standards also apply.

- E. Policy 5.2.1 n): Encourage more productive use of vacant lots and under-utilized lots, including surface parking.

The request could encourage more productive use of vacant lots and under-utilized lots because the subject site is currently vacant and being used (informally) as surface parking. Any development made possible by the request could encourage more productive use than the currently vacant lot.

9. The request clearly facilitates the following applicable Goal and Policies from Comprehensive Plan Chapter 5 - Land Use:

- A. Goal 5.3 Efficient Development Patterns: Promote development patterns that maximize the utility of existing infrastructure and public facilities and the efficient use of land to support the public good.

Any development made possible by the request could promote efficient development patterns and use of land because subject site is already served by existing infrastructure and public facilities. Future development on the subject site featuring uses allowed in the MX-H Zone District could support the public good in the form of economic development, job creation, and an expansion to the tax base.

- B. Policy 5.3.1 Infill Development: Support additional growth in areas with existing infrastructure and public facilities.

The subject site is a vacant infill site located in an area already served by existing infrastructure and public facilities. Any future growth and development on the subject site would occur in an area that has adequate existing infrastructure and access to a range of public facilities.

10. The request clearly facilitates the following applicable Goal and Policies in Comprehensive Plan Chapter 5 – Land Use:

- A. Goal 5.6-City Development Areas: Encourage and direct growth to Areas of Change where it is expected and desired and ensure that development in and near Areas of Consistency reinforces the character and intensity of the surrounding area.

The subject site is located wholly in an Area of Change, where growth is both expected and desired. Any future development on the subject site, which is currently vacant, could encourage, enable, and direct growth to this Area of Change. Due to the standards established by the CPO-7 Overlay Zone, including site standards, setback standards, and building height standards, any future development adhering to CPO-7 standards would be compatible in form and scale to the immediately surrounding development, where CPO-7 standards also apply. Future development could also reinforce the character and intensity of the surrounding area given the general compatibility between the MX-H and surrounding MX-M zone districts, as well as the existing buffer between the subject site and the lower-density and lower-intensity development located west of the site.

- B. Policy 5.6.2 Areas of Change: Direct growth and more intense development to Centers, Corridors, industrial and business parks, and Metropolitan Redevelopment Areas where change is encouraged.

The request could facilitate more intense development of the subject site because the MX-H zone district allows higher-intensity mixed-use development in comparison to the MX-M zone district. The subject site is located along the I-25 Frontage and Mountain Rd. Major Transit Corridors, within 660' of the Lomas Blvd., and within an Area of Change, where growth and more intense development is encouraged.

- C. Policy 5.6.2 d): Encourage higher-density housing and mixed-use development as appropriate land uses that support transit and commercial and retail uses.

The request could encourage higher-density mixed-use development because the MX-H zone district allows higher-density and higher-intensity mixed-use development in comparison to the MX-M zone. The subject site is served by Bus Route 5 and is abutted by a transit stop on the site's northern boundary. It is also located along the I-25 Frontage and Mountain Rd. Major Transit Corridors and within 660' of the Lomas Blvd. The subject site is in close proximity to a wide range of land uses, including both commercial and retail uses.

11. The request clearly facilitates Policy 8.1.1 Diverse Places in Comprehensive Plan Chapter 8-Economic Development: Foster a range of interesting places and contexts with different development intensities, densities, uses, and building scales to encourage economic development opportunities.

The request could foster a range of interesting places and contexts with different development intensities, densities, uses, and building scales opportunities because the MX-H zone district allows higher-intensity land use than the MX-M zone district, in an area that is already characterized by having a broad range of developmental intensities, densities, existing land uses, and building scales. Any future development of the subject site, which is currently vacant, could encourage economic development through the creation of construction jobs and a more productive use of land.

12. The applicant has adequately justified the request pursuant to the Integrated Development Ordinance (IDO) Section 14-16-6-7(G)(3)-Review and Decision Criteria for Zoning Map Amendments, as follows:

- A. Criterion A: Consistency with the City's health, safety, morals and general welfare is shown by demonstrating that a request furthers applicable Comprehensive Plan Goals and policies and does not significantly conflict with them. Because this is a spot zone, the applicant must further "clearly facilitate" implementation of the ABC Comp Plan (see Criterion H). The applicant's policy-based responses adequately demonstrate that the request clearly facilitates a preponderance of applicable Goals and policies in the Comprehensive Plan. Therefore, the request is consistent with the City's health, safety, morals and general welfare. The response to Criterion A is sufficient.
- B. Criterion B: The subject site is located wholly in an Area of Change, so this criterion does not apply. The response to Criterion B is sufficient.
- C. Criterion C: The subject site is located wholly in an Area of Change. The applicant argues that the existing zoning is inappropriate because it meets Criteria 2 and 3 (listed above).

The applicant states that a significant change in the conditions affecting the site justifies request because the proposed MX-H zoning is consistent with the prior zoning of C-3, as shown in IDO Table 2-2-1 Summary Table of Zone Districts. While Table 2-2-1 does show that the IDO Zone District equivalent to C-3 zone district is either the MX-H or NR-C zone district, the applicant does not demonstrate how this resulted in a significant change in the conditions of the subject site, which has remained vacant and undeveloped over time, thus remaining in the same general condition.

The applicant also states that the request meets Criteria 3 above. The applicant's policy-based analysis does demonstrate that the request would clearly facilitate a preponderance of applicable Comprehensive Plan Goals and policies and therefore would be more advantageous to the

community than the current zoning. Because Criterion C states that the applicant must demonstrate that the existing zoning is inappropriate because it meets at least one of the criteria above, and Criteria 3 is met, the response to Criterion C is sufficient.

- D. Criterion D: The applicant analyzes all new permissive, conditional, and accessory uses in the MX-H Zone District and then demonstrates how Use-specific Standards in Section 16-16-4-3 of the IDO associated with particular uses would adequately mitigate potentially harmful impacts. The applicant adequately demonstrates that the two new permissive uses in the MX-H zone, Adult Retail and Self-storage, would be mitigated by the Use-specific Standards in Section 16-16-4-3 of the IDO that are associated with these new permissive uses. In this instance, Adult Retail would be prohibited entirely due to the subject site's proximity to the school(s) to the north, while Self-storage would be controlled by Use-specific standards that reduce on-site traffic and mitigate potentially unseemly aesthetic qualities. Staff finds that the IDO's Use-specific Standards would mitigate potentially harmful impacts associated with newly permissive uses. Staff also notes that prohibitions within CPO-7 would further protect the existing community from harmful impacts associated with newly permissive, conditional, and/or accessory uses on the subject site.
- E. Criterion E: The subject site is currently served by infrastructure, which will have adequate capacity once the applicant fulfills its obligations under the IDO, the DPM, and/or an Infrastructure Improvements Agreement. Any future development on the subject site, which is currently vacant, would be required to adhere to all obligations and standards under the IDO, DPM, and/or an Infrastructure Improvements Agreement. Therefore, the response to Criterion E is sufficient.
- F. Criterion F: The applicant is not completely basing the justification for the request upon the subject site's location on a Major Collector roadway. Rather, the applicant has adequately demonstrated that the request clearly facilitates a preponderance of applicable Comprehensive Plan Goals and policies. The response to Criterion F is sufficient.
- G. Criterion G: The applicant's justification is not completely or predominantly based upon economic considerations. Rather, the applicant has adequately demonstrated that the request clearly facilitates a preponderance of applicable Comprehensive Plan Goals and policies. The response to Criterion G is sufficient.
- H. Criterion H: The request would result in a spot zone because it would apply a zone different from surrounding zone districts. The applicant acknowledges that the request would create a spot zone in their response to Criterion H, but explains that it would be justified because the subject site will function as a transition between adjacent zone districts and would clearly facilitate implementation of the Comprehensive Plan as shown in the response to Criterion A.

The applicant has demonstrated that subject site could function as a transition between the MX-H zone districts to the east, the properties zoned MX-M to the south and west, and the properties zoned MX-L, MX-T and R-T north and further west of the subject site due to the varying levels of developmental intensity associated with each zone district. Staff notes that the subject site is located within the CPO-7 Overlay Zone and the standards associated with this Overlay Zone could foster this transition, because the site standards, setback standards, and building height standards associated with this Overlay Zone would apply to any future development on the

subject site. Because the MX-H zones to the east would allow greater density and intensity than on the subject site due to CPO-7 standards, and the MX-M zone districts to the south and west would allow lower-density and lower-intensity uses, the requested MX-H zone district could serve as a transition between the more intense mixed-use zones to the east and the less intense mixed-use zones to the west.

As required, the applicant has shown that the request will clearly facilitate implementation of the ABC Comp Plan and is applicable to sub-criteria number one. The response to Criterion H is sufficient.

13. The applicant provided notice of the application to all eligible Neighborhood Association representatives and adjacent property owners (within 100 feet) via certified mail and email as required. The applicant notified the Santa Barbara Martineztown Neighborhood Association and the North Valley Coalition of their request.
14. The Santa Barbara Martineztown Neighborhood Association accepted a Pre-Submittal Neighborhood Meeting within 15 calendar days of notification (on November 21, 2023) and proposed a meeting date of January 18th. The applicant originally agreed to a meeting sometime in January (date not specified), but requested a sooner date on November 29, 2024, citing “undue delay.” The CABQ Office of Alternative Dispute Resolution then offered a Zoom meeting format, with flexible availability, beginning as early as December 4, 2023. However, the Neighborhood association was “adamant that the meeting be held on January 18th,” according to facilitated meeting notes provided by the CABQ Office of Alternative Dispute Resolution and a timeline provided by the applicant. Based on this information, it appears that the Neighborhood Association effectively declined to meet within the 30-calendar day window specified in 6-4(B)(4) of the IDO. If the Santa Barbara Martineztown NA had accepted ADR’s offered Zoom meeting within those 30 days, the Neighborhood Association would have met with the applicant during this timeframe. However, as stated in subsection 6-4(B)(9), the requirement for a pre-submittal neighbor meeting was waived, and instead, a facilitated meeting was held on January 18th. Staff has also been informed by the applicant that a follow-up non-facilitated meeting was held on January 30th.
15. Staff is aware of opposition to this request by the Santa Barbara Martineztown Neighborhood Association. In the facilitated meeting notes provided by the CABQ Office of Alternative Dispute Resolution, objections to the request were based on the communities feeling that the MX-H designation is not equivalent to the former Sector Plan C-3 designation, the potential of increased traffic, and the Applicant’s submission prior to the date of the meeting. These notes state that “community stakeholders made several additional objections, which were not related to the subject application. Those objections were omitted, here.”
16. The Santa Barbara Martineztown Neighborhood Association has submitted a comment on the case requesting it be deferred so that the Neighborhood Association can have more time to discuss and organize around the request. These comments also state that the Santa Barbara Martineztown Neighborhood Associations objects to statements made in the facilitated meeting notes, the nature of the request as a spot zone, and the uses permitted in the MX-H zone district.
17. During public input at the February 15, 2024 EPC Hearing, community members expressed strong concern over increased traffic resulting from potential development on the subject site. Community

members also emphasized, based on existing traffic studies, the need for improved transportation infrastructure near the subject site.

APPEAL: If you wish to appeal this decision, you must do so within 15 days of the EPC's decision or by **March 1, 2024**. The date of the EPC's decision is not included in the 15-day period for filing an appeal, and if the 15th day falls on a Saturday, Sunday or Holiday, the next working day is considered as the deadline for filing the appeal.

For more information regarding the appeal process, please refer to Section 14-16-6-4(V) of the Integrated Development Ordinance (IDO), Administration and Enforcement. A Non-Refundable filing fee will be calculated at the Land Development Coordination Counter and is required at the time the appeal is filed. It is not possible to appeal an EPC Recommendation to the City Council since this is not a final decision.

You will receive notification if any person files an appeal. If there is no appeal, you can receive Building Permits at any time after the appeal deadline quoted above, provided all conditions imposed at the time of approval have been met. Successful applicants are reminded that other regulations of the IDO must be complied with, even after approval of the referenced application(s).

Sincerely,



for Alan M. Varela,
Planning Director

AV/ST/MJ

cc: Tierra West, LLC, slozoya@tierrawestllc.com
Cross Development, meagan@crossdevelopment.net
Santa Barbara Martineztown NA, Loretta Naranjo Lopez, lnjalopez@msn.com
Santa Barbara Martineztown NA, Theresa Illgen, theresa.illgen@aps.edu
North Valley Coalition, Peggy Norton, peggynorton@yahoo.com
North Valley Coalition, James Salazar, jasalazarnm@gmail.com
Legal, dking@cabq.gov
EPC File



OFFICIAL NOTICE OF DECISION

CITY OF ALBUQUERQUE
PLANNING DEPARTMENT
DEVELOPMENT REVIEW BOARD

November 30, 2011

Project# 1000060

11DRB-70318 MAJOR - - 2YEAR EXTENSION OF SUBDIVISION
IMPROVEMENTS (2YR SIA)

MODRALL SPERLING agent(s) for SANDIA FOUNDATION request(s) the referenced/above action(s) for all or a portion of **GATEWAY SUBDIVISION** zoned SU-2/ C-3, located on the north side of LOMAS BLVD NE and the west side of INTERSTATE 25 containing approximately 24.8365 acre(s). (J-15)

At the November 30, 2011 Development Review Board meeting, a two year extension of the Subdivision Improvements Agreement was approved.

If you wish to appeal this decision, you must do so by December 8, 2011, in the manner described below.

Appeal is to the Land Use Hearing Officer. Any person aggrieved with any determination of the Development Review Board may file an appeal on the Planning Department form, to the Planning Department, within 15 days of the Development Review Board's decision. The date the determination in question is issued is not included in the 15-day period for filing an appeal.

If the fifteenth day falls on a Saturday, Sunday or holiday as listed in the Merit System Ordinance, the next working day is considered as the deadline for filing the appeal. Such appeal shall be heard within 60 days of its filing.

You will receive notice if any other person files an appeal. Successful applicants are reminded that other requirements of the City must be complied with, even after approval of the referenced application(s).


Jack Cloud, DRB Chair

Cc: Daniel Alsup – Modrall Sperlig – 500 4th St. NW Ste 1000 – Albuquerque, NM 87103

Cc: Sandia Foundation – 6211 San Mateo Blvd. NE, Ste 100 – Albuquerque, NM 87109
Marilyn Maldonado
file



OFFICIAL NOTICE OF DECISION

CITY OF ALBUQUERQUE
PLANNING DEPARTMENT
DEVELOPMENT REVIEW BOARD

February 26, 2014

Project# 1000060

14DRB-70026 – 2 YEAR EXTENSION OF SUBDIVISION IMPROVEMENTS AGREEMENT (2YR SIA)

MODRALL SPERLING agents for SANDIA FOUNDATION request the referenced/above action for all or a portion of **GATEWAY SUBDIVISION** zoned SU-2/ C-3, located on the north side of LOMAS BLVD NE and the west side of INTERSTATE 25 containing approximately 24.8365 acre(s). (J-15)


At the **February 26, 2014** Development Review Board meeting, a **two** year extension of the Subdivision Improvements Agreement was approved.

If you wish to appeal this decision, you must do so by **March 13, 2014**, in the manner described below.

Appeal is to the Land Use Hearing Officer. Any person aggrieved with any determination of the Development Review Board may file an appeal on the Planning Department form, to the Planning Department, within 15 days of the Development Review Board's decision. The date the determination in question is issued is not included in the 15-day period for filing an appeal.

If the fifteenth day falls on a Saturday, Sunday or holiday as listed in the Merit System Ordinance, the next working day is considered as the deadline for filing the appeal. Such appeal shall be heard within 60 days of its filing.

You will receive notice if any other person files an appeal. Successful applicants are reminded that other requirements of the City must be complied with, even after approval of the referenced application(s).



Jack Cloud, DRB Chair

Cc: MODRALL SPERLING
File

City of Albuquerque
Planning Department
Planning Division
P.O. Box 1293, Albuquerque, New Mexico 87103

Date: March 24, 1994

OFFICIAL NOTIFICATION OF DECISION

Sandia Foundation
700 Lomas Blvd NE, #240
Albuquerque, NM 87103

FILE: Z-93-46
LEGAL DESCRIPTION: The westerly portions of Tracts P and Q, Lands of Southwestern Construction Company, zoned SU-2/C-3 (SC), located at the northwest corner of Lomas Boulevard, NE and the I-25/Lomas off-ramp, containing approximately 25 acres. (J-15)

On March 24, 1994 the Environmental Planning Commission voted to approve Z-93-46, your request for approval of a site development plan for subdivision purposes, based on the following Findings and subject to the following Conditions:

FINDINGS:

1. This case was deferred from the August 26, 1993 EPC public hearing to allow the preparation of a Traffic Impact Analysis and an Air Quality Impact Assessment. These studies have been completed and reviewed by the appropriate City agencies.
2. This case was heard and approved by the EPC on May 20, 1993, appealed to the City Council, and remanded to the EPC by LUPZ on July 28, 1993.
3. A facilitated meeting was held on August 18, 1993. There was no specific resolution to the issues reached at this meeting.
4. A Master Development Plan was approved for this property in 1988, but final sign-off of the plan by DRB was never obtained. The City Council found that the 1988 EPC approval as to this site is not binding.
5. The terms "property" and "developments" as found on page 75 of the Martineztown/Santa Barbara Sector Development Plan mean a subdivided lot for the purposes of this project.
6. The grading and drainage plan has been approved for Phase 1 only.
7. A public announcement has been made by the Federal Judiciary disclosing a plan to relocate the Federal Courthouse to a site within the subdivision proposed in this application.
8. The Center City Downtown Core Revitalization Strategy sets a larger context for Downtown that includes the immediately adjacent neighborhoods, including Martineztown/Santa Barbara, as well as for the major institutional and cultural resources of Albuquerque's Center City.
9. The Downtown Core Plan states that "the neighborhood and activity centers within the Downtown Core should be complementary rather than competitive".
10. The Downtown Core Strategy states specifically that courthouses belong in the Downtown Core.
11. The Albuquerque/Bernalillo County Comprehensive Plan Policy 6.C under Urban Centers states that "structures which would dominate their environment shall be located only in Urban Centers". The site in this application is not located within an Urban Center.
12. Relocation of the Courthouse out of the Downtown Core would be a repudiation of investment decisions that have been made there to date by Federal, State and local governments, as well as private investors, and would serve as a disincentive to further investments in this Downtown Core.
13. This application is for a property that is zoned SU-2/C-3 Heavy Commercial according to the Martineztown/Santa Barbara Sector Development Plan. That Sector Plan, under this zoning definition states that "the heavy commercial zoning should restrict certain uses which would be detrimental to the community". Relocation of the Courthouse outside of the Core would be detrimental to the Albuquerque community as a whole.
14. The proposed Courthouse use for this site is inconsistent with the long range goals of the Albuquerque/Bernalillo County Comprehensive Plan and the Martineztown/Santa Barbara Sector Development Plan.

CONDITIONS:

1. The requirements of the Transportation Division of the City Public Works Department, as detailed in their memo dated March 15, 1994, shall be met.
2. There shall be two bus bays on the interior "spine" road, and one bus bay on east bound Mountain Road, east of the interior road.
3. The "NOTE:" on the site development plan for subdivision purposes stating "Structures elsewhere on the site can be up to 60 feet" shall be removed.
4. A transfer of densities among the different parcels shall not exceed 10% from those tabulated on the Site Plan for Subdivision provided that the maximum total is not exceeded.
5. A Courthouse use shall not be an approved use for this site.

THIS CASE IS SCHEDULED FOR FINAL SITE DEVELOPMENT PLAN SIGN-OFF BY THE DEVELOPMENT REVIEW BOARD ON April 12, 1994.

YOUR DRB CASE NUMBER IS DRB 94-183. IN ORDER TO RECEIVE FINAL SIGN-OFF AT THE April 12, 1994, DRB MEETING, THE FOLLOWING ITEMS NEED TO BE SUBMITTED TO THE PLANNING DEPARTMENT BY April 5, 1994:

1. A NARRATIVE DESCRIPTION (A 'COMPLIANCE LETTER') STATING HOW THE EPC'S CONDITIONS OF APPROVAL HAVE BEEN MET;
2. AN INFRASTRUCTURE LIST FOR ANY REQUIRED PUBLIC IMPROVEMENTS (STREETS, UTILITY LINES, ETC.);
3. SIX COPIES OF YOUR REVISED SITE DEVELOPMENT PLAN WHICH INCORPORATES THE CHANGES REQUIRED BY EPC.

PRIOR TO SUBDIVISION AND/OR OBTAINING A BUILDING PERMIT, YOU MUST HAVE YOUR SITE DEVELOPMENT PLAN SIGNED-OFF BY THE DEVELOPMENT REVIEW BOARD (DRB); ANY APPEAL WILL REQUIRE DEFERRAL OF SITE PLAN SIGN-OFF UNTIL THE APPEAL IS RESOLVED.

IF YOU WISH TO APPEAL THIS DECISION, YOU MUST DO SO BY APRIL 8, 1994, IN THE MANNER DESCRIBED BELOW. A NON-REFUNDABLE FILING FEE OF \$50 IS REQUIRED AT THE TIME THE APPEAL IS FILED.

Appeal to the City Council: Persons aggrieved with any determination of the Environmental Planning Commission acting under this ordinance and who have legal standing as defined in Section 7-14-45.B.2.c of the City of Albuquerque Comprehensive Zoning Code may file an appeal to the City Council by submitting written application on the Planning Division form to the Planning Division within 15 days of the Planning Commission's decision. The date the determination in question is issued is not included in the 15-day period for filing an appeal, and if the fifteenth day falls on a Saturday, Sunday or holiday as listed in the Merit System Ordinance, the next working day is considered as the deadline for filing the appeal. The City Council may decline to hear the appeal if it finds that all City plans, policies and ordinances have been properly followed. If it decides that all City plans, policies and ordinances have not been properly followed, it shall hear the appeal. Such appeal, if heard, shall be heard within 45 days of its filing.

YOU WILL RECEIVE NOTIFICATION IF ANY OTHER PERSON FILES AN APPEAL. IF THERE IS NO APPEAL, YOU CAN RECEIVE BUILDING PERMITS AT ANY TIME AFTER THE APPEAL DEADLINE QUOTED ABOVE, PROVIDED ALL CONDITIONS IMPOSED AT THE TIME OF APPROVAL HAVE BEEN MET. SUCCESSFUL APPLICANTS ARE REMINDED THAT OTHER REGULATIONS OF THE CITY MUST BE COMPLIED WITH, EVEN AFTER APPROVAL OF THE REFERENCED APPLICATION(S).

Sincerely,

Susan J. Connors
for Rex King
Acting Planning Director

RK/SC/ck
cc:Herbert M. Denish and Assoc., P.O. Box 2001, Albuquerque, NM: 87103
Veronica Arellano, Santa Barbara/Martineztown Neigh., Assoc., 900 Edith NE, Albuquerque, NM 87102

APPLICANT INFORMATION



Please check the appropriate box and refer to supplemental forms for submittal requirements. All fees must be paid at the time of application.

Administrative Decisions	Decisions Requiring a Public Meeting or Hearing	Policy Decisions
<input type="checkbox"/> Archaeological Certificate (Form P3)	<input checked="" type="checkbox"/> Site Plan – EPC including any Variances – EPC (Form P1)	<input type="checkbox"/> Adoption or Amendment of Comprehensive Plan or Facility Plan (Form Z)
<input type="checkbox"/> Historic Certificate of Appropriateness – Minor (Form L)	<input type="checkbox"/> Master Development Plan (Form P1)	<input type="checkbox"/> Adoption or Amendment of Historic Designation (Form L)
<input type="checkbox"/> Alternative Signage Plan (Form P3)	<input type="checkbox"/> Historic Certificate of Appropriateness – Major (Form L)	<input type="checkbox"/> Amendment of IDO Text (Form Z)
<input type="checkbox"/> Minor Amendment to Site Plan (Form P3)	<input type="checkbox"/> Demolition Outside of HPO (Form L)	<input type="checkbox"/> Annexation of Land (Form Z)
<input type="checkbox"/> WTF Approval (Form W1)	<input type="checkbox"/> Historic Design Standards and Guidelines (Form L)	<input type="checkbox"/> Amendment to Zoning Map – EPC (Form Z)
	<input type="checkbox"/> Wireless Telecommunications Facility Waiver (Form W2)	<input type="checkbox"/> Amendment to Zoning Map – Council (Form Z)
		Appeals
		<input type="checkbox"/> Decision by EPC, LC, ZHE, or City Staff (Form A)

APPLICATION INFORMATION

Applicant: Cross Development		Phone: 727-543-2112
Address: 4317 Marsh Ridge Road		Email: meagan@crossdevelopment.net
City: Carrollton	State: Texas	Zip: 75010
Professional/Agent (if any): Tierra West, LLC		Phone: 505-278-7088
Address: 5571 Midway Park Pl. NE		Email: slozoya@tierrawestllc.com
City: Albuquerque	State: NM	Zip: 87109
Proprietary Interest in Site:	List <u>all</u> owners:	

BRIEF DESCRIPTION OF REQUEST

Major Amendment to existing EPC Site Plan for Subdivision - Gateway Center

SITE INFORMATION (Accuracy of the existing legal description is crucial! Attach a separate sheet if necessary.)

Lot or Tract No.: TRACT A PLAT OF GATEWAY SUBDIVISION CONT 2.7845 AC	Block:	Unit:
Subdivision/Addition: Gateway Subdivision	MRGCD Map No.:	UPC Code:
Zone Atlas Page(s): J-15-Z	Existing Zoning: MX-H (Recently Approved)	Proposed Zoning:
# of Existing Lots: 1	# of Proposed Lots: 1	Total Area of Site (acres): 2.8

LOCATION OF PROPERTY BY STREETS

Site Address/Street: 1100 Woodward Place NE between: Mountain Rd and: Lomas Blvd

CASE HISTORY (List any current or prior project and case number(s) that may be relevant to your request.)

Signature:	Date: 4.4.24
Printed Name: Sergio Lozoya	<input type="checkbox"/> Applicant or <input checked="" type="checkbox"/> Agent

FOR OFFICIAL USE ONLY

Case Numbers	Action	Fees	Case Numbers	Action	Fees

Meeting/Hearing Date:	Fee Total:
Staff Signature:	Date:
	Project #

FORM P1: SITE PLAN – EPC

Please refer to the EPC hearing schedule for public hearing dates and deadlines. Your attendance is required.



- SITE PLAN – EPC
- MASTER DEVELOPMENT PLAN
- MAJOR AMENDMENT TO SITE PLAN – EPC OR MASTER DEVELOPMENT PLAN
- EXTENSION OF SITE PLAN – EPC OR MASTER DEVELOPMENT PLAN


- Interpreter Needed for Hearing? _____ if yes, indicate language: _____
- A Single PDF file of the complete application including all documents being submitted must be emailed to PLNDRS@cabq.gov prior to making a submittal. Zipped files or those over 9 MB cannot be delivered via email, in which case the PDF must be provided on a CD. PDF *shall be organized* with the Development Review Application and this Form P1 at the front followed by the remaining documents *in the order provided on this form.*
- Zone Atlas map with the entire site clearly outlined and labeled
- Letter of authorization from the property owner if application is submitted by an agent
- Sites 5 acres or greater: Archaeological Certificate in accordance with IDO Section 14-16-6-5(A)
- Signed Traffic Impact Study (TIS) Form
- Justification letter describing, explaining, and justifying the request per the criteria in IDO Sections 14-16-6-6(J)(3) or 14-16-6-6(F)(3), as applicable
- NA Explanation of requested deviations, if any, in accordance with IDO Section 14-16-6-4(P)
- Proof of Pre-Application Meeting with City staff per IDO Section 14-16-6-4(B)
- Proof of Neighborhood Meeting per IDO Section 14-16-6-4(C)
 - Office of Neighborhood Coordination neighborhood meeting inquiry response
 - Proof of email with read receipt OR Certified Letter offering meeting to applicable associations
 - Completed neighborhood meeting request form(s)
 - If a meeting was requested/held, copy of sign-in sheet and meeting notes
- Sign Posting Agreement
- Required notices with content per IDO Section 14-16-6-4(K)(1)
- Required notices with content per IDO Section 14-16-6-4(K)(1) (*not required for extension*)
 - Office of Neighborhood Coordination notice inquiry response
 - Copy of notification letter, completed notification form(s), proof of additional information provided in accordance with IDO Section 6-4(K)(1)(b), and proof of first-class mailing to affected Neighborhood Association representatives.
 - Proof of emailed notice to affected Neighborhood Association representatives
 - Buffer map and list of property owners within 100 feet (excluding public rights-of-way) provided by Planning Department or created by applicant, copy of notifying letter, completed notification forms(s), proof of additional information provided in accordance with IDO Section 6-4(K)(1)(b), and proof of first-class mailing
- Completed Site Plan Checklist
- Scaled Site Plan or Master Development Plan and related drawings
Master Development Plans should include general building and parking locations, as well as design requirements for buildings, landscaping, lighting, and signage.
- Copy of the original approved Site Plan or Master Development Plan (for amendments only)
- Site Plan or Master Development Plan
- Sensitive Lands Site Analysis for new site design in accordance with IDO Section 5-2(C)
- NA Completed Site & Building Design Considerations Form in accordance with IDO Section 5-2(D) for all commercial and multifamily site plans except if the development is industrial or the multifamily is less than 25 units.
- NA Landfill disclosure statement per IDO Section 14-16-5-2(G) if site is within a designated landfill buffer zone

VARIANCE – EPC

_____ In addition to the above requirements for the Site Plan – EPC or Master Development Plan the proposed variance request is related to, please describe, explain, and justify the variance per the criteria in IDO Section 14-16-6-6(N)(3).


Note: Any variance request from IDO Standards in Sections 14-16-5-3 (Access and Connectivity), 14-16-5-4 (Subdivision of Land), 14-16-5-5 (Parking and Loading), or DPM standards shall only be granted by the DRB per IDO Section 14-16-6-6(L) See Form V.

<i>I, the applicant or agent, acknowledge that if any required information is not submitted with this application, the application will not be scheduled for a public meeting or hearing, if required, or otherwise processed until it is complete.</i>	
Signature: 	Date: 4.4.24
Printed Name: Sergio Lozoya	<input checked="" type="checkbox"/> Applicant or <input type="checkbox"/> Agent
FOR OFFICIAL USE ONLY	
Case Numbers:	Project Number:
Staff Signature:	
Date:	



For more details about the Integrated Development Ordinance visit: <http://www.cabq.gov/planning/codes-policies-regulations/integrated-development-ordinance>

IDO Zone Atlas May 2018




IDO Zoning information as of May 17, 2018
The Zone Districts and Overlay Zones
are established by the
Integrated Development Ordinance (IDO).

Zone Atlas Page:
J-15-Z


- Easement
- Petroglyph National Monument
- Areas Outside of City Limits
- Airport Protection Overlay (APO) Zone
- Character Protection Overlay (CPO) Zone
- Historic Protection Overlay (HPO) Zone
- View Protection Overlay (VPO) Zone

- Escarpment



Gray Shading
Represents Area Outside
of the City Limits

N



0 250 500 1,000 Feet

January 3, 2024

Mr. David Shaffer, Chair
Environmental Planning Commission
City of Albuquerque
P.O. Box 1293
Albuquerque, NM 87103

RE: Memorandum of Understanding for Entitlement and Permit Applications for proposed Zone Map Amendment and associated project by Cross Development on lands owned by JHDQ Land Holding LLC C/O Atrium Holding Company, legally described as Tract A Plat of Gateway Subdivision approximately 2.7845-Acres


JHDQ Land Holding LLC C/O Atrium Holding Company hereby authorizes Cross Development to hire an agent, Tierra West LLC, to obtain information and submit entitlement and permit applications for a Zone Map Amendment at the above referenced Property, and act as Cross Development's agent for the limited purpose of entitling, permitting, and subdividing, at Cross Development's expense, the above referenced Property owned by JHDQ Land Holding Company C/O Atrium Holding Company

Sincerely,

JHDQ Land Holding LLC C/O Atrium Holding Company

Won Huang

Print Name

By: 

Signature

President

Title

1/3/2024

Date

January 3, 2024

Mr. David Shaffer, Chair
Environmental Planning Commission
City of Albuquerque
P.O. Box 1293
Albuquerque, NM 87103

RE: Letter of Authorization for Entitlement and Permit Applications for proposed Zone Map Amendment and associated project by Cross Development on lands owned by JHDQ Land Holding LLC C/O Atrium Holding Company, legally described as Tract A Plat of Gateway Subdivision approximately 2.7845-Acres


Cross Development hereby authorizes Tierra West, LLC to obtain information and submit entitlement and permit applications for a Zone Map Amendment at the above referenced Property, and act as Cross Developments agent for the limited purpose of entitling, permitting, and subdividing the above referenced Property owned by JHDQ Land Holding Company

Sincerely,

Cross Development

Deno Maggi

Print Name



Signature

Manager

Title

1/4/24

Date



City of Albuquerque
P.O. Box 1293 Albuquerque, NM 87103
Planning Department
Alan Varela, Interim Director

Tim Keller, Mayor
Sarita Nair, CAO

DATE: March 12, 2024

SUBJECT: Albuquerque Archaeological Ordinance - Compliance Documentation

Case Number(s): PR-2024-009765 SI-2024-00334
Agent: Tierra West, LLC
Applicant: Cross Development
Legal Description: Tract A Plat of Gateway Subdivision
Zoning: MX-H (Recently approved, awaiting appeal)
Acreage: 3.0 (approximately)
Zone Atlas Page(s): J-15-Z

CERTIFICATE OF NO EFFECT: Yes No
CERTIFICATE OF APPROVAL: Yes No

SUPPORTING DOCUMENTATION:

Historic Google Earth images, NMCRIS records

SITE VISIT: N/A


RECOMMENDATIONS:

The property has been bladed clear since at least 2002 and most of the property was surveyed under NMCRIS 18613 and NMCRIS 73483 with no significant finds. Therefore:

CERTIFICATE OF NO EFFECT ISSUED-under 6-5(A) (3)(a) criterion 1 "an archaeological investigation has been conducted..." and criterion 2 "The property has been disturbed through previous land use"

SUBMITTED BY:

SUBMITTED TO:

 3-12-2024
Date
Douglas H. M. Boggess, MA, RPA
Senior Principal Investigator
Acting City Archaeologist
Lone Mountain Archaeological Services, Inc.

Planning, Development Services



City of Albuquerque

Planning Department
Development Review Services Division

Traffic Scoping Form (REV 07/2020)

Project Title: Medical Rehab Facility

Building Permit #: _____ Hydrology File #: _____

Zone Atlas Page: J-15-Z DRB#: _____ EPC#: _____ Work Order#: _____

Legal Description: TRACT A PLAT OF GATEWAY SUBDIVISION CONT 2.7845 AC

Development Street Address: 1100 WOODWARD PL NE ALBUQUERQUE NM 87102

Applicant: Amanda Herrera Contact: Tierra West LLC

Address: 5571 Midway Park Pl

Phone#: 505-858-3100 Fax#: _____

E-mail: aherrera@tierrawestllc.com

Development Information

Build out/Implementation Year: 2025 Current/Proposed Zoning: MX-M / MX-H

Project Type: New: Change of Use: Same Use/Unchanged: Same Use/Increased Activity:

Change of Zoning:

Proposed Use (mark all that apply): Residential: Office: Retail: Mixed-Use:

Describe development and Uses:
Medical Rehab Facility with 60 beds

Days and Hours of Operation (if known): _____

Facility

Building Size (sq. ft.): 64,000 SF Hospital

Number of Residential Units: _____

Number of Commercial Units: _____

Traffic Considerations

ITE Trip Generation Land Use Code Hospital (610)

Expected Number of Daily Visitors/Patrons (if known):* _____

Expected Number of Employees (if known):* _____

Expected Number of Delivery Trucks/Buses per Day (if known):* _____

Trip Generations during PM/AM Peak Hour (if known):* AM (77/30) PM (33/68)

Driveway(s) Located on: Street Name Woodward

Adjacent Roadway(s) Posted Speed: Street Name Mountain Rd Posted Speed 25
Street Name Woodward Posted Speed 25

** If these values are not known, assumptions will be made by City staff. Depending on the assumptions, a full TIS may be required.)*

Roadway Information (adjacent to site)

Comprehensive Plan Corridor Designation/Functional Classification: Major Transit Corridor - Urban Major Collector
(arterial, collector, local, main street)

Comprehensive Plan Center Designation: n/a
(urban center, employment center, activity center, etc.)

Jurisdiction of roadway (NMDOT, City, County): City

Adjacent Roadway(s) Traffic Volume: 4178 (22) Volume-to-Capacity Ratio (v/c): 0.243
(if applicable)

Adjacent Transit Service(s): City Bus Service Nearest Transit Stop(s): Bus Stop Route 5

Is site within 660 feet of Premium Transit?: No

Current/Proposed Bicycle Infrastructure: Existing Shared Bike Path on Mountain Rd
(bike lanes, trails)

Current/Proposed Sidewalk Infrastructure: Existing Sidewalk on both sides of the roadway along Mountain Rd.

Relevant Web-sites for Filling out Roadway Information:

City GIS Information: <http://www.cabq.gov/gis/advanced-map-viewer>

Comprehensive Plan Corridor/Designation: See GIS map.

Road Corridor Classification: <https://www.mrcog-nm.gov/DocumentCenter/View/1920/Long-Range-Roadway-System-LRRS-PDF?bidId=>

Traffic Volume and V/C Ratio: <https://www.mrcog-nm.gov/285/Traffic-Counts> and <https://public.mrcog-nm.gov/taqa/>

Bikeways: http://documents.cabq.gov/planning/adopted-longrange-plans/BTFP/Final/BTFP%20FINAL_Jun25.pdf (Map Pages 75 to 81)

TIS Determination

Note: Changes made to development proposals / assumptions, from the information provided above, will result in a new TIS determination.

Traffic Impact Study (TIS) Required: Yes [] No []

Thresholds Met? Yes [] No []

Mitigating Reasons for Not Requiring TIS: Previously Studied: []

Notes:

M. P. E.

1/5/2024

TRAFFIC ENGINEER

DATE

Submittal

The Scoping Form must be submitted as part of a Traffic Circulation Layout submittal, DRB application for site plan approval, or EPC application. See the Development Process Manual Chapter 7.4 for additional information.

Submit by email to plndrs@cabq.gov and to the City Traffic Engineer mgrush@cabq.gov. Call 924-3362 for information.

Site Plan/Traffic Scoping Checklist

Site plan, building size in sq. ft. (show new, existing, remodel), to include the following items as applicable:

1. Access -- location and width of driveways
2. Sidewalks (Check DPM and IDO for sidewalk requirements. Also, Centers have wider sidewalk requirements.)
3. Bike Lanes (check for designated bike routes, long range bikeway system) ([*check MRCOG Bikeways and Trails in the 2040 MTP map*](#))
4. Location of nearby multi-use trails, if applicable ([*check MRCOG Bikeways and Trails in the 2040 MTP map*](#))
5. Location of nearby transit stops, transit stop amenities (eg. bench, shelter). Note if site is within 660 feet of premium transit.
6. Adjacent roadway(s) configuration (number of lanes, lane widths, turn bays, medians, etc.)
7. Distance from access point(s) to nearest adjacent driveways/intersections.
8. Note if site is within a Center and more specifically if it is within an Urban Center.
9. Note if site is adjacent to a Main Street.
10. Identify traffic volumes on adjacent roadway per MRCOG information. If site generates more than 100 vehicles per hour, identify volume to capacity (v/c) ratio on this form.



May 1, 2024

Mr. Jonathan R. Hollinger, Chair
Environmental Planning Commission
600 Second NW
Albuquerque, NM 87102

**RE: SITE PLAN – EPC MAJOR AMENDMENT
TRACT A PLAT OF GATEWAY SUBDIVISION CONT 2.7845 AC
IDO ZONE ATLAS PAGE J-15-Z**

Dear Mr. Hollinger:

Tierra West LLC, on behalf of Cross Development, respectfully requests a Major Amendment to the controlling Site Plan for a subject site located at 1100 Woodward Pl. NE, Albuquerque, NM 87102.

The legal description of the subject site is Tract A Plat of Gateway Subdivision containing 2.7845 acres. The subject site is located at 1100 Woodward Pl. NE, just south of Mountain Rd. NE and west of I-25 S Frontage Road. The current zoning of this parcel is Mixed-Use – Moderate Intensity (MX-M); the EPC has recently approved a zone change to Mixed Use – High Intensity (MX-H), which is currently undergoing an appeal.

IDO provision 14-16-6-6(I)(2)(d) 2 states that if any of the proposed (site plan) boundary with a prior approved Site Plan that will remain in place, a Major Amendment shall be required.

This justification letter will discuss the request, the history of the subject site, and will outline the request per IDO 6-6(I)(3) Review and decision criteria.

IDO Section 1-10 Transitions from Previous Regulations

Per IDO Section 14-16-1-10(A)(2), any use standards or development standards associated with pre-IDO approval or zoning designation establish rights and limitations and are exclusive of and prevail over any other provision of this IDO. In the case of the Gateway Site Plan for Subdivision, the established design standards concerning height remain valid.

Proposed Development

Nobis Rehabilitation Partners is an Inpatient Rehabilitation Facility (IRF). IRFs provide intensive rehabilitation services using an interdisciplinary team approach in a hospital environment. Admission to an IRF is appropriate for patients with complex nursing, medical management, and rehabilitative needs (such as hip replacements, knee replacements,). Rehabilitation programs at IRFs are supervised by rehabilitation physicians and include services such as physical and occupational therapy, rehabilitation nursing, and speech-language pathology. Approximately ninety percent (90%) of patients come from acute care settings with an average stay of 12-14 days so that they can be discharged back to their homes. On any given day, the average occupancy of this facility will be approximately 85-90%. Nobis' facilities of this size typically staff approximately 60 people during the day and 40 at night.

Planning Context

Tierra West LLC respectfully requests a Major Amendment to the controlling Site Plan titled Gateway Center. Currently, the lot is vacant. It is located within the Central ABQ Community Planning Area and is located within an Area of Change, as designated by the ABC Comp Plan. Furthermore, it is in the Santa Barbara / Martineztown Character Protection Overlay Zone, CPO-7. The subject site abuts two Major Transit Corridors, Mountain Rd., and I-25 Frontage, and is within 660 feet from Lomas Blvd., which is also designated as a Major Transit Corridor.

The overall area is characterized by a variety of uses. To the north, across Mountain Rd., is Early College Academy / Career Enrichment Center, along with Albuquerque High School, all zoned MX-T. Directly south of the parcel is a lot zoned MX-M, which is occupied by a hotel. Directly to the west is a medical facility, zoned MX-M and beyond that lies 50 acres of mixed-use development with a variety of zones, such as R-1B, NR-LM, and MX-M. Directly to the east is a parcel zoned MX-H, and beyond that there are parcels zoned MX-T, MX-M, and MX-H.

See Figure 1 below for zoning information, and Figure 2 for land uses surrounding the subject site.




Figure 1: Zoning information

Table 1. Surrounding Zoning		
North	MX-T	Mixed – Use, Transition

East	MX-H and MX-M	Mixed-Use, Medium and High Intensity
South	MX-M	Mixed-Use, Medium Intensity
West	MX-M	Mixed-Use, Medium Intensity
Subject Site	MX-H – <i>Pending appeal</i>	Mixed-Use, High Intensity




Figure 2: Land Use

North	8 - Educational (school)
East	4 - Commercial services (self-storage)
South	4 - Commercial services (hotel)
West	5 - Office (medical)
Subject Site	15 - Vacant

History

The subject site is currently vacant and has no prior development history. Prior to the adoption of the IDO, this parcel was subject to the Martinez Town Sector Plan. Under this sector plan, the EPC approved a Site Plan for Gateway Center on March 24, 1994, containing seven areas of land that now contain Woodward Pl., TriCore Labs, Embassy Suites, and this vacant lot. While the other six areas have been developed as outlined in the original site plan, this site has remained vacant. The sector plan outlines a desire for mixed-use zoning and development and calls for more intense uses to be further away from developed neighborhoods and residential areas. This site lies over 300 feet from the nearest residential unit and behind the Tri-core laboratory unit.

The EPC approval of the controlling Gateway Center site plan, DRB-94-183, faced two public appeals on June 6, 1994. While the appeals themselves were not contained in the record, the responses from the City Council that were contained in the record respond similarly. Both appeals were denied by a vote of 9 for and 0 against. The response to the first appeal is wholly contained in the record and has six findings to support the appeal denial.

These findings are summarized as follows: 1) The EPC approval of this site plan was consistent with both the Comprehensive Plan and the Martineztown / Santa Barbara Sector Development Plan, 2) approval of the plan alone did not vest any property rights, 3) a courthouse use shall not be approved for this site, 4) an in-depth traffic analysis would be in order before approving site development plans for building purposes, 5) the findings and action of the EPC do not deprive owners of uses allowed under zoning, and 6) Area 7 was to be approved by the Zoning Enforcement Manager before development. Based upon those findings this site plan will not only comply with that original site plan but with the recently adopted IDO.

A Zone Map Amendment was recently approved for the subject site, though it is currently being appealed by the Santa Barbara / Martineztown Neighborhood Association. Per the IDO, the purpose of the MX-H zone district is to provide for large-scale destination retail and high-intensity commercial, residential, light industrial, and institutional uses, as well as high-density residential uses, particularly along Transit Corridors and in Urban Centers. The proposed use fits within that zoning district.

Site Plan – EPC Major Amendment Justification

The Site Plan – EPC Major Amendment will further several Goals and Policies found in the ABC Comp Plan as shown in the following analysis. The analysis describes how the proposed Site Plan – EPC Major Amendment furthers Goals and Policies regarding Character, Centers and Corridors, Complete Communities, City Development Patterns. These Goals and policies are supported because the request will provide much needed high density, infill development as described in the definition of MX-H in the IDO, cited above. Further, the subject site is within 600-feet of three different Major Transit Corridors – Mountain Road NE, I-25 Frontage Road, and Lomas Boulevard.

Goal 4.1 – Character: Enhance, protect, and preserve distinct communities.

The proposed Site Plan – EPC Major Amendment would enhance, protect, and preserve the existing Santa Barbara / Martineztown area because it would facilitate mixed use development. Locating more intense uses to the southern portion of the Santa Barbara / Martineztown area would protect the existing residential areas by locating more intense uses where they are

appropriate and desired. I.e., by focusing development on the subject site, which is an area of change, and within 660-feet of 3 Major Transit Corridors, development pressure will be alleviated from the existing residential community. The request furthers Goal 4.1 – Character.

Policy 4.1.1 - Distinct Communities: Encourage quality development that is consistent with the distinct character of communities.

The proposed Major Amendment would encourage quality development that is consistent with the distinct character of the Santa Barbara / Martinez Town community. The Santa Barbara / Martineztown community has been historically characterized by land uses which vary in intensity. There are several manufacturing / industrial uses along Broadway Blvd which are zoned NR-LM. The area consists of a variety of Mixed-Use zones ranging from MX – T, MX - L, and MX – M. The existing residential areas are zoned primarily R-1A and are characterized by single family residential development.

To preserve the area’s distinct character, more intense uses should be located away from the residential areas. The site plan amendment would continue that intent and would encourage high quality development that is consistent with the distinct character of Santa Barbara / Martinez Town as described above. The request furthers Policy 4.1.1 Distinct Communities. As shown this site lies over 300 feet from the nearest resident and furthers that policy.

Policy 4.1.2. Identity and Design: Identity and Design: Protect the identity and cohesiveness of neighborhoods by ensuring the appropriate scale and location of development, mix of uses, and character of building design.

The request would further Policy 4.1.2 Identity and Design because it would ensure that more intense uses are located to the southern portion of the existing and established Santa Barbara / Martineztown community. The site for the requested hospital use is appropriately located for more intense uses given its proximity to three Major Transit Corridors and the Interstate (I-25). By locating intense uses at the southern boundary of Santa Barbara / Martineztown where they are appropriate and desired, the existing residential areas are relieved of development pressure and thus are preserved. The request furthers Policy 4.1.2 - Identity and Design.

Goal 5.1 – Centers and Corridors: Grow as a community of strong Centers connected by a multi-modal network of Corridors.

The requested Site Plan Amendment would further Goal 5.1 by focusing more intense development along two Major Transit Corridors, Mountain Rd NE, and I-25 frontage. The subject site is within 660-feet of Lomas Blvd NE, a designated Major Transit Corridor. Development along these three Major Transit Corridors will ensure that the Santa Barbara / Martineztown area grows as a community of strong Centers connected by a multi-modal network of Corridors. Mountain Rd NE has a bike lane for east and south bound travel. There is a bus stop at the northern boundary, which is serviced by Route 5, and has a frequency of 25 minutes. The bike lanes, along with the public transport service both contribute to the site plans accessibility and facilitate growth connected by a multi-modal network of corridors. The request is consistent with Goal 5.1 – Centers and Corridors.

Policy 5.1.1 – Desired Growth: Capture regional growth in Centers and Corridors to help shape the built environment into a sustainable development pattern.

The subject site is located within 660 feet of three Major Transit Corridors and would thus help shape the built environment into a sustainable development pattern because more intense uses are desired by Major Transit Corridors and within Areas of Change. The request would facilitate high intensity, mixed-use development which would allow a wider range of services for the public in Albuquerque, the greater metro area and beyond. Further the request would help capture regional growth as Lomas Blvd is classified as a Regional Principal Arterial by the MRMPO Long Range Roadway System.

The request furthers with Policy 5.1.1 – Desired Growth.

c) Encourage employment density, compact development, redevelopment, and infill in Centers and Corridors as the most appropriate areas to accommodate growth over time and discourage the need for development at the urban edge.

The request furthers 5.1.1(c) as it promotes compact infill development at a subject site within 660-feet three Major Transit Corridors: Mountain Rd, I-25 Frontage Rd, and Lomas Blvd. Development of the subject site would promote infill development as it is in an established area of the city. The requested Major Amendment discourages the need for development on the urban edge by focusing development near Downtown, along designated ABC Comp Plan Corridors, in an established area already served by infrastructure and public resources such as transit. The request further sub-policy 5.1.1(c).

Policy 5.1.2 – Development Areas: Direct more intense growth to Centers and Corridors and use Development Areas to establish and maintain appropriate density and scale of development within areas that should be more stable.

The request furthers Policy 5.1.2 – Development Areas as it would direct more intense growth to the subject site, which is in proximity to three Major Transit Corridors: Mountain Rd, I-25 Frontage, and Lomas Blvd. The subject site is also within an Area of Change as designated by the ABC Comp Plan. Areas of Change and sites located along major transit corridors are appropriate for more intense growth, density, and land uses. Further, development of the vacant subject site would provide more stability to the Santa Barbara / Martineztown community and to the Central ABQ Community Planning Area by infilling a vacant lot, which can attract crime and other nuisances.

Policy 5.1.10 Major Transit Corridors: Foster corridors that prioritize high frequency transit service with pedestrian-oriented development.

The amendment request would foster development within 660-feet of three Major Transit Corridors: Mountain Rd, I-25 Frontage Rd, and Lomas Blvd. Development along these corridors help facilitate the use of transit services, and the proximity to Lomas Blvd would ensure accessibility to those who use alternative modes of transportation, i.e., riding the bus. The request furthers Policy 5.1.10 Major Transit Corridors.

Policy 5.2.1 Land Uses: Create healthy, sustainable, and distinct communities with a mix of uses that are conveniently accessible from surrounding neighborhoods.

The request furthers Policy 5.2.1 because the subject site is in proximity to Downtown, is within the Central ABQ CPA, and the Santa Barbara / Martineztown CPO. Development at this site creates healthy, sustainable, and distinct communities as it will serve the areas mentioned above, along with the greater Albuquerque Metropolitan area. Development facilitated by this

site plan would promote the existing mixed-use character of the area and would add more amenities and variety in land uses for nearby residents to use. The subject site's proximity to transit also promotes health and sustainability by encouraging and facilitating the use of alternative modes of transportation. The request furthers Policy 5.2.1 – Land Uses.

e) Create healthy, sustainable communities with a mix of uses that are conveniently accessible from surrounding neighborhoods.

The proposed Site Plan Major Amendment would support the creation of healthy, sustainable communities with a mix of uses that are conveniently accessible from surrounding neighborhoods by encouraging infill development on a lot that is easily accessible due to its location along the Mountain Rd and I-25 Frontage Major Transit Corridors. Furthermore, if approved, the hospital use would be unique to the surrounding area, increasing the variety of uses in the area and creating more sustainable, distinct communities. The request furthers sub-policy 5.2.1(e).

h) Encourage infill development that adds complementary uses and is compatible in form and scale to the immediately surrounding development. [ABC]

If approved, this Major Amendment would encourage infill development that adds complementary uses and is compatible in form and scale to the immediately surrounding development because the immediately surrounding development is relatively high-intensity and large. To the south sits Embassy Suites, an 8-story, 100-foot-tall building. To the west is TriCore Laboratories, a 4-story, approximately 45-foot-tall building. To the north sits the Career Enrichment Center and Albuquerque High School, whose gymnasium stands approximately 55 feet tall. To the east is I-25, a highly trafficked urban freeway. This amendment would allow for development that is compatible in form and scale to the immediately surrounding development. The request furthers sub-policy 5.2.1(h).

n) Encourage more productive use of vacant lots and under-utilized lots, including surface parking.

This Site Plan Major Amendment if approved, would encourage more productive use of a vacant lot by increasing its available uses, which would then spur new development on the site. The resulting new development would be significantly more productive of a use than is present in the currently vacant lot. Furthermore, development on this vacant site would discourage misuse of the lot. For example, on Google Maps Street view, the vacant lot has been and may still be used as an unpaved parking lot, presumably for the schools across the street. This amendment would allow the lot to be developed in a safe and productive manner. The request furthers sub-policy 5.2.1(n).

Goal 5.3 Efficient Development Patterns: Promote development patterns that maximize the utility of existing infrastructure and public facilities and the efficient use of land to support the public good.

The request would further Goal 5.3 Efficient Development patterns because the subject site is in an area with existing infrastructure and public facilities. The subject site also promotes the use of transit, a public amenity, as it is located within 660-feet of the Lomas Blvd Major Transit

Corridor, and directly abuts Mountain Rd and I-25, both of which are designated Major Transit Corridors in the ABC Comp Plan. The request furthers Goal 5.3 Efficient Development Patterns.

Policy 5.3.1 – Infill Development: Promote development patterns that maximize the utility of existing infrastructure and public facilities and the efficient use of land to support the public good.

The requested major amendment furthers Policy 5.3.1 – Infill development as it promotes development patterns that maximize the utility of existing infrastructure. The subject site is in the Central ABQ CPA, and within a developed area of the city with established infrastructure and public facilities. The development of the vacant site would encourage the efficient use of land and thus supports the public good. The request furthers Policy 5.3.1.

Policy 5.3.2 – Leapfrog Development: Discourage growth in areas without existing infrastructure and public facilities.

This Site Plan Amendment would discourage growth in areas without existing infrastructure and public facilities by directing said growth to an area that has the existing infrastructure and public facilities required to support it. This lot has been vacant throughout history, despite the surrounding area being developed significantly over the past twenty years. Therefore, infrastructure and public facilities have been developed and currently exist in a capacity that can support future land uses. The request furthers Policy 5.3.2 – Leapfrog Development.

Policy 5.3.7 – Locally Unwanted Land Uses: Ensure that land uses that are objectionable to immediate neighbors but may be useful to society are located carefully and equitably to ensure that social assets are distributed evenly, and social responsibilities are borne fairly across the Albuquerque area.

The hospital use that would be allowed via this site plan amendment would be useful to society. The proposed usage, a physical rehabilitation hospital, would provide much-needed non-emergency medical services, easing the pressure on local hospitals by allowing for off-site, moderate-length outpatient treatment. Furthermore, the location of this lot, on the corner of Major Transit Corridors Mountain Rd and I-25 Frontage, would ensure that any resulting development is located carefully, away from residential streets, and equitably, in the center of Albuquerque, near I-25 (an urban freeway), making it easy to access. This would ensure even distribution of social assets and fair sharing of social responsibilities in Albuquerque.

b) Ensure appropriate setbacks, buffers, and/ or design standards to minimize offsite impacts.

This amendment does not modify any setbacks, buffers, and/or design standards set out in the current zone district. The controlling site plan is silent on design standards for this site other than building height. In the case of building height, the proposed development would be sitting at 55 feet high, which is lower than the 68 feet typically allowed in the MX-H zone district and significantly lower than the 180 feet allowed by the current controlling site plan. This height is in character with surrounding development. Where the controlling site plan is silent, the IDO ensures appropriate setbacks, buffers, and design standards to minimize offsite impacts from potential development resulting from this amendment.

Goal 5.6 – City Development Areas: Encourage and direct growth to Areas of Change where it is expected and desired and ensure that development in and near Areas of Consistency reinforces the character and intensity of the surrounding area.

The request furthers Goal 5.6 – City Development areas as it would encourage and direct growth to the subject site, which is located wholly within an Area of Change. Areas of Change are where development is generally expected and desired, the requested amendment and subsequent development would be appropriate in intensity, density, and location. The request furthers Goal 5.6 – City Development Areas.

Policy 5.6.2 Areas of Change: Direct growth and more intense development to Centers, Corridors, industrial and business parks, and Metropolitan Redevelopment Areas where change is encouraged.

The requested amendment is for a subject site that is located within an Area of Change and within 660-feet of three Major Transit Corridors. Approval of the requested amendment would direct growth and more intense development where change is encouraged, expected, and appropriate. The request furthers Policy 5.6.2 – Areas of Change.

Policy 8.1.1 – Diverse Places: Foster a range of interesting places and contexts with different development intensities, densities, uses, and building scale to encourage economic development opportunities.

The request furthers Policy 8.1.1 – Diverse Places because the allowance of a hospital use on this site would foster a range of development intensity, density, uses and building scale in an area with a wide range of existing land uses. Further, the subject site’s location along three Major Transit Corridors, within an Area of Change, and within the Central ABQ CPA are contributing factors to the appropriateness and success of this economic development opportunity.

- a) Invest in Centers and Corridors to concentrate a variety of employment opportunities for a range of occupational skills and salary levels.

The request would further sub-policy 8.1.1(a) by investing in a subject site that is located within 660-feet of three different Major Transit Corridors. The proposed site plan amendment and proposed subsequent hospital development would create a variety of employment opportunities for a range of occupational skills and salary levels. The request furthers sub-policy 8.1.1(a).

- c) Prioritize local job creation, employer recruitment, and support for development projects that hire local residents.

The request furthers sub-policy 8.1.1(c) because the newly allowed hospital use would facilitate development which would generally hire local residents. The allowance of the requested hospital use would facilitate development on the subject site, thus prioritizing job creation and local hiring. The request furthers sub-policy 8.1.1(c).

Policy 8.1.2 Resilient Economy: Encourage economic development efforts that improve quality of life for new and existing residents and foster a robust, resilient, and diverse economy.

The proposed site plan amendment would encourage an economic development effort that would improve the quality of life for new and existing residents by allowing a range of land uses at the appropriate location, scale, intensity, and density. The subject site is located within the boundaries of three separate Major Transit Corridors. Development along these corridors would foster a robust, resilient, and diverse economy because the requested use would allow a needed high-quality use that would benefit the community. Further, the development would be an infill development, and would maximize existing infrastructure and resources such as public transit, and would provide opportunity for new jobs, thus ensuring a resilient economy. The request furthers Policy 8.1.2 – Resilient Economy.

Site Plan EPC – Major Amendment – Review and Decision Criteria

As outlined in IDO provisions **14-6-6-6(I)(2)(d)** this proposed site plan includes a portion of the boundary of a site plan approved by the EPC prior to the adoption of the IDO, a Major Amendment pursuant to Subsection **14-16-6-4(Z)** is necessary. Provision **14-16-6-4(Z)(1)(b)** states that the major amendment shall be reviewed by the decision-making body that originally approved the site plan, in this case being the EPC.

The request is supported by the Comprehensive Plan Goals and polices and meets the requirements for a Site Plan – EPC per IDO **Section 14-16-6-6(I)(3)**, Review and Decision Criteria a – h, as follows:

6-6(I)(3)(a): The Site Plan is consistent with the ABC Comp Plan, as amended.

As discussed above, the requested Site Pan - Major Amendment will benefit the surrounding neighborhood because it is consistent with and furthers the ABC Comp Plan and the applicable Goals and Policies therein and clearly facilitating the implementation of the ABC Comp Plan as shown in the previous analysis. The analysis describes how the proposed Zone Map Amendment is consistent with Goals and Polices regarding Character, Centers and Corridors, Complete Communities, City Development Patterns. These Goals and policies are supported because the request will provide much needed high density, infill development as described in the definition of mixed-use zoning in the IDO, cited at the beginning of this letter. Further, the subject site is within 600-feet of three different Major Transit Corridors – Mountain Road NE, I-25 Frontage Road, and Lomas Boulevard.

6-6(I)(3)(b): The Site Plan is consistent with any applicable terms and conditions in any previously approved NR-SU or PD zoning covering the subject property and any related development agreements and/or regulations.

The site plan is consistent with any applicable terms and conditions in any previously approved NR-SU or PD zoning covering the property and related development agreements and/or regulations.

6-6(I)(3)(c): The Site Plan complies with all applicable provisions of this IDO, the DPM, other adopted City regulations, and any terms and conditions specifically applied to development of the property in a prior permit or approval affecting the property.

The site plan is beholden to the existing, controlling site plan (EPC Z-94-46 / DRB-94-183). The primary purpose of this amendment is to allow a hospital use within Area 3 / Tract A of the above-mentioned site plan (EPC Z-94-46 / DRB-94-183). There are limited design standards

found in the EPC Z-94-46 / DRB-94-183 site plan, however, the maximum building height and square footage shall remain as a design standard applicable to this site and project. We are also amending the site plan to allow setbacks for Area 3 / Tract A of the site plan to follow the setback provisions as described in the IDO. Where the existing controlling site plan (EPC Z-94-46 / DRB-94-183) is silent, the IDO applies. This includes but is not limited to façade design, parking, access and circulation, signage, etc. The request will comply with the DPM standards with the related improvements associated with this development.

6-6(I)(3)(d): The City's existing infrastructure and public improvements, including but not limited to its street, trail, drainage, and sidewalk systems, have adequate capacity to serve the proposed development, and any burdens on those systems have been mitigated to the maximum extent practicable.

The City's existing infrastructure has adequate capacity for the proposed development. A Traffic Impact Study is currently underway for the project. The TIS will identify any adverse impacts the development would have on the existing transportation network. Prior to the development of the site, any mitigation requirements as a result of the TIS will be addressed and made a condition of issuance of the building permit. This process ensures no negative impacts to the area's transportation infrastructure. We will be making all required submittals to Hydrology, Transportation, etc. The site plan will also follow the DFT Site Plan process, in which infrastructure will be addressed.

6-6(I)(3)(e): The application mitigates any significant adverse impacts on the project site and the surrounding area to the maximum extent practicable.

The request mitigates any significant adverse impacts on the project site and the surrounding area to the maximum extent practicable. The Major Amendment would introduce a new use to the existing Gateway Site Plan for Subdivision. The spirit of the existing, controlling site plan, which was approved in 1997, is maintained. The proposed hospital use would generate less traffic than the existing approved office use. Further, the site plan allows over 100' feet in building height, though the proposed development would stay well under that at 55' in height. The new proposed hospital use provides less intensity and density than the existing approved office use. The development is consistent with the portion of the Gateway Site Plan that is already built out. To the south of the subject site is a hotel at approximately 100' in height, to the west of the subject site are medical labs, which at their highest point are 45' in height. To the north of the subject site is the CEC, which is approximately 35' in height. The subject site is bound by I-25 frontage to the east and is within the boundary of three Major Transit Corridors. Not only are adverse impacts mitigated, but this development will also be a benefit to the surrounding area and communities.

6-6(I)(3)(f): If the subject property is within an approved Master Development Plan, the Site Plan meets any relevant standards in the Master Development Plan in addition to any standards applicable in the zone district the subject property is in.

The subject site is not within any Master Development Plan boundaries. However, the subject site is beholden to the Gateway Site Plan for Subdivision, and the IDO. The proposed site plan amendment adheres to the controlling site plan, and the IDO and relevant standards applicable to the zone district the subject property is in.

6-6(I)(3)(g): If a cumulative impact analysis is required in the Railroad and Spur Small Area pursuant to Subsections 14-16-5-2(E) (Cumulative Impacts) and 14-16-6-4(H) (Cumulative

Impacts Analysis Requirements), the Site Plan incorporates mitigation for all identified cumulative impacts. The proposed development will not create material adverse impacts on water quality or other land in the surrounding area through increases in traffic congestion, parking congestion, noise, vibration, light spillover, or other nuisances without sufficient mitigation or civic or environmental benefits that outweigh the expected impacts.

A cumulative impact analysis is not required in this location because it does not fall within a Railroad and Spur Small Area.

Facilitated Meeting – Santa Barbara Martinez Town Neighborhood Association

A facilitated meeting with the Santa Barbara Martinez Town Neighborhood Association was held on March 21, 2024, via Zoom from 6pm-8pm. The report is attached as part of this application packet. It is important to note that the Neighborhood Association is opposed to the request, however, there was no direct input on the proposed Site Plan – Amendment, or comments from the neighborhood regarding site design, building placement, etc. The applicant is open to listening to site specific grievances should the neighborhood provide comment on that topic.

Conclusion

The requested site plan major amendment would benefit the surrounding neighborhood by being consistent with the ABC Comp Plan and furthering applicable Goals and Policies in the ABC Comp Plan as shown in the preceding analysis. The proposed amendment furthers a preponderance of Goals and Policies regarding Character, Centers and Corridors, Complete Communities, City Development Patterns, and others. These Goals and policies are supported because the request would provide much needed high density, infill development as described in the definition of MX-H in the IDO. Further, the subject site is within 660-feet of three different Major Transit Corridors – Mountain Road NE, I-25 Frontage Road, and Lomas Boulevard, where this type of development is desired. Lastly, the request aligns with the controlling site plan adopted prior to the adoption of the IDO and promotes mixed uses as desired by the community and outlined in the now repealed sector plan.

Tierra West, on behalf of Cross Development, respectfully requests that this Site Plan Major Amendment is considered and approved by the Environmental Planning Commission. Thank you for your consideration.

Sincerely,



Sergio Lozoya
Sr. Planner

cc: Meagan Vieren

JN: 2023123
SL/db/aj



February 29, 2024

Jonathan Hollinger
Chair - Environmental Planning Commission
City of Albuquerque
600 2nd Street NW
Albuquerque NM 87102

RE: SENSITIVE LANDS ANALYSIS FOR 1100 WOODWARD PL NE, LEGALLY DESCRIBED AS: TRACT A PLAT OF GATEWAY SUBDIVISION CONT 2.7845 AC

Dear Mr. Hollinger:

This report outlines the constraints identified within the proposed Major Amendment to an EPC controlled Site Plan. The subject site is located at 1100 Woodward and is legally described as Tract A Plat of Gateway Subdivision and is approximately 2.8 – acres.

The subject site is zoned Mixed-Use – High Intensity (MX-H) and is currently vacant with desert shrubs with minor to no previous grading.

Tierra West, LLC has performed a Sensitive Lands Analysis Report as required under the Integrated Development Ordinance (IDO) Section 5-2(C) for new subdivisions of land, documenting the below:

Item:	Presence:	Commentary:
Floodplains and Flood Hazard	Area of minimal flood hazard.	The site is an area with minimal flood risk.
Steep Slopes	None	The overall site is not in an area with steep slopes
Unstable Soils	None	Based on USDS Web Soil Survey Data, the site soils are mainly sandy.
Wetlands (Constant supply of water)	None	No areas of standing water are present on site.
Arroyo	None	No Arroyos were identified.
Irrigation Facilities	None	No irrigation facilities were identified.
Escarpment	None	No areas of escarpment were identified.
Large stands of mature trees	None	No trees present.
Archeological sites	None	No archaeological issues have been uncovered.

The sensitive lands analysis has found that none of the above features have been determined to constrain the development of the site. Additionally, none of the above features have been determined to be present on this site or have negative impacts as identified in the various documents supporting our findings of no sensitive land issues.



If you have any questions or need additional information regarding this matter, please do not hesitate to contact me.

Sincerely,

Sergio Lozoya
Sr. Planner

CC: Meagan Vieren

JN: 2023123
sl/jn/RRB

STAFF INFORMATION

April 25, 2024

TO: Sergio Lozoya
Tierra West, LLC

FROM: Megan Jones, Principal Planner
Vicente Quevedo, Senior Planner
City of Albuquerque Planning Department

TEL: (505) 924-3352

RE: PR-2024-009765, SI-2024-00468, Gateway Center/1100 Woodward Pl NE Site Plan-EPC, Major Amendment

We've completed a first review of the proposed amendment and Site Plan. We would like to discuss the request, have a few questions, and suggested revisions. We're available to answer questions about the process and requirements. Please provide the following:

⇒ A revised project letter (one electronic copy)

⇒ Revised Site Plan Drawings (one 24x36 hard copy & one electronic copy)

by 9 AM on May 1, 2024.

Note: If you have difficulty with this deadline, please let me know.

1) Introduction:

- A. Though We've done our best for this review, additional items may arise as the case progresses. If so, I will inform you immediately.
- B. This is what we have for the legal description:
 - a. All or a portion of Tract A, Plat of Gateway Subdivision; Tract B-1, Plat of Tract B-1, Gateway Subdivision, A replat of Tracts B & C, Gateway Subdivision; Tract, D-1-B-1, Plat of Tract D-1-B-1 and D-1-B-2, Gateway Subdivision (being a replat of Tract D-1-B, Gateway Subdivision, Lots 16 and 17, Trotter Addition NO. 2 and A; and Tract D-1-A-1, Plat for Lots 1 & 2, Tract D-1-A-1, Gateway Subdivision (being a replat of Tract D-1-A, Gateway Subdivision & an unplatted parcel), between Mountain Rd, Lomas Blvd, Edith Blvd. and I-25 frontage, approximately 23 acres.

- C. It is our understanding that this is a request for a major amendment to the Gateway Center SDPS to amend the allowable use table for area 3 to permit a hospital use with the associated site plan for the rehab hospital to be reviews by the EPC. Are any other revisions proposed?

2) Process:

- A. Information regarding the EPC process, including the calendar and current Staff reports, can be found at: <http://www.cabq.gov/planning/boards-commissions/environmental-planning-commission>
- B. Timelines and EPC calendar: the EPC public hearing is on May 16, 2024. Final staff reports will be available about one week prior, on May 9th.
- C. I will email you a copy of the agency comments once they are received and will forward any late ones to you.

3) Notification & Neighborhood Issues:

Notification requirements for a zone change are explained in Section 14-16-6-4(K), Public Notice (IDO, p. 378). The required notification consists of: i) an offer of neighborhood meeting, ii) an emailed letter to neighborhood representatives indicated by the ONC, iii) a mailed letter (first-class) to property owners within 100 feet of the subject site, and iv) yellow sign posting.

- A. Please provide an updated buffer Map and proof of notice to property owners within 100' no later than Wednesday May 1, 2024
- B. It appears that a facilitated meeting was held on March 21, 2024 with SBMT. Can you please tell us about this meeting?
 - a. The facilitated meeting notes state: "SBNA objects to this interpretation of the IDO and does not agree that the 1994 site plan is controlling. This issue remains unresolved between the parties."
- C. Have you received any additional requests or held any meetings with community members since the meeting.
- D. Please let me know if you receive any additional comments. If you do, these will be included in our staff report.
- E. The sign posting period is 15 days prior and after the EPC hearing date from Wednesday May, 2023 to Friday May 31, 2024.

4) Project Letter:

- A. The project letter looks good, one item of note for the Planning Context section – Table 1, Zoning shows the zoning for the subject site as MX-M but then a purpose statement for the MX-H zone district is included at the bottom of page 3. The last paragraph of the History

section mentions a Zone Map Amendment. Please list the requested MX-H zone and move the MX-H purpose statement to the last paragraph of the History section. Also, consider re-reviewing the project letter in light of the recent LUHO recommendation to City Council.

5) Justification Criteria, goals & policies:

- A. Policy 4.1.1. Applicant is interpreting “distinct character” to mean varying intensity of land uses. Advise that applicant refrain from utilizing repealed SDP citations. See example below:
- “The now repealed Sector Development plan discusses how more intense uses should be located away from the residential areas. The site plan amendment would continue that intent and would encourage high quality development that is consistent with the distinct character of Santa Barbara / Martinez Town as described above. The request furthers Policy 4.1.1 Distinct Communities. As shown this site lies over 300 feet from the nearest resident and furthers that policy.”
- B. Goal 5.1 Centers and Corridors – Mentions the Central ABQ CPA and multi-modal network of corridors is mentioned but not detailed out. Recommend removing both references. Or, if the Central ABQ CPA will continue to be used as justification, additional detailed analysis throughout the policy justification section is warranted.
- C. Policy 5.1.1 Desired Growth – Consider revising statement to reference that the subject site is within 660 feet of 3 Major Transit Corridors. Also, consider removing the second paragraph that references surrounding communities, unless the rehabilitation facility staff has confirmed that residents from surrounding areas will specifically drive to the hospital to utilize their services?
- D. 5.1.1(c) – Consider revising statement regarding transit corridors. An additional reference to the Central ABQ CPA is mentioned (See item B above).
- E. 5.1.10 – Regarding Major transit corridor reference has changed to “within 660-feet of three Major Transit Corridors”. See item C above.
- F. Goal 5.2 – Complete Communities – How would this development foster a live, work, learn, shop and play together area? Consider removing Goal 5.2.
- G. 5.2.1(a) – Will local residents that need to utilize the rehab hospital’s services be walking or biking to the site?
- H. Goal 8.1 – Is the reference to the Central ABQ CPA report with related to businesses and talent staying and thriving, or ensuring a variety of land uses? This is unclear per the justification language. Is the applicant able to detail how the proposed development will in fact create jobs for a range of workers and recruit local talent?
- I. Goal 8.2 – Not sure how this goal fits related to the justification. Entrepreneurship usually relates to new and innovative business ventures which a rehab hospital does not necessarily fit within. There is another reference to the Central ABQ CPA boundary but this time it states that the subject site is near rather than within the boundary. Consider removing Goal 8.2.

- J. Criterion C – Project letter states that the site plan “complies with all applicable provisions of this IDO”. Applicant is required to provide a more detailed response than the one provided, please expand on how the development is compliant with the controlling site development plan versus the IDO and what provisions of the IDO are being followed.

6) Site Plan Drawing Review

A. Site Plan Sheet

1. Please provide a list of what development standards are being followed by the controlling site plan. Where the site plan is silent IDO standards apply.
2. Parking spaces shall be Setback 20-feet from the ROW pursuant to IDO 5-5(F)
3. Please provide dimensions for all Setbacks
4. The listed land use on the site plan sheet is incorrect. The use should be “Hospital”
5. The note on the site plan sheets shall specify that this is an amendment to Area 3 of the controlling site plan for “Tract A” only.
6. The Scale seems off. sidewalk is measuring at 15’. Please confirm. The width of the sidewalk is listed as 5’
7. Table 5-3-1 Required walkway width shall be 11’ wide along the street facing façade if there’s a pedestrian entrance. Please confirm or revise.
8. IDO 5-3(D)(3)(c) ensure that materials to alert motorists is met
9. Is there an access point off of mountain road? The drawing is hard to read at this location. Please explain.
10. Did you find out if the Route 5 bus stop on mountain has a peak service of 30-45 minutes? Is that why you are claiming a transit reduction to parking.
11. Missing 1 motorcycle parking space per table 5-5-4.

B. Landscape Plan

1. Total lot area is off. Should be 119,790 according to the acreage of 2.75 provided. The acreage calculated should be 2.78 acres.
2. Building GFA does not match the site plan sheet. The building GFA 55098 is calculated as SF on the Landscape Plan.

3. Trees shall be in compliance with the street tree ordinance 25' a part. Please dimension.

C. Sign detail sheets

1. please label these as sign details with a title block similar to the rest of the drawing set.
2. All signs shall specify colors and materials.
3. Signs shall be pursuant to IDO section 14-16-5-12

D. Elevations

1. The East and west building elevations were missing from the print out, but they are in the electronic copy.
2. The west facing facade appears to have a door/entrance on the site plan, but there is no door on the elevation. Please revise or explain.

E. Detail sheet 1

1. Dumpster elevations shall include dimensions
2. Lighting shall be pursuant to IDO section 14-16-5-8
 - a. We cannot locate a light pole detail with dimensions. Light poles shall not be taller than 20' pursuant to IDO Table 5-8-1: Maximum Height for Light Poles
 - b. Wall scones and flood lights shall be pursuant to 5-8(D)(4) and 5-8(E)

Memo 2:

TO: Sergio Lozoya
Tierra West, LLC

FROM: Megan Jones, Principal Planner
Vicente Quevedo, Senior Planner
City of Albuquerque Planning Department

TEL: (505) 924-3352

RE: PR-2024-009765, SI-2024-00468, Gateway Center/1100 Woodward Pl NE Site Plan-EPC, Major Amendment

We conducted a re-review of the revised site plan drawings and there are several items that have not been addressed or still need updating. Please see the following and get a revised site plan set to us by:

Monday May 6th at 9:00 AM

The items that are not addressed will be added as conditions in the staff report.

A. Controlling SDP

1. Please submit the controlling SDP sheet which is page 2 of 5 (or page 4 in the set) with the signature block and most recent amendments.
2. Please provide an updated Land use Scenario table that reflects the requested land use/amendment.
3. Items 1-5 under Major Amendment look good.

B. Site Plan:

1. Please add a note similar to note 5 on the controlling site plan, to the Site Plan sheet so future reviewers know to look back at the controlling site plan.
2. Please update the title of the Controlling site plan from Gateway to Center City to "Gateway Center"
3. Building setbacks listed do not match the actual setbacks on the sheet. Please list out what they are and/or provide dimensions. It seems that what is listed are IDO standards, but is not specified.
4. Thanks for providing keyed note 19 specifying the screen wall, but the legend reflects this symbol as a sidewalk. Please update.

C. Landscape Plan: Landscape calculations are still off. Please update to reflect correct calculations:

Total lot area: 119.589 -

Building Footprint: 160068 =

total lot area: 103563 x .15 = Landscape required: 117,179 SF

- Off by almost 3000 SF.

- D. Detail sheet: Please provide a detail of the generator.
- E. Sign Sheet: Shall provide a note that sign standards are pursuant to IDO section 14-16-5-12
- F. Elevations: Please provide a west facing façade showing the door/entrance without the wall enclosure. Two elevations are fine specifying the wall, but since this enclosure is not a part and the screen wall is just attached, we need to see the full façade of the building.

NOTIFICATION



**OFFICIAL PUBLIC NOTIFICATION FORM
FOR MAILED OR ELECTRONIC MAIL NOTICE
CITY OF ALBUQUERQUE PLANNING DEPARTMENT**



PART I - PROCESS	
Use Table 6-1-1 in the Integrated Development Ordinance (IDO) to answer the following:	
Application Type: Major Amendment Site Plan EPC	
Decision-making Body: EPC	
Pre-Application meeting required:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Neighborhood meeting required:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Mailed Notice required:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Electronic Mail required:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Is this a Site Plan Application:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Note: if yes, see second page
PART II – DETAILS OF REQUEST	
Address of property listed in application: 1100 Woodward Place NE 87102	
Name of property owner: JDHQ LAND HOLDING LLC C/O ATRIUM HOLDING COMPANY	
Name of applicant: Cross Development	
Date, time, and place of public meeting or hearing, if applicable:	
EPC May 16, 2024 at 8:40am	
Address, phone number, or website for additional information:	
slozoya@tierrawestllc.com	
PART III - ATTACHMENTS REQUIRED WITH THIS NOTICE	
<input checked="" type="checkbox"/> Zone Atlas page indicating subject property.	
<input checked="" type="checkbox"/> Drawings, elevations, or other illustrations of this request.	
<input checked="" type="checkbox"/> Summary of pre-submittal neighborhood meeting, if applicable.	
<input checked="" type="checkbox"/> Summary of request, including explanations of deviations, variances, or waivers.	
IMPORTANT: PUBLIC NOTICE MUST BE MADE IN A TIMELY MANNER PURSUANT TO SUBSECTION 14-16-6-4(K) OF THE INTEGRATED DEVELOPMENT ORDINANCE (IDO). PROOF OF NOTICE WITH ALL REQUIRED ATTACHMENTS MUST BE PRESENTED UPON APPLICATION.	

I certify that the information I have included here and sent in the required notice was complete, true, and accurate to the extent of my knowledge.

_____ (Applicant signature) 3.1.24 _____ (Date)

Note: Providing incomplete information may require re-sending public notice. Providing false or misleading information is a violation of the IDO pursuant to IDO Subsection 14-16-6-9(B)(3) and may lead to a denial of your application.



**OFFICIAL PUBLIC NOTIFICATION FORM
FOR MAILED OR ELECTRONIC MAIL NOTICE
CITY OF ALBUQUERQUE PLANNING DEPARTMENT**



PART IV – ATTACHMENTS REQUIRED FOR SITE PLAN APPLICATIONS ONLY

Provide a site plan that shows, at a minimum, the following:

- a. Location of proposed buildings and landscape areas.
- b. Access and circulation for vehicles and pedestrians.
- c. Maximum height of any proposed structures, with building elevations.
- d. For residential development: Maximum number of proposed dwelling units.
- e. For non-residential development:
 - Total gross floor area of proposed project.
 - Gross floor area for each proposed use.

Undeliverable: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Microsoft Outlook

<MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tierrawestllc.com>

Wed 4/10/2024 9:21 AM

To:kris042898@icloud.com <kris042898@icloud.com>

p00-iscream-smtp-6bc4d7b9c-bsf5q rejected your message to the following email addresses:

kris042898@icloud.com (kris042898@icloud.com)

Your message is larger than the size limit for messages. Please make it smaller and try sending it again.

p00-iscream-smtp-6bc4d7b9c-bsf5q gave this error: Message size exceeds fixed limit

Diagnostic information for administrators:

Generating server: DS7PR03MB5560.namprd03.prod.outlook.com

kris042898@icloud.com
p00-iscream-smtp-6bc4d7b9c-bsf5q
Remote server returned '552 5.3.4 Message size exceeds fixed limit'

Original message headers:

ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=aylwjgFZFnKamrIQUBoIwBD0CTbICJyi1H5r7rsZT54cDbAx10vWLJgwZimG+Ju06WKzziIYNkG1tDCtpx50891NZuMddIJkAH3D
TdaE7cCk4T+UH55/vjXsSdUm7NSD7gHmV1Qy0xzHx77/18nzfNKEWE9C8YhsAiTPbgR2tU2t9VvGQXyRtB+1ypVHeAegRwuCVuz8e3
IQZmPBpWZDbcSskAx0wx00SjypJu0wfPSo33dFQn+mvZ23yPZRWamU8imnw5kncmSA1I6fGKgQBtpJwM2h/M15qAB9IoMq39nMXYa0
wW8vuY15FbpCZYtcqcq/IkLm7Uki1/DbcYUgw==

ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
s=arcselector9901;

h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-AntiSpam-MessageData-
ChunkCount:X-MS-Exchange-AntiSpam-MessageData-0:X-MS-Exchange-AntiSpam-MessageData-1;
bh=jR2p+N3ziae33gALUbuFkHAMuWTKqNr7NPD190oryxs=;

b=dBu6uIamdAh36K7I6I4Ajjy80rpE7lGRqAzu+E3dHfCi2vSp7p4+JGHTHxoXzanFK57S2lu1Mg/Dvn70lpJZmCVJ/nLZa+y3uy3v+
LNj5QTCKmWNZayIzJj5y8CrpDOUzBIOafu4110FhJLrJ74DgxpT85wLpyDiCqWj0g+i4njZxIOcZe+7+IFr3PwPIVW9ie7oEyPI1E/
fNvEoA71sLc6GDr93CgA/Jnwfi1TiKVj8XqxcJgQppgvQ1qCLK0RQ0lkBVvtJv3wHr79Iu3qMW64vc4zpYgN9ZlmvIcM8F7rqSm+2o
+Ejr9/ZiCRwUmSSMTgKGwmVQwv0ZweiqbklJoQ==

ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
smtp.mailfrom=tierrawestllc.com; dmarc=pass action=none
header.from=tierrawestllc.com; dkim=pass header.d=tierrawestllc.com; arc=none

Received: from BN7PR03MB3681.namprd03.prod.outlook.com (2603:10b6:406:ce::22)
by DS7PR03MB5560.namprd03.prod.outlook.com (2603:10b6:5:2d0::17) with
Microsoft SMTP Server (version=TLS1_2,
cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.7409.55; Wed, 10 Apr

From: Office of Neighborhood Coordination
To: Sergio Lozoya
Subject: 1100 WOODWARD PL NE _ Neighborhood Meeting Inquiry Sheet Submission
Date: Tuesday, April 9, 2024 12:21:29 PM
Attachments: Image001.png
Zone Atlas - Gateway Center for Subdivision.png

PLEASE NOTE:
The neighborhood association contact information listed below is valid for 30 calendar days after today's date.

Dear Applicant:

Please find the neighborhood contact information listed below. Please make certain to read the information further down in this e-mail as it will help answer other questions you may have.

Association Name	First Name	Last Name	Email	Address Line 1	Address Line 2	City	State	Zip	Mobile Phone	Phone
Citizens Information Committee of Martineztown	Kristi	Houde	kris042898@icloud.com	617 Edith Boulevard NE	#8	Albuquerque	NM	87102	5053661439	
Citizens Information Committee of Martineztown	Renee	Martinez Naranjo	martinez.renee@gmail.com	515 Edith Boulevard NE		Albuquerque	NM	87102	5054108122	5052474605
Santa Barbara Martineztown NA	Loretta	Lopez	lnjalopez@msn.com	1127 Walter NE		Albuquerque	NM	87102		5052707716
Santa Barbara Martineztown NA	Theresa	Illgen	theresa.illgen@aps.edu	214 Prospect NE		Albuquerque	NM	87102		5055048620

The ONC does not have any jurisdiction over any other aspect of your application beyond this neighborhood contact information. We can't answer questions about sign postings, pre-construction meetings, permit status, site plans, buffers, or project plans, so we encourage you to contact the Planning Department at: 505-924-3857 Option #1, e-mail: devhelp@cabq.gov, or visit: <https://www.cabq.gov/planning/online-planning-permitting-applications> with those types of questions.

Please note the following:

- You will need to e-mail each of the listed contacts and let them know that you are applying for an approval from the Planning Department for your project.
- Please use this online link to find the required forms you will need to submit your permit application: <https://www.cabq.gov/planning/urban-design-development/public-notice>.
- The Checklist form you need for notifying neighborhood associations can be found here: https://documents.cabq.gov/planning/online-forms/PublicNotice/CABQ-Official_public_notice_form-2019.pdf.
- The Administrative Decision form you need for notifying neighborhood associations can be found here: <https://documents.cabq.gov/planning/online-forms/PublicNotice/Emailed-Notice-Administrative-Print&Fill.pdf>
- Once you have e-mailed the listed contacts in each neighborhood, you will need to attach a copy of those e-mails AND a copy of this e-mail from the ONC to your application and submit it to the Planning Department for approval.

If your application requires you to offer a neighborhood meeting, you can click on this link to find required forms to use in your e-mail to the neighborhood association(s): <http://www.cabq.gov/planning/urban-design-development/neighborhood-meeting-requirement-in-the-integrated-development-ordinance>

If your application requires a pre-application or pre-construction meeting, please plan on utilizing virtual platforms to the greatest extent possible and adhere to all current Public Health Orders and recommendations. The health and safety of the community is paramount.

If you have questions about what type of notification is required for your particular project or meetings that might be required, please click on the link below to see a table of different types of projects and what notification is required for each: <https://do.abc-zone.com/integrated-development-ordinance-ido?document=1&outline-name=6-1%20Procedures%20Summary%20Table>

Thank you,

Suzie



Suzie Flores

Senior Administrative Assistant

Office of Neighborhood Coordination (ONC) | City Council Department | City of Albuquerque
(505) 768-3334 Office
E-mail: suzannaflores@cabq.gov
Website: www.cabq.gov/neighborhoods

From: webmaster@cabq.gov <webmaster@cabq.gov>
Sent: Tuesday, April 9, 2024 11:02 AM
To: Office of Neighborhood Coordination <slozoya@tierrawestllc.com>
Cc: Office of Neighborhood Coordination <onc@cabq.gov>
Subject: Neighborhood Meeting Inquiry Sheet Submission

[EXTERNAL] Forward to phishing@cabq.gov and delete if an email causes any concern.

Neighborhood Meeting Inquiry For:
Environmental Planning Commission
If you selected "Other" in the question above, please describe what you are seeking a Neighborhood Meeting Inquiry for below:
Contact Name
Sergio Lozoya
Telephone Number
5052787088
Email Address
slozoya@tierrawestllc.com
Company Name
Tierra West LLC
Company Address
5571 Midway Park Place NE
City
Albuquerque
State
NM
ZIP
87109

Legal description of the subject site for this project:

There are four parcels that are part of the subject site:

1. Project Site

Situs Address: 1100 WOODWARD PL NE ALBUQUERQUE NM 87102

Legal Description: TRACT A PLAT OF GATEWAY SUBDIVISION CONT 2.7845 AC

2. Tricore

Situs Address: 1001 WOODWARD PL NE ALBUQUERQUE NM 87102

Legal Description: TR D-1-A-1 PLAT FOR LOTS 1 & 2 TR D-1-A-1 GATEWAY SUBD (BEING A REPLAT OF TR D-1-A GATEWAY SUBD & AN UNPLATTED PARCEL) CONT 8.3708 AC

3. New Heart Inc

Situs Address: 600 LOMAS BLVD NE ALBUQUERQUE NM 87102

Legal Description: TR D1B1 PLAT OF TRACT D-1-B-1 AND D-1-B-2 GATEWAY SUBDIVISION (BEING A REPLAT OF TRACT D-1-B, GATEWAY SUBDIVISION, LOTS 16 AND 17, TROTTER ADDITION NO.2 AND A

4. Embassy Suites

Situs Address: 1000 WOODWARD PL NE ALBUQUERQUE NM 87102 2704

Legal Description: TR B-1 PLAT OF TRACT B-1 GATEWAY SUBDIVISION A REPLAT OF TRACTS B & C GATEWAY SUBDIVISION CONT 9.3316 AC

Physical address of subject site:

1100 WOODWARD PL NE ALBUQUERQUE NM 87102

Subject site cross streets:

Mountain and Woodward

Other subject site identifiers:

This site is located on the following zone atlas page:

J-15-Z

Captcha

x

[Note: Items with an asterisk (*) are required.]

**Public Notice of a Proposed Project in the City of Albuquerque
for Decisions Requiring a Meeting or Hearing
Mailed/Emailed to a Neighborhood Association**

Date of Notice*: 4/4/2024

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Neighborhood Association (NA)*: Santa Barbara Martineztown NA

Name of NA Representative*: Loretta Naranjo Lopez

Email Address* or Mailing Address* of NA Representative¹: Injalopez@msn.com

Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address* 1100 Woodward PI NE
Location Description Tract A Plat of Gateway Subdivision
2. Property Owner* JDHQ Land Holding LLC C/O Atrium Holding Company
3. Agent/Applicant* [if applicable] Tierra West LLC
4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request²*:

Major Amendment to controlling Gateway Center site plan to allow for
Hospital Use for subject site

¹ Pursuant to [IDO Subsection 14-16-6-4\(K\)\(5\)\(a\)](#), email is sufficient if on file with the Office of Neighborhood Coordination. If no email address is on file for a particular NA representative, notice must be mailed to the mailing address on file for that representative.

² Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

- 5. **For Site Plan Applications only***, attach site plan showing, at a minimum:
 - ▣ a. Location of proposed buildings and landscape areas.*
 - ▣ b. Access and circulation for vehicles and pedestrians.*
 - ▣ c. Maximum height of any proposed structures, with building elevations.*
 - d. **For residential development***: Maximum number of proposed dwelling units.
 - ▣ e. **For non-residential development***:
 - ▣ Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - ▣ Gross floor area for each proposed use.

Additional Information [Optional]:

From the IDO Zoning Map⁶:

- 1. Area of Property [typically in acres] 2.7845 Acres
 - 2. IDO Zone District MX-H (Appealed, previously MX-M)
 - 3. Overlay Zone(s) [if applicable] Martineztown/Santa Barbara - CPO-7
 - 4. Center or Corridor Area [if applicable] Mountain Rd and I-25 Frontage Corridors
- Current Land Use(s) [vacant, if none] Vacant

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

Cc: _____ [Other Neighborhood Associations, if any]

⁶ Available here: <https://tinurl.com/idozoningmap>

[Note: Items with an asterisk (*) are required.]

**Public Notice of a Proposed Project in the City of Albuquerque
for Decisions Requiring a Meeting or Hearing
Mailed/Emailed to a Neighborhood Association**

Date of Notice*: 4/4/2024

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Neighborhood Association (NA)*: Santa Barbara Martineztown NA

Name of NA Representative*: Theresa Illgen

Email Address* or Mailing Address* of NA Representative¹: theresa.illgen@aps.edu

Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address* 1100 Woodward PI NE
Location Description Tract A Plat of Gateway Subdivision
2. Property Owner* JDHQ Land Holding LLC C/O Atrium Holding Company
3. Agent/Applicant* [if applicable] Tierra West LLC
4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request²*:

Major Amendment to controlling Gateway Center site plan to allow for
Hospital Use for subject site

¹ Pursuant to [IDO Subsection 14-16-6-4\(K\)\(5\)\(a\)](#), email is sufficient if on file with the Office of Neighborhood Coordination. If no email address is on file for a particular NA representative, notice must be mailed to the mailing address on file for that representative.

² Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

- 5. **For Site Plan Applications only***, attach site plan showing, at a minimum:
 - ▣ a. Location of proposed buildings and landscape areas.*
 - ▣ b. Access and circulation for vehicles and pedestrians.*
 - ▣ c. Maximum height of any proposed structures, with building elevations.*
 - ▣ d. **For residential development***: Maximum number of proposed dwelling units.
 - ▣ e. **For non-residential development***:
 - ▣ Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - ▣ Gross floor area for each proposed use.

Additional Information [Optional]:

From the IDO Zoning Map⁶:

- 1. Area of Property [typically in acres] 2.7845 Acres
 - 2. IDO Zone District MX-H (Appealed, previously MX-M)
 - 3. Overlay Zone(s) [if applicable] Martineztown/Santa Barbara - CPO-7
 - 4. Center or Corridor Area [if applicable] Mountain Rd and I-25 Frontage Corridors
- Current Land Use(s) [vacant, if none] Vacant

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

Cc: _____ [Other Neighborhood Associations, if any]

⁶ Available here: <https://tinurl.com/idozoningmap>

[Note: Items with an asterisk (*) are required.]

**Public Notice of a Proposed Project in the City of Albuquerque
for Decisions Requiring a Meeting or Hearing
Mailed/Emailed to a Neighborhood Association**

Date of Notice*: 4/10/2024

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Neighborhood Association (NA)*: Citizens Informaton Committee of Martineztown

Name of NA Representative*: Renee Martinez

Email Address* or Mailing Address* of NA Representative¹: martinez.renee@gmail.com

Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address* 1100 Woodward PI NE
Location Description Tract A Plat of Gateway Subdivision
2. Property Owner* JDHQ Land Holding LLC C/O Atrium Holding Company
3. Agent/Applicant* [if applicable] Tierra West LLC
4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request²*:

Major Amendment to controlling Gateway Center site plan to allow for
Hospital Use for subject site

¹ Pursuant to [IDO Subsection 14-16-6-4\(K\)\(5\)\(a\)](#), email is sufficient if on file with the Office of Neighborhood Coordination. If no email address is on file for a particular NA representative, notice must be mailed to the mailing address on file for that representative.

² Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

5. **For Site Plan Applications only***, attach site plan showing, at a minimum:
- ▣ a. Location of proposed buildings and landscape areas.*
 - ▣ b. Access and circulation for vehicles and pedestrians.*
 - ▣ c. Maximum height of any proposed structures, with building elevations.*
 - d. **For residential development***: Maximum number of proposed dwelling units.
 - ▣ e. **For non-residential development***:
 - ▣ Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - ▣ Gross floor area for each proposed use.

Additional Information [Optional]:

From the IDO Zoning Map⁶:

1. Area of Property [typically in acres] 2.7845 Acres
 2. IDO Zone District MX-H (Appealed, previously MX-M)
 3. Overlay Zone(s) [if applicable] Martineztown/Santa Barbara - CPO-7
 4. Center or Corridor Area [if applicable] Mountain Rd and I-25 Frontage Corridors
- Current Land Use(s) [vacant, if none] Vacant
-

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

CC: Santa Barbara/Martineztown Neighborhood Association [Other Neighborhood Associations, if any]

⁶ Available here: <https://tinurl.com/idozoningmap>

[Note: Items with an asterisk (*) are required.]

**Public Notice of a Proposed Project in the City of Albuquerque
for Decisions Requiring a Meeting or Hearing
Mailed/Emailed to a Neighborhood Association**

Date of Notice*: 4/10/2024

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Neighborhood Association (NA)*: Citizens Informaton Committee of Martineztown

Name of NA Representative*: Kristi Houde

Email Address* or Mailing Address* of NA Representative¹: kris042898@icloud.com

Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address* 1100 Woodward PI NE
Location Description Tract A Plat of Gateway Subdivision
2. Property Owner* JDHQ Land Holding LLC C/O Atrium Holding Company
3. Agent/Applicant* [if applicable] Tierra West LLC
4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request²*:

Major Amendment to controlling Gateway Center site plan to allow for
Hospital Use for subject site

¹ Pursuant to [IDO Subsection 14-16-6-4\(K\)\(5\)\(a\)](#), email is sufficient if on file with the Office of Neighborhood Coordination. If no email address is on file for a particular NA representative, notice must be mailed to the mailing address on file for that representative.

² Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

5. **For Site Plan Applications only***, attach site plan showing, at a minimum:
- ▣ a. Location of proposed buildings and landscape areas.*
 - ▣ b. Access and circulation for vehicles and pedestrians.*
 - ▣ c. Maximum height of any proposed structures, with building elevations.*
 - d. **For residential development***: Maximum number of proposed dwelling units.
 - ▣ e. **For non-residential development***:
 - ▣ Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - ▣ Gross floor area for each proposed use.

Additional Information [Optional]:

From the IDO Zoning Map⁶:

1. Area of Property [typically in acres] 2.7845 Acres
 2. IDO Zone District MX-H (Appealed, previously MX-M)
 3. Overlay Zone(s) [if applicable] Martineztown/Santa Barbara - CPO-7
 4. Center or Corridor Area [if applicable] Mountain Rd and I-25 Frontage Corridors
- Current Land Use(s) [vacant, if none] Vacant
-

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

CC: Santa Barbara/Martineztown Neighborhood Association [Other Neighborhood Associations, if any]

⁶ Available here: <https://tinurl.com/idozoningmap>


[#2023123] 1100 Woodward Pl - Notice of Submittal

Adam Johnstone <AJohnstone@tierrawestllc.com>

Thu 4/4/2024 9:27 AM

To: Injalopez@msn.com <Injalopez@msn.com>;theresa.illgen@aps.edu <theresa.illgen@aps.edu>

Cc: Sergio Lozoya <SLozoya@tierrawestllc.com>; Donna Bohannan <djb@tierrawestllc.com>

 6 attachments (17 MB)

3 - Zone Atlas J-15-Z.pdf; 13 - Site Plan.pdf; DRB-94-183 (2).pdf; Elevations 3.18.24.pdf; Loretta Naranjo Lopez Notice.pdf; Theresa Illgen Notice.pdf;

Good morning, SBMTNA representatives,

Attached is a notice of submittal for the 1100 Woodward Pl project, along with the Zone Atlas Map and related drawings.

Thank you,

Adam Johnstone

Associate Land Use Planner

AJohnstone@tierrawestllc.com

Tierra West LLC

5571 Midway Park Place NE

Albuquerque, NM 87109

(505) 858-3100



[#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Adam Johnstone <AJohnstone@tierrawestllc.com>

Wed 4/10/2024 9:27 AM

To:kris042898@icloud.com <kris042898@icloud.com>

Cc:Sergio Lozoya <SLozoya@tierrawestllc.com>;Donna Bohannan <djb@tierrawestllc.com>;martinez.renee@gmail.com <martinez.renee@gmail.com>

 4 attachments (2 MB)

Kristi Houde Meeting Request.pdf; Kristi Houde Submittal Notice.pdf; 13 - Site Plan.pdf; Elevations 3.18.24.pdf;

Kristi,

Attached is both a meeting request and submittal notice for the aforementioned project, along with relevant attachments. I had sent both you and Renee Martinez an email containing this, but it was not delivered to you due to a message size limitation. I have not attached the Zone Atlas Map or the controlling site plan as they were too large - they are both attached to the email successfully sent to Renee earlier today.

Please let us know if you have any questions.

Thank you,

Adam Johnstone

Associate Land Use Planner

AJohnstone@tierrawestllc.com

Tierra West LLC

5571 Midway Park Place NE

Albuquerque, NM 87109

(505) 858-3100




Delivered: [#2023123] 1100 Woodward PI - Notice of Submittal

postmaster@outlook.com <postmaster@outlook.com>

Thu 4/4/2024 9:31 AM

To:Injalopez@msn.com <Injalopez@msn.com>

 1 attachments (30 KB)

[#2023123] 1100 Woodward PI - Notice of Submittal;

Your message has been delivered to the following recipients:

[Injalopez@msn.com \(Injalopez@msn.com\)](mailto:Injalopez@msn.com)

Subject: [#2023123] 1100 Woodward PI - Notice of Submittal


Relayed: [#2023123] 1100 Woodward PI - Notice of Submittal

Microsoft Outlook

<MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tierrawestllc.com>

Thu 4/4/2024 9:27 AM

To:theresa.illgen@aps.edu <theresa.illgen@aps.edu>

 1 attachments (18 KB)

[#2023123] 1100 Woodward PI - Notice of Submittal;

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

theresa.illgen@aps.edu (theresa.illgen@aps.edu)

Subject: [#2023123] 1100 Woodward PI - Notice of Submittal

Re: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Renee Martinez <martinez.renee@gmail.com>

Wed 4/10/2024 11:42 AM

To: Adam Johnstone <AJohnstone@tierrawestllc.com>; Kristi Houde <kris042898@icloud.com>; Roslyn Kloeppel <roslyn_kloeppel@live.com>; Sergio Viscoli <Sviscoli@yahoo.com>; susanhobson95@Yahoo.com <susanhobson95@yahoo.com>; Meghan Martinez <meghan.martinez@gmail.com>

Thanks Adam,

I will look at the documents and share them with the CICM board. The document seems too large to send on its own.

Renee Martinez, CICM president.

martinez.renee@gmail.com

On Wed, Apr 10, 2024 at 9:21 AM Adam Johnstone <AJohnstone@tierrawestllc.com> wrote:

Good morning, Citizens Information Committee of Martineztown representatives,

Attached are both Meeting Requests and Submittal Notices for the aforementioned project, along with all relevant materials. Please let us know if you have any questions.

Thank you,

Adam Johnstone

Associate Land Use Planner

AJohnstone@tierrawestllc.com

Tierra West LLC

5571 Midway Park Place NE

Albuquerque, NM 87109

(505) 858-3100



Undeliverable: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Microsoft Outlook <MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tierrawestllc.com>

Wed 4/10/2024 9:27 AM

To:kris042898@icloud.com <kris042898@icloud.com>

1 attachments (2 MB)

[#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice;



Your message to kris042898@icloud.com couldn't be delivered.

Security or policy settings at icloud.com have rejected your message.

AJohnstone

Office 365

icloud.com

Sender

Action Required

Security or policy violation

How to Fix It

The recipient's email server won't accept your message because it appears to violate their security or policy settings. Check the **Reported error** below to see if you can determine why it was blocked. Then try one or more of the following:

- If the error mentions SPF, DKIM, or DMARC issues, forward this message to your email admin for assistance.
- The recipient's email server might suspect that your message is spam. Follow the guidance in this article: [E-mailing Best Practices for Senders](#). Then resend your message.
- If the error suggests your message is too large, try to reduce the size of your attachment. If that isn't possible, place the file on a publicly accessible cloud storage location, like OneDrive. Then add a link to the file in your message, and resend the message.
- Contact the recipient (by phone, for example) and tell them to ask their email admin to add you or your email domain to their allowed senders list.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? [Send feedback to Microsoft](#).


More Info for Email Admins

Status code: 550 5.7.1

This error occurs when the recipient's domain has security or policy settings that reject the sender's message. However, we were unable to determine the specific setting that's causing this rejection. Usually the error is reported by an email server outside of Office 365. Common issues include the following: the receiving server suspects the message is malicious or spam; the Sender Policy Framework (SPF) record for tierrawestllc.com is incorrectly configured or doesn't exist; or the message includes an attachment larger than the receiving server will accept. Try one or more of the following:


Review the reported error - Check the **Reported error** shown below to help determine what the issue might be. For example, if the issue is related to an SPF failure, the reported error will usually include the acronym "SPF" or the phrase "Sender Policy Framework."

Correctly configure your SPF records - If you're the sender's email admin, make sure your domain's SPF records at your domain registrar are properly configured. Office 365 supports only one SPF record (a TXT record that defines SPF) for your domain. Include



For more details about the Integrated Development Ordinance visit: <http://www.cabq.gov/planning/codes-policies-regulations/integrated-development-ordinance>


IDO Zone Atlas May 2018



IDO Zoning information as of May 17, 2018
The Zone Districts and Overlay Zones
are established by the
Integrated Development Ordinance (IDO).



Zone Atlas Page:
J-15-Z

- Easement
- Escarpment
- Petroglyph National Monument
- Areas Outside of City Limits
- Airport Protection Overlay (APO) Zone
- Character Protection Overlay (CPO) Zone
- Historic Protection Overlay (HPO) Zone
- View Protection Overlay (VPO) Zone




Gray Shading
Represents Area Outside
of the City Limits

N

DRB-94-183



DRB-94-183

CITY OF ALBUQUERQUE

APPROVED FOR THE CITY OF ALBUQUERQUE

APPROVED FOR THE CITY OF ALBUQUERQUE

APPROVED FOR THE CITY OF ALBUQUERQUE

APPROVED FOR THE CITY OF ALBUQUERQUE

APPROVED FOR THE CITY OF ALBUQUERQUE

PLANS/PLATS ON FILE


FILE DESC: DRB-94-183

PLANS/PLATS 5



CITY OF ALBUQUERQUE

DRB 44-183




DRB 44-183
 AREA RESERVED FOR RAUM (OCCUPATION)
 3.3 ACRES

See Plan for additional details.
 AREA 1.1
 AREA 1.2
 AREA 1.3
 AREA 1.4
 AREA 1.5
 AREA 1.6
 AREA 1.7

Building Height (ft) 100
 150
 200
 250
 300
 350
 400
 450
 500
 550
 600
 650
 700
 750
 800
 850
 900
 950
 1000



CITY OF ALBUQUERQUE
 SANDIA FOUNDATION
 1000 UNIVERSITY AVENUE, N.E.
 ALBUQUERQUE, N.M. 87102
 (505) 243-1000



D 2
C 20
B 6
A 2

CITY OF ALBUQUERQUE

C D F



028-94-153
(2015)

FOR THE CITY OF ALBUQUERQUE

CITY OF ALBUQUERQUE

CITY OF ALBUQUERQUE
This document is certified to be a true and correct copy of the original as shown to the City Engineer on the date indicated in the notes and was prepared in the manner and form required by the City of Albuquerque, New Mexico.


APPROVED FOR THE CITY OF ALBUQUERQUE

CONDITIONS OF SITE PLAN FOR SUBDIVISION APPROVAL

AREA	ACRES	PERCENT	REMARKS
AREA 1	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 2	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 3	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 4	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 5	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 6	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 7	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 8	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 9	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 10	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 11	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 12	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 13	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 14	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 15	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 16	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 17	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 18	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 19	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 20	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 21	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 22	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 23	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 24	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 25	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 26	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 27	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 28	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 29	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 30	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 31	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 32	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 33	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 34	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 35	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 36	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 37	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 38	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 39	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 40	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 41	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 42	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 43	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 44	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 45	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 46	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 47	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 48	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 49	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 50	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 51	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 52	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 53	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 54	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 55	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 56	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 57	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 58	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 59	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 60	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 61	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 62	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 63	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 64	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 65	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 66	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 67	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 68	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 69	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 70	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 71	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 72	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 73	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 74	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 75	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 76	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 77	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 78	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 79	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 80	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 81	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 82	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 83	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 84	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 85	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 86	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 87	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 88	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 89	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 90	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 91	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 92	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 93	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 94	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 95	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 96	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 97	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 98	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 99	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 100	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE

AREA RESERVED FOR PUBLIC UTILITIES AND NOT TO BE USED FOR ANY OTHER PURPOSES.

APPROVED BY: *[Signature]*
 DATE: 10/15/83
 PROJECT NO. 100-100000-0000



1. The applicant shall provide...
2. The applicant shall provide...
3. The applicant shall provide...
4. The applicant shall provide...
5. The applicant shall provide...

10/15/83
 100-100000-0000


DEVELOPMENT REVIEW BOARD

DRB-94-183
(1/15/95)

AREA	ACRES	PERCENTAGE OF TOTAL	PERCENTAGE OF TOTAL
AREA 1	14.00	100%	100%
AREA 2	14.00	100%	100%
AREA 3	14.00	100%	100%
AREA 4	14.00	100%	100%
AREA 5	14.00	100%	100%
AREA 6	14.00	100%	100%
AREA 7	14.00	100%	100%
AREA 8	14.00	100%	100%
AREA 9	14.00	100%	100%
AREA 10	14.00	100%	100%
AREA 11	14.00	100%	100%
AREA 12	14.00	100%	100%
AREA 13	14.00	100%	100%
AREA 14	14.00	100%	100%
AREA 15	14.00	100%	100%
AREA 16	14.00	100%	100%
AREA 17	14.00	100%	100%
AREA 18	14.00	100%	100%
AREA 19	14.00	100%	100%
AREA 20	14.00	100%	100%
AREA 21	14.00	100%	100%
AREA 22	14.00	100%	100%
AREA 23	14.00	100%	100%
AREA 24	14.00	100%	100%
AREA 25	14.00	100%	100%
AREA 26	14.00	100%	100%
AREA 27	14.00	100%	100%
AREA 28	14.00	100%	100%
AREA 29	14.00	100%	100%
AREA 30	14.00	100%	100%
AREA 31	14.00	100%	100%
AREA 32	14.00	100%	100%
AREA 33	14.00	100%	100%
AREA 34	14.00	100%	100%
AREA 35	14.00	100%	100%
AREA 36	14.00	100%	100%
AREA 37	14.00	100%	100%
AREA 38	14.00	100%	100%
AREA 39	14.00	100%	100%
AREA 40	14.00	100%	100%
AREA 41	14.00	100%	100%
AREA 42	14.00	100%	100%
AREA 43	14.00	100%	100%
AREA 44	14.00	100%	100%
AREA 45	14.00	100%	100%
AREA 46	14.00	100%	100%
AREA 47	14.00	100%	100%
AREA 48	14.00	100%	100%
AREA 49	14.00	100%	100%
AREA 50	14.00	100%	100%
AREA 51	14.00	100%	100%
AREA 52	14.00	100%	100%
AREA 53	14.00	100%	100%
AREA 54	14.00	100%	100%
AREA 55	14.00	100%	100%
AREA 56	14.00	100%	100%
AREA 57	14.00	100%	100%
AREA 58	14.00	100%	100%
AREA 59	14.00	100%	100%
AREA 60	14.00	100%	100%
AREA 61	14.00	100%	100%
AREA 62	14.00	100%	100%
AREA 63	14.00	100%	100%
AREA 64	14.00	100%	100%
AREA 65	14.00	100%	100%
AREA 66	14.00	100%	100%
AREA 67	14.00	100%	100%
AREA 68	14.00	100%	100%
AREA 69	14.00	100%	100%
AREA 70	14.00	100%	100%
AREA 71	14.00	100%	100%
AREA 72	14.00	100%	100%
AREA 73	14.00	100%	100%
AREA 74	14.00	100%	100%
AREA 75	14.00	100%	100%
AREA 76	14.00	100%	100%
AREA 77	14.00	100%	100%
AREA 78	14.00	100%	100%
AREA 79	14.00	100%	100%
AREA 80	14.00	100%	100%
AREA 81	14.00	100%	100%
AREA 82	14.00	100%	100%
AREA 83	14.00	100%	100%
AREA 84	14.00	100%	100%
AREA 85	14.00	100%	100%
AREA 86	14.00	100%	100%
AREA 87	14.00	100%	100%
AREA 88	14.00	100%	100%
AREA 89	14.00	100%	100%
AREA 90	14.00	100%	100%
AREA 91	14.00	100%	100%
AREA 92	14.00	100%	100%
AREA 93	14.00	100%	100%
AREA 94	14.00	100%	100%
AREA 95	14.00	100%	100%
AREA 96	14.00	100%	100%
AREA 97	14.00	100%	100%
AREA 98	14.00	100%	100%
AREA 99	14.00	100%	100%
AREA 100	14.00	100%	100%

CONDITIONS OF SITE PLAN
 1. The applicant shall comply with all applicable codes, ordinances, and regulations of the City of Alexandria, Virginia, and the State of Virginia.
 2. The applicant shall provide adequate parking for all vehicles.
 3. The applicant shall provide adequate landscaping and screening.
 4. The applicant shall provide adequate lighting.
 5. The applicant shall provide adequate signage.
 6. The applicant shall provide adequate access to the site.
 7. The applicant shall provide adequate drainage.
 8. The applicant shall provide adequate utilities.
 9. The applicant shall provide adequate fire protection.
 10. The applicant shall provide adequate security.

AREA RESERVED FOR
 1.4 ACRES IF NOT
 USED FOR THE
 PROPOSED TRAIL



AREA	ACRES	PERCENTAGE OF TOTAL	PERCENTAGE OF TOTAL
AREA 1	10.00	100%	100%
AREA 2	10.00	100%	100%
AREA 3	10.00	100%	100%
AREA 4	10.00	100%	100%
AREA 5	10.00	100%	100%
AREA 6	10.00	100%	100%
AREA 7	10.00	100%	100%
AREA 8	10.00	100%	100%
AREA 9	10.00	100%	100%
AREA 10	10.00	100%	100%
AREA 11	10.00	100%	100%
AREA 12	10.00	100%	100%
AREA 13	10.00	100%	100%
AREA 14	10.00	100%	100%
AREA 15	10.00	100%	100%
AREA 16	10.00	100%	100%
AREA 17	10.00	100%	100%
AREA 18	10.00	100%	100%
AREA 19	10.00	100%	100%
AREA 20	10.00	100%	100%
AREA 21	10.00	100%	100%
AREA 22	10.00	100%	100%
AREA 23	10.00	100%	100%
AREA 24	10.00	100%	100%
AREA 25	10.00	100%	100%
AREA 26	10.00	100%	100%
AREA 27	10.00	100%	100%
AREA 28	10.00	100%	100%
AREA 29	10.00	100%	100%
AREA 30	10.00	100%	100%
AREA 31	10.00	100%	100%
AREA 32	10.00	100%	100%
AREA 33	10.00	100%	100%
AREA 34	10.00	100%	100%
AREA 35	10.00	100%	100%
AREA 36	10.00	100%	100%
AREA 37	10.00	100%	100%
AREA 38	10.00	100%	100%
AREA 39	10.00	100%	100%
AREA 40	10.00	100%	100%
AREA 41	10.00	100%	100%
AREA 42	10.00	100%	100%
AREA 43	10.00	100%	100%
AREA 44	10.00	100%	100%
AREA 45	10.00	100%	100%
AREA 46	10.00	100%	100%
AREA 47	10.00	100%	100%
AREA 48	10.00	100%	100%
AREA 49	10.00	100%	100%
AREA 50	10.00	100%	100%
AREA 51	10.00	100%	100%
AREA 52	10.00	100%	100%
AREA 53	10.00	100%	100%
AREA 54	10.00	100%	100%
AREA 55	10.00	100%	100%
AREA 56	10.00	100%	100%
AREA 57	10.00	100%	100%
AREA 58	10.00	100%	100%
AREA 59	10.00	100%	100%
AREA 60	10.00	100%	100%
AREA 61	10.00	100%	100%
AREA 62	10.00	100%	100%
AREA 63	10.00	100%	100%
AREA 64	10.00	100%	100%
AREA 65	10.00	100%	100%
AREA 66	10.00	100%	100%
AREA 67	10.00	100%	100%
AREA 68	10.00	100%	100%
AREA 69	10.00	100%	100%
AREA 70	10.00	100%	100%
AREA 71	10.00	100%	100%
AREA 72	10.00	100%	100%
AREA 73	10.00	100%	100%
AREA 74	10.00	100%	100%
AREA 75	10.00	100%	100%
AREA 76	10.00	100%	100%
AREA 77	10.00	100%	100%
AREA 78	10.00	100%	100%
AREA 79	10.00	100%	100%
AREA 80	10.00	100%	100%
AREA 81	10.00	100%	100%
AREA 82	10.00	100%	100%
AREA 83	10.00	100%	100%
AREA 84	10.00	100%	100%
AREA 85	10.00	100%	100%
AREA 86	10.00	100%	100%
AREA 87	10.00	100%	100%
AREA 88	10.00	100%	100%
AREA 89	10.00	100%	100%
AREA 90	10.00	100%	100%
AREA 91	10.00	100%	100%
AREA 92	10.00	100%	100%
AREA 93	10.00	100%	100%
AREA 94	10.00	100%	100%
AREA 95	10.00	100%	100%
AREA 96	10.00	100%	100%
AREA 97	10.00	100%	100%
AREA 98	10.00	100%	100%
AREA 99	10.00	100%	100%
AREA 100	10.00	100%	100%



LEGEND
 1. Proposed Site
 2. Existing Site
 3. Proposed Access
 4. Proposed Parking
 5. Proposed Landscaping
 6. Proposed Signage
 7. Proposed Utilities
 8. Proposed Fire Protection
 9. Proposed Security
 10. Proposed Trail



CITY OF ALEXANDRIA
 THE ENGINEER HAS REVIEWED THE SITE PLAN AND APPROVES IT AS TO THE TECHNICAL ASPECTS OF THE PROJECT.

[Signature]
 CITY ENGINEER
 CITY OF ALEXANDRIA



CITY OF ALEXANDRIA

C


F

11/18/11 (5/11/11)

CONDITIONS OF SITE PLAN FOR SUBDIVISION APPROVAL

NO.	DESCRIPTION	AREA (ACRES)	PERCENTAGE OF TOTAL
1	AREA 1.1	3.5	10.0
2	AREA 1.2	5.0	14.3
3	AREA 1.3	2.5	7.1
4	AREA 1.4	1.0	2.9
5	AREA 1.5	1.0	2.9
6	AREA 1.6	1.0	2.9
7	AREA 1.7	1.0	2.9
8	AREA 1.8	1.0	2.9
9	AREA 1.9	1.0	2.9
10	AREA 1.10	1.0	2.9
11	AREA 1.11	1.0	2.9
12	AREA 1.12	1.0	2.9
13	AREA 1.13	1.0	2.9
14	AREA 1.14	1.0	2.9
15	AREA 1.15	1.0	2.9
16	AREA 1.16	1.0	2.9
17	AREA 1.17	1.0	2.9
18	AREA 1.18	1.0	2.9
19	AREA 1.19	1.0	2.9
20	AREA 1.20	1.0	2.9
21	AREA 1.21	1.0	2.9
22	AREA 1.22	1.0	2.9
23	AREA 1.23	1.0	2.9
24	AREA 1.24	1.0	2.9
25	AREA 1.25	1.0	2.9
26	AREA 1.26	1.0	2.9
27	AREA 1.27	1.0	2.9
28	AREA 1.28	1.0	2.9
29	AREA 1.29	1.0	2.9
30	AREA 1.30	1.0	2.9
31	AREA 1.31	1.0	2.9
32	AREA 1.32	1.0	2.9
33	AREA 1.33	1.0	2.9
34	AREA 1.34	1.0	2.9
35	AREA 1.35	1.0	2.9
36	AREA 1.36	1.0	2.9
37	AREA 1.37	1.0	2.9
38	AREA 1.38	1.0	2.9
39	AREA 1.39	1.0	2.9
40	AREA 1.40	1.0	2.9
41	AREA 1.41	1.0	2.9
42	AREA 1.42	1.0	2.9
43	AREA 1.43	1.0	2.9
44	AREA 1.44	1.0	2.9
45	AREA 1.45	1.0	2.9
46	AREA 1.46	1.0	2.9
47	AREA 1.47	1.0	2.9
48	AREA 1.48	1.0	2.9
49	AREA 1.49	1.0	2.9
50	AREA 1.50	1.0	2.9

AREA RESERVED FOR REMEDIATION AND NOT REQUIRED AREA WILL BE ADJUDICATED TRACTS



THE CITY OF ALBUQUERQUE, NEW MEXICO, HAS REVIEWED THIS SITE PLAN AND HAS DETERMINED THAT THE PROPOSED DEVELOPMENT IS IN ACCORDANCE WITH THE CITY OF ALBUQUERQUE SUBDIVISION ACT AND THE CITY OF ALBUQUERQUE SUBDIVISION REGULATIONS. THE CITY OF ALBUQUERQUE HAS ISSUED THIS SITE PLAN APPROVAL SUBJECT TO THE CONDITIONS OF THIS SITE PLAN APPROVAL.



1. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

2. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

3. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

4. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

5. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

6. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

7. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

8. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

9. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

10. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.



1. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

2. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

3. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

4. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

5. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

6. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

7. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

8. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

9. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

10. The proposed development shall be in accordance with the City of Albuquerque Subdivision Act and the City of Albuquerque Subdivision Regulations.

CONDITIONS OF SITE PLAN FOR SUBDIVISION APPROVAL

1. The applicant shall comply with all applicable zoning, subdivision, and other ordinances of the City of Albuquerque.

2. The applicant shall provide a performance guarantee for the construction of the proposed improvements.

3. The applicant shall provide a performance guarantee for the maintenance of the proposed improvements.

4. The applicant shall provide a performance guarantee for the removal of the proposed improvements.

5. The applicant shall provide a performance guarantee for the restoration of the proposed improvements.

6. The applicant shall provide a performance guarantee for the replacement of the proposed improvements.

7. The applicant shall provide a performance guarantee for the repair of the proposed improvements.

8. The applicant shall provide a performance guarantee for the reconstruction of the proposed improvements.

9. The applicant shall provide a performance guarantee for the reconstruction of the proposed improvements.

10. The applicant shall provide a performance guarantee for the reconstruction of the proposed improvements.

AREA RESERVED FOR FARM ADJUSTMENT PROGRAM PURPOSES. THIS AREA WILL BE REVERTED TO THE BUREAU OF LAND MANAGEMENT UPON THE COMPLETION OF THE PROJECT.


AREA	ACRES	PERCENTAGE	REMARKS
1	10.00	100%	Area 1
2	10.00	100%	Area 2
3	10.00	100%	Area 3
4	10.00	100%	Area 4
5	10.00	100%	Area 5
6	10.00	100%	Area 6
7	10.00	100%	Area 7
8	10.00	100%	Area 8
9	10.00	100%	Area 9
10	10.00	100%	Area 10

APPROVED BY THE CITY OF ALBUQUERQUE

[Signature]
 City Engineer

APPROVED BY THE APPLICANT

[Signature]
 Project Engineer



- 1. The applicant shall provide a performance guarantee for the construction of the proposed improvements.
- 2. The applicant shall provide a performance guarantee for the maintenance of the proposed improvements.
- 3. The applicant shall provide a performance guarantee for the removal of the proposed improvements.
- 4. The applicant shall provide a performance guarantee for the restoration of the proposed improvements.
- 5. The applicant shall provide a performance guarantee for the replacement of the proposed improvements.
- 6. The applicant shall provide a performance guarantee for the repair of the proposed improvements.
- 7. The applicant shall provide a performance guarantee for the reconstruction of the proposed improvements.
- 8. The applicant shall provide a performance guarantee for the reconstruction of the proposed improvements.
- 9. The applicant shall provide a performance guarantee for the reconstruction of the proposed improvements.
- 10. The applicant shall provide a performance guarantee for the reconstruction of the proposed improvements.



988-84-173
 (2475)

CITY OF ALBUQUERQUE

C

D

F

CITY OF ALBUQUERQUE
 THE ENGINEER OF THE CITY ENGINEER'S OFFICE HAS REVIEWED THIS SITE PLAN AND FINDS IT TO BE IN ACCORDANCE WITH THE CITY ENGINEER'S OFFICE STANDARDS FOR SUBDIVISION APPROVAL.

[Signature]
 City Engineer

DEVELOPMENT REVIEW BOARD

DRB-94-183



AREA	ACRES	PERCENTAGE	DATE
1	1.00	100%	1/1/00
2	1.00	100%	1/1/00
3	1.00	100%	1/1/00
4	1.00	100%	1/1/00
5	1.00	100%	1/1/00
6	1.00	100%	1/1/00
7	1.00	100%	1/1/00
8	1.00	100%	1/1/00
9	1.00	100%	1/1/00
10	1.00	100%	1/1/00
11	1.00	100%	1/1/00
12	1.00	100%	1/1/00
13	1.00	100%	1/1/00
14	1.00	100%	1/1/00
15	1.00	100%	1/1/00
16	1.00	100%	1/1/00
17	1.00	100%	1/1/00
18	1.00	100%	1/1/00
19	1.00	100%	1/1/00
20	1.00	100%	1/1/00

CONDITIONS AS SET FORTH FOR SUBDIVISION APPROVAL

1. The applicant shall provide a copy of this plan to the City of Albuquerque...

2. The applicant shall provide a copy of this plan to the City of Albuquerque...

3. The applicant shall provide a copy of this plan to the City of Albuquerque...

4. The applicant shall provide a copy of this plan to the City of Albuquerque...

5. The applicant shall provide a copy of this plan to the City of Albuquerque...

6. The applicant shall provide a copy of this plan to the City of Albuquerque...

7. The applicant shall provide a copy of this plan to the City of Albuquerque...

8. The applicant shall provide a copy of this plan to the City of Albuquerque...

9. The applicant shall provide a copy of this plan to the City of Albuquerque...

10. The applicant shall provide a copy of this plan to the City of Albuquerque...

11. The applicant shall provide a copy of this plan to the City of Albuquerque...

12. The applicant shall provide a copy of this plan to the City of Albuquerque...

13. The applicant shall provide a copy of this plan to the City of Albuquerque...

14. The applicant shall provide a copy of this plan to the City of Albuquerque...

15. The applicant shall provide a copy of this plan to the City of Albuquerque...


16. The applicant shall provide a copy of this plan to the City of Albuquerque...

17. The applicant shall provide a copy of this plan to the City of Albuquerque...

18. The applicant shall provide a copy of this plan to the City of Albuquerque...

19. The applicant shall provide a copy of this plan to the City of Albuquerque...

20. The applicant shall provide a copy of this plan to the City of Albuquerque...



NOTICE TO THE PUBLIC

1. The applicant shall provide a copy of this plan to the City of Albuquerque...

2. The applicant shall provide a copy of this plan to the City of Albuquerque...

3. The applicant shall provide a copy of this plan to the City of Albuquerque...

4. The applicant shall provide a copy of this plan to the City of Albuquerque...

5. The applicant shall provide a copy of this plan to the City of Albuquerque...

6. The applicant shall provide a copy of this plan to the City of Albuquerque...

7. The applicant shall provide a copy of this plan to the City of Albuquerque...

8. The applicant shall provide a copy of this plan to the City of Albuquerque...

9. The applicant shall provide a copy of this plan to the City of Albuquerque...

10. The applicant shall provide a copy of this plan to the City of Albuquerque...

11. The applicant shall provide a copy of this plan to the City of Albuquerque...

12. The applicant shall provide a copy of this plan to the City of Albuquerque...

13. The applicant shall provide a copy of this plan to the City of Albuquerque...

14. The applicant shall provide a copy of this plan to the City of Albuquerque...

15. The applicant shall provide a copy of this plan to the City of Albuquerque...

16. The applicant shall provide a copy of this plan to the City of Albuquerque...

17. The applicant shall provide a copy of this plan to the City of Albuquerque...

18. The applicant shall provide a copy of this plan to the City of Albuquerque...

19. The applicant shall provide a copy of this plan to the City of Albuquerque...

20. The applicant shall provide a copy of this plan to the City of Albuquerque...



CITY OF ALBUQUERQUE

THE RECORDING OF THIS PLAN IS HEREBY APPROVED AS TO THE FORM AND CONTENTS OF THE INSTRUMENT.

CITY OF ALBUQUERQUE

THE RECORDING OF THIS PLAN IS HEREBY APPROVED AS TO THE FORM AND CONTENTS OF THE INSTRUMENT.

CITY OF ALBUQUERQUE

THE RECORDING OF THIS PLAN IS HEREBY APPROVED AS TO THE FORM AND CONTENTS OF THE INSTRUMENT.



CITY OF ALBUQUERQUE

C

F

CONDITIONS OF SITE PLAN FOR SUBDIVISION APPROVAL

1. The applicant shall comply with all applicable laws, ordinances, rules and regulations of the City of Albuquerque, State of New Mexico and the Federal Government.

2. The applicant shall provide and maintain adequate access to all lots and areas shown on this site plan.

3. The applicant shall provide and maintain adequate drainage for all lots and areas shown on this site plan.

4. The applicant shall provide and maintain adequate utilities for all lots and areas shown on this site plan.

5. The applicant shall provide and maintain adequate lighting for all lots and areas shown on this site plan.

6. The applicant shall provide and maintain adequate security for all lots and areas shown on this site plan.

7. The applicant shall provide and maintain adequate landscaping for all lots and areas shown on this site plan.

8. The applicant shall provide and maintain adequate signage for all lots and areas shown on this site plan.

9. The applicant shall provide and maintain adequate parking for all lots and areas shown on this site plan.

10. The applicant shall provide and maintain adequate storage for all lots and areas shown on this site plan.

11. The applicant shall provide and maintain adequate maintenance for all lots and areas shown on this site plan.

12. The applicant shall provide and maintain adequate safety for all lots and areas shown on this site plan.

13. The applicant shall provide and maintain adequate health for all lots and areas shown on this site plan.

14. The applicant shall provide and maintain adequate welfare for all lots and areas shown on this site plan.

15. The applicant shall provide and maintain adequate peace for all lots and areas shown on this site plan.

16. The applicant shall provide and maintain adequate quiet for all lots and areas shown on this site plan.

17. The applicant shall provide and maintain adequate order for all lots and areas shown on this site plan.

18. The applicant shall provide and maintain adequate decency for all lots and areas shown on this site plan.

19. The applicant shall provide and maintain adequate morality for all lots and areas shown on this site plan.


20. The applicant shall provide and maintain adequate good will for all lots and areas shown on this site plan.

ALBUQUERQUE WATER

1.000' = 1" (VERTICAL SCALE)

1.000' = 1" (HORIZONTAL SCALE)

AREA	ACRES	PERCENT
AREA 1	3.5	7.0
AREA 2	14.0	28.0
AREA 3	3.5	7.0
AREA 4	14.0	28.0
AREA 5	3.5	7.0
AREA 6	14.0	28.0
AREA 7	3.5	7.0
AREA 8	14.0	28.0
AREA 9	3.5	7.0
AREA 10	14.0	28.0
AREA 11	3.5	7.0
AREA 12	14.0	28.0
AREA 13	3.5	7.0
AREA 14	14.0	28.0
AREA 15	3.5	7.0
AREA 16	14.0	28.0
AREA 17	3.5	7.0
AREA 18	14.0	28.0
AREA 19	3.5	7.0
AREA 20	14.0	28.0



NOTICE TO THE PUBLIC

The applicant has filed this site plan with the City of Albuquerque for approval. The applicant is responsible for providing and maintaining all utilities, drainage, lighting, security, landscaping, signage, parking, storage, maintenance, safety, health, welfare, peace, quiet, order, decency, morality, and good will for all lots and areas shown on this site plan.

NOTICE TO THE APPLICANT

The applicant shall comply with all applicable laws, ordinances, rules and regulations of the City of Albuquerque, State of New Mexico and the Federal Government.

NOTICE TO THE ADJACENT PROPERTY OWNERS

The applicant shall provide and maintain adequate access to all lots and areas shown on this site plan.

NOTICE TO THE PUBLIC

The applicant shall provide and maintain adequate drainage for all lots and areas shown on this site plan.

NOTICE TO THE APPLICANT

The applicant shall provide and maintain adequate utilities for all lots and areas shown on this site plan.

NOTICE TO THE ADJACENT PROPERTY OWNERS

The applicant shall provide and maintain adequate lighting for all lots and areas shown on this site plan.

NOTICE TO THE PUBLIC

The applicant shall provide and maintain adequate security for all lots and areas shown on this site plan.

NOTICE TO THE APPLICANT

The applicant shall provide and maintain adequate landscaping for all lots and areas shown on this site plan.

NOTICE TO THE ADJACENT PROPERTY OWNERS

The applicant shall provide and maintain adequate signage for all lots and areas shown on this site plan.

NOTICE TO THE PUBLIC

The applicant shall provide and maintain adequate parking for all lots and areas shown on this site plan.

NOTICE TO THE APPLICANT

The applicant shall provide and maintain adequate storage for all lots and areas shown on this site plan.

NOTICE TO THE ADJACENT PROPERTY OWNERS

The applicant shall provide and maintain adequate maintenance for all lots and areas shown on this site plan.

NOTICE TO THE PUBLIC

The applicant shall provide and maintain adequate safety for all lots and areas shown on this site plan.

NOTICE TO THE APPLICANT

The applicant shall provide and maintain adequate health for all lots and areas shown on this site plan.

NOTICE TO THE ADJACENT PROPERTY OWNERS

The applicant shall provide and maintain adequate welfare for all lots and areas shown on this site plan.

NOTICE TO THE PUBLIC

The applicant shall provide and maintain adequate peace for all lots and areas shown on this site plan.

NOTICE TO THE APPLICANT

The applicant shall provide and maintain adequate quiet for all lots and areas shown on this site plan.

NOTICE TO THE ADJACENT PROPERTY OWNERS

The applicant shall provide and maintain adequate order for all lots and areas shown on this site plan.

NOTICE TO THE PUBLIC

The applicant shall provide and maintain adequate decency for all lots and areas shown on this site plan.

NOTICE TO THE APPLICANT



The applicant shall provide and maintain adequate morality for all lots and areas shown on this site plan.

NOTICE TO THE ADJACENT PROPERTY OWNERS

The applicant shall provide and maintain adequate good will for all lots and areas shown on this site plan.

DRB-94-183





LEGEND

	CURB & GUTTER
	BOUNDARY LINE
	EASEMENT
	CENTERLINE
	RIGHT-OF-WAY
	BUILDING
	SIDEWALK
	EXISTING CURB & GUTTER
	EXISTING BOUNDARY LINE
	LANDSCAPING


LINE TABLE

NO.	BEARING & DISTANCE
L1	S 73°02'15" E, 3.27'
L2	S 17°01'04" W, 109.94'
L3	S 26°24'22" W, 9.58'

CURVE TABLE

NO.	RADIUS	LENGTH	DELTA
C1	335.00'	73.03'	12°29'23"
C2	30.00'	44.66'	85°17'07"

- KEYED NOTES**
- 1 ACCESSIBLE SPACE PER ADA REQUIREMENTS WITH SIGN (2 VAN ACCESSIBLE, 5 AUTO)
 - 2 6" CURB AND GUTTER (TYP) PER COA STD DWG 2415A
 - 3 WHEEL STOP SEE DETAIL SHEET DET-1
 - 4 5' CONCRETE SIDEWALK PER COA STD DWG 2430
 - 5 UNIDIRECTIONAL ACCESSIBLE RAMP SEE DETAIL SHEET DET-1
 - 6 MOTORCYCLE SPACES (4, 8'x4') W/SIGN
 - 7 BICYCLE RACK
 - 8 LIGHT POLE TO BE RELOCATED EAST OF ENTRANCE
 - 9 CURB INLET TO BE RELOCATED EAST OF ENTRANCE
 - 10 5' PEDESTRIAN CROSSWALK
 - 11 EXISTING ACCESSIBLE RAMP
 - 12 EXISTING CONCRETE SIDEWALK
 - 13 NEW 5' CONCRETE SIDEWALK PER COA STD DWG 2430
 - 14 EXISTING LIGHT POLE TO BE RELOCATED BEHIND WALK
 - 15 EXISTING BUS STOP
 - 16 6' VALLEY GUTTER PER COA STD DWG 2420



LEGAL DESCRIPTION:
TRACT LETTERED "A" OF THE PLAT OF GATEWAY SUBDIVISION

SITE DATA

PROPOSED USAGE	MEDICAL BUILDING
LOT AREA	119591 SF (2.75 ACRES)
ZONING	MX-M
BUILDING AREA	48000 SF
BUILDING FOOTPRINT	16015 SF
BUILDING COVERAGE	13%

BUILDING SETBACK

FRONT	5'
REAR	15'
SIDE	0' SOUTH SIDE, 5' NORTH SIDE

GFA 48,000 SF/4 SPACE PER 1,000 = 192 SPACES
 5-5(C)(5)(A) PARKING REDUCTION = 20%
 5-5(C)(5)(C) PARKING REDUCTION = 20%
 REDUCED PARKING REQUIRED = 134 SPACES

PARKING PROVIDED	126 SPACES
ACCESSIBLE PARKING REQUIRED	8 SPACES
ACCESSIBLE SPACES PROVIDED	8 SPACES (2 VAN ACCESSIBLE)
TOTAL	134 SPACES

BICYCLE SPACES REQUIRED	13
BICYCLE SPACES PROVIDED	13
MOTORCYCLE SPACES REQUIRED	4 SPACES
MOTORCYCLE SPACES PROVIDED	4 SPACES

LANDSCAPE REQUIRED	20340 SF
LANDSCAPE PROVIDED	33062 SF

PROJECT NUMBER: _____

Application Number: _____

Is an Infrastructure List required? () Yes () No. If yes, then a set of approved DRC plans with a work order is required for any construction within Public Right-of-Way or for construction of public improvements.


DFT SITE DEVELOPMENT PLAN APPROVAL:

Traffic Engineering, Transportation Division	_____	Date	_____
ABCWUA	_____	Date	_____
Parks and Recreation Department	_____	Date	_____
Hydrology	_____	Date	_____
Code Enforcement	_____	Date	_____
* Environmental Health Department (conditional)	_____	Date	_____
Solid Waste Management	_____	Date	_____
Planning Department	_____	Date	_____

ENGINEER'S SEAL	NOBIS REHAB HOSPITAL 1100 WOODWARD PL.	DRAWN BY pm
	SITE PLAN	DATE 2-26-24
RONALD R. BOHANNAN P.E. #7868	 5571 MIDWAY PARK PL NE ALBUQUERQUE, NEW MEXICO 87109 (505) 858-3100 www.tierrawestllc.com	DRAWING 2023123-SP
		SHEET # SP-1
		JOB # 2023123

EXTERIOR FINISH LEGEND

	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: LIGHT GRAY STYLE: SANDBLAST		DESC.: MODULAR BRICK MANUF.: SUMMIT BRICK CO. COLOR: PEBBLE GRAY STYLE: RUNNING BOND
	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: COTTON STYLE: SANDBLAST		DESC.: ACM PANEL MANUF.: ALUCOBOND COLOR: PLATINUM ICE STYLE: 4MM RAINSCREEN
	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: TAN STYLE: SANDBLAST		DESC.: CLEAR GLAZING MANUF.: COLOR: 1/4\" SN 68 CRYSTAL GRAY STYLE: LOW-E



SOUTH ELEVATION - NOT STREET FACING

COMPLIANCE WITH 5-11(E)(2) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE
 UPPER FLOOR WINDOWS
 GROUND FLOOR WINDOWS - YES BUT SILLS AT 32"
 OVERHANGS / COLUMNS
 SUNSHADE LOUVERS
 SCREENWALL TO MATCH BUILDING

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE
 CHANGES IN COLOR
 BRICK GROUND FLOOR
 3 EIFS COLORS ON UPPER FLOORS
 FIELD COLOR
 HORIZONTAL BAND COLOR (1\" PROJECTION)
 COLOR AT 1\" INSET (PLANE CHANGE) BETWEEN WINDOWS
 MASONRY 1\" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
 EIFS BAND 1\" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2)
 PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS, EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS. PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING CORNICE AND BASE, SIMILAR TO THE BUILDING.

02 SOUTH ELEVATION
 1/16\" = 1'-0\" | NOT STREET FACING



NORTH ELEVATION - STREET FACING







COMPLIANCE WITH 5-11(E)(2) - NEED 2
 UPPER FLOOR WINDOWS
 GROUND FLOOR WINDOWS / MAIN ENTRY
 CANOPY / OVERHANGS / COLUMNS
 SUNSHADE LOUVERS





COMPLIANCE WITH 5-11(E)(3) - NEED 1
 CHANGES IN COLOR
 BRICK GROUND FLOOR
 3 EIFS COLORS ON UPPER FLOORS
 FIELD COLOR
 HORIZONTAL BAND COLOR (1\" PROJECTION)
 COLOR AT 1\" INSET (PLANE CHANGE) BETWEEN WINDOWS
 MASONRY 1\" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
 EIFS BAND 1\" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2)
 PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS, EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS. PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING CORNICE AND BASE, SIMILAR TO THE BUILDING.

01 NORTH ELEVATION
 1/16\" = 1'-0\" | STREET FACING

EXTERIOR FINISH LEGEND

	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: LIGHT GRAY STYLE: SANDBLAST		DESC.: MODULAR BRICK MANUF.: SUMMIT BRICK CO. COLOR: PEBBLE GRAY STYLE: RUNNING BOND
	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: COTTON STYLE: SANDBLAST		DESC.: ACM PANEL MANUF.: ALUCOBOND COLOR: PLATINUM ICE STYLE: 4MM RAINSCREEN
	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: TAN STYLE: SANDBLAST		DESC.: CLEAR GLAZING MANUF.: 1/4\" SM 68 CRYSTAL GRAY COLOR: 1/4\" SM 68 CRYSTAL GRAY STYLE: LOW-E



WEST ELEVATION - STREET FACING, PARTIALLY BLOCKED BY LOADING DOCK SCREEN WALL

COMPLIANCE WITH 5-11(E)(2) - NEED 2 UPPER FLOOR WINDOWS
CANOPY / OVERHANGS / COLUMNS
SECONDARY STAFF ENTRY

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, BUT PROVIDED SIMILAR TO NORTH FACADE
CHANGES IN COLOR
BRICK GROUND FLOOR
2 EIFS COLORS ON UPPER FLOORS
FIELD COLOR
HORIZONTAL BAND COLOR (1" PROJECTION)
MASONRY 1" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
EIFS BAND 1" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)


LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2)
PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS, EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS.
PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING CORNICE AND BASE, SIMILAR TO THE BUILDING.

EAST ELEVATION - STREET FACING

COMPLIANCE WITH 5-11(E)(2) - NEED 2 UPPER FLOOR WINDOWS
GROUND FLOOR WINDOWS - YES BUT SILLS AT 32"
CANOPY / OVERHANGS / COLUMNS
PRIMARY STAFF ENTRY

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE
CHANGES IN COLOR
BRICK GROUND FLOOR
2 EIFS COLORS ON UPPER FLOORS
FIELD COLOR
HORIZONTAL BAND COLOR (1" PROJECTION)
MASONRY 1" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
EIFS BAND 1" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

100' Buffer Map



JDHQ LAND HOLDING LLC C/O ATRIUM
HOLDING COMPANY
12735 MORRIS RD SUITE 400 EXT
ALPHARETTA GA 30004-8904

JDHQ HOTELS LLC ATTN: ATRIUM
HOSPITALITY
12735 MORRIS RD SUITE 400 EXT
ALPHARETTA GA 30004-8904

TRICORE REFERENCE LABORATORIES
1001 WOODWARD PL NE
ALBUQUERQUE NM 87102

NEW HEART INC
601 LOMAS BLVD NE
ALBUQUERQUE NM 87102

ARCHDIOCESE OF SANTA FE REAL
ESTATE CORPORATION
4000 ST JOSEPHS PL NW
ALBUQUERQUE NM 87120-1714

BOARD OF EDUCATION C/O PROPERTY
MANAGER
PO BOX 25704
ALBUQUERQUE NM 87125-0704

REGENTS OF UNM C/O REAL ESTATE
DEPT
1 UNIVERSITY OF NM MSC06 3595
ALBUQUERQUE NM 87131-0001

REGENTS OF UNM C/O REAL ESTATE
DEPT
1 UNIVERSITY OF NM MSC06 3595
ALBUQUERQUE NM 87131-0001

LOPEZ JUAN A & KRAUSE CAROL A
800 MOUNTAIN RD NE
ALBUQUERQUE NM 87102

VIGIL FRIEDA & GEORGE WYLER &
LOUIE WYLER & ELIZABETH GRIEGO
ETAL
2733 GRACELAND DR NE
ALBUQUERQUE NM 87102

DUNEMAN CHRISTOPHER S & JAYMIE A
919 GRECIAN AVE NW
ALBUQUERQUE NM 87102

CHAVEZ ALVIN
1122 HIGH ST NE
ALBUQUERQUE NM 87102

MOFFETT DOLORES & ALESHA MYRA
DILLANDER
103 E ARAGON RD
BELEN NM 87002-4601

CHAVEZ VALENTINO REYES
1117 HIGH ST NE
ALBUQUERQUE NM 87102-2425

MOFFETT DOLORES & ALESHA MYRA
DILLANDER
103 E ARAGON RD
BELEN NM 87002-4601

POLISAR SHIRLEY ELIZABETH CHAVEZ
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

CHAVEZ 1121 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

CHAVEZ 1119 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

CHAVEZ 1119 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

HUGH A CARLISLE POST 13 DEPT OF
NEW MEXICO
1201 MOUNTAIN RD NE
ALBUQUERQUE NM 87102-2716

SANDIA FOUNDATION C/O PARADIGM
TAX GROUP – ESS #0116
PO BOX 71870
SALT LAKE CITY UT 84171-0870

CROCKETT LAWRENCE & WOLFE
MARIA
2539 DURANES RD NW
ALBUQUERQUE NM 87104

MARTINEZ LORRAINE
1124 WALTER NE
ALBUQUERQUE NM 87120

BACA C JOHN JR
10100 CALLE BELLA NW
ALBUQUERQUE NM 87114

JAMES DELBERT & MARIA C
1020 WALTER ST NE
ALBUQUERQUE NM 87102

BACA TERESA A
BOX 5482
SANTA FE NM 87502-5482

HERNANDEZ KATHERINE
1024 WALTER ST NE
ALBUQUERQUE NM 87102

BACA JOAQUIN F & MINDY S
1006 EDITH BLVD NE
ALBUQUERQUE NM 87102

SOLANO DAVID M
1004 WALTER ST SE
ALBUQUERQUE NM 87102

SALAZAR DULCE
1002 WALTER ST NE
ALBUQUERQUE NM 87102

MONTOYA JUSTO ET UX
PO BOX 6092
ALBUQUERQUE NM 87197

DURAN JOHANNA L
920 WALTER NE
ALBUQUERQUE NE 87102

ROBLES ANDREW RAY
916 WALTER NE
ALBUQUERQUE NM 87102

CORRALEZ ANGELIQUE
916 WALTER ST NE
ALBUQUERQUE NM 87102

BACA CARLOS RAY
618 MARBLE AVE NE
ALBUQUERQUE NM 87102

GRIEGO LILLIAN
639 RESERVIOR ST
SOCORRO NM 87801-4332

MICHELMAN EVELYN
620 MARBLE AVE NE
ALBUQUERQUE NM 87102

VASQUEZ PERFECTO & LYDIA
617 PAGE AVE NE
ALBUQUERQUE NM 87102-2476

KARSTEN ELIZABETH C
1911 RICHMOND DR NE
ALBUQUERQUE NM 87106

GANBATTE HOLDINGS LLC
3431 MONTE VISTA BLVD NE
ALBUQUERQUE NM 87106

BAUER ASHLEY
614 PAGE AVE NE
ALBUQUERQUE NM 87102

SANCHEZ PATRICIA B & BACA
FILODELFIO R
616 PAGE AVE NE
ALBUQUERQUE NM 87102

SANCHEZ JOEY J JR & ALMITRA
618 ½ PAGE AVE NE
ALBUQUERQUE NM 87102

ORDONEZ-CARAVEO JUAN CARLOS &
ORDONEZ-CARAVEO RUBEN GERALDO
8400 CASA GRIS CT NW
ALBUQUERQUE NM 87102

AVILA-BORUNDA ARIADNA I &
BORUNDA LAURA
523 SLATE AVE NE
ALBUQUERQUE NM 87102

MARTHA LILLEY LLC & YELLOW HORSE
ENTERPRISES LLC
7244 SAVAGE DR NE
ALBUQUERQUE NM 87109

CHAVEZ RAMIE NICHOLE
2315 MUIR DR NW
ALBUQUERQUE NM 87120

SWEET & COMPANY LLC
PO BOX 3082
HUNTINGTON BEACH CA 92605-3082

522 LOMAS LLC
522 LOMAS BLVD NE
ALBUQUERQUE NM 87102

WHITFIELD ENTERPRISES INC
617 I STREET
PETALUMA CA 94952-4904

REGENTS OF UNM REAL ESTATE DEPT
MSC06-3595-1 UNIVERSITY OF NM
ALBUQUERQUE NM 87131

SPINE ORTHOPAEDIC &
REHABILITATION CENTER LLC C/O
WHITEMAN COMPANY LLC
7850 JEFFERSON ST NE SUITE 140
ALBUQUERQUE NM 87109

SANTA TERESA GIANT LLC
601 N MESA SUITE 1500
EL PASO TX 79901-1225

SANDIA FOUNDATION
6211 SAN MATEO BLVD NE SUITE 100
ALBUQUERQUE NM 87109

I-25 HOTEL CORPORATION
20342 SW ACACIA ST
NEWPORT BEACH CA 92660-1704

REGENTS OF UNM REAL ESTATE DEPT
MSC06-3595-1 UNIVERSITY OF NM
ALBUQUERQUE NM 87131-0001

[Note: Items with an asterisk (*) are required.]

**Public Notice of a Proposed Project in the City of Albuquerque
for Decisions Requiring a Meeting or Hearing
Mailed to a Property Owner**

Date of Notice*: April 24, 2024

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Property Owner within 100 feet*: 522 LOMAS LLC

Mailing Address*: 522 LOMAS BLVD NE, ALBUQUERQUE NM 87102

Project Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address*: 1100 Woodward Pl NE, Albuquerque, NM 87102
Location Description: Tract A Plat of Gateway Subdivision
2. Property Owner*: JDGQ Land Holding LLC C/O Atrium Holding Company
3. Agent/Applicant* *[if applicable]*: Tierra West LLC
4. Application(s) Type* per IDO [Table 6-1-1](#) *[mark all that apply]*
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request¹*:

Major amendment to existing Gateway Center Site Plan to allow for Hospital Use on subject lot

5. This application will be decided at a public meeting or hearing by*:
 - Zoning Hearing Examiner (ZHE)
 - Development Review Board (DRB)
 - Landmarks Commission (LC)
 - Environmental Planning Commission (EPC)

¹ Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

Date/Time*: Thursday, May 16th, 8:40 AM

Location*²: CABQ Zoom - <https://cabq.zoom.us/j/2269592859>

Agenda/meeting materials: <http://www.cabq.gov/planning/boards-commissions>

To contact staff, email devhelp@cabq.gov or call the Planning Department at 505-924-3860.

- 6. Where more information about the project can be found*³:
tierrawestllc.com - slozoya@tierrawestllc.com - (505) 858-3100

Project Information Required for Mail/Email Notice by [IDO Subsection 6-4\(K\)\(1\)\(b\)](#):

- 1. Zone Atlas Page(s)*⁴: J-15-Z
- 2. Architectural drawings, elevations of the proposed building(s) or other illustrations of the proposed application, as relevant*: Attached to notice or provided via website noted above
- 3. The following exceptions to IDO standards have been requested for this project*:

Deviation(s) Variance(s) Waiver(s)

Explanation*: _____

- 4. A Pre-submittal Neighborhood Meeting was required by [Table 6-1-1](#): Yes No Summary of the Pre-submittal Neighborhood Meeting, if one occurred:

A meeting between Agent, Tierra West, and the Santa Barbara Martineztown Neighborhood Association (SBMTNA) occurred on March 21, 2024, and the Site Plan was presented and discussed. Concerns such as traffic and public roadway capacity were discussed, but no consensus was reached.

- 5. **For Site Plan Applications only***, attach site plan showing, at a minimum:

- a. Location of proposed buildings and landscape areas.*
- b. Access and circulation for vehicles and pedestrians.*
- c. Maximum height of any proposed structures, with building elevations.*

² Physical address or Zoom link

³ Address (mailing or email), phone number, or website to be provided by the applicant

⁴ Available online here: <http://data.cabq.gov/business/zoneatlas/>

[Note: Items with an asterisk (*) are required.]

- d. **For residential development***: Maximum number of proposed dwelling units.
- e. **For non-residential development***:
 - Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - Gross floor area for each proposed use.

Additional Information:

From the IDO Zoning Map⁵:

1. Area of Property [typically in acres]: 2.7845 Acres
2. IDO Zone District: MX-H (Appealed, previously MX-M)
3. Overlay Zone(s) [if applicable]: Martineztown/Santa Barbara - CPO-7
4. Center or Corridor Area [if applicable]: Mountain Rd and I-25 Frontage Corridors
5. Current Land Use(s) [vacant, if none]: Vacant

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

⁵ Available here: <https://tinurl.com/idozoningmap>



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

522 LOMAS LLC
522 LOMAS BLVD NE
ALBUQUERQUE NM 87102



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

ARCHDIOCESE OF SANTA FE REAL
ESTATE CORPORATION
4000 ST JOSEPHS PL NW
ALBUQUERQUE NM 87120-1714



AVILA-BORUNDA ARIADNA I &
BORUNDA LAURA
523 SLATE AVE NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



BACA C JOHN JR
10100 CALLE BELLA NW
ALBUQUERQUE NM 87114



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

BACA CARLOS RAY
618 MARBLE AVE NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

BACA JOAQUIN F & MINDY S
1006 EDITH BLVD NE
ALBUQUERQUE NM 87102



TIERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

BACA TERESA A
BOX 5482
SANTA FE NM 87502-5482





TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

BAUER ASHLEY
614 PAGE AVE NE
ALBUQUERQUE NM 87102

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



BOARD OF EDUCATION C/O PROPERTY
MANAGER
PO BOX 25704
ALBUQUERQUE NM 87125-0704

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ 1119 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ 1119 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828





TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ 1121 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ ALVIN
1122 HIGH ST NE
ALBUQUERQUE NM 87102





TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ RAMIE NICHOLE
2315 MUIR DR NW
ALBUQUERQUE NM 87120



CHAVEZ VALENTINO REYES
1117 HIGH ST NE
ALBUQUERQUE NM 87102-2425

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



TIERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CORRALEZ ANGELIQUE
916 WALTER ST NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CROCKETT LAWRENCE & WOLFE
MARIA
2539 DURANES RD NW
ALBUQUERQUE NM 87104





TIERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

DUNEMAN CHRISTOPHER S & JAYMIE A
919 GRECIAN AVE NW
ALBUQUERQUE NM 87102

TERRA MEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

DURAN JOHANNA L
920 WALTER NE
ALBUQUERQUE NE 87102



TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

GANBATE HOLDINGS LLC
3431 MONTE VISTA BLVD NE
ALBUQUERQUE NM 87106





TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

GRIEGO LILLIAN
639 RESERVIOR ST
SOCORRO NM 87801-4332

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

HERNANDEZ KATHERINE
1024 WALTER ST NE
ALBUQUERQUE NM 87102



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

HUGH A CARLISLE POST 13 DEPT OF
NEW MEXICO
1201 MOUNTAIN RD NE
ALBUQUERQUE NM 87102-2716





TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

I-25 HOTEL CORPORATION
20342 SW ACACIA ST
NEWPORT BEACH CA 92660-1704



TIERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

JAMES DELBERT & MARIA C
1020 WALTER ST NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



JDHQ HOTELS LLC ATTN: ATRIUM
HOSPITALITY
12735 MORRIS RD SUITE 400 EXT
ALPHARETTA GA 30004-8904

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



JDHQ LAND HOLDING LLC C/O ATRIUM
HOLDING COMPANY
12735 MORRIS RD SUITE 400 EXT
ALPHARETTA GA 30004-8904



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

KARSTEN ELIZABETH C
1911 RICHMOND DR NE
ALBUQUERQUE NM 87106

Tierra West, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

LOPEZ JUAN A & KRAUSE CAROL A
800 MOUNTAIN RD NE
ALBUQUERQUE NM 87102



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



MARTHA LILLEY LLC & YELLOW HORSE
ENTERPRISES LLC
7244 SAVAGE DR NE
ALBUQUERQUE NM 87109



TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

MARTINEZ LORRAINE
1124 WALTER NE
ALBUQUERQUE NM 87120



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

MICHELMAN EVELYN
620 MARBLE AVE NE
ALBUQUERQUE NM 87102



TERRA WEST.LLC

5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

MOFFETT DOLORES & ALESHA MYRA
DILLANDER
103 E ARAGON RD
BELEN NM 87002-4601

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



MOFFETT DOLORES & ALESHA MYRA
DILLANDER
103 E ARAGON RD
BELEN NM 87002-4601

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



MONTOYA JUSTO ET UX
PO BOX 6092
ALBUQUERQUE NM 87197

TIERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



NEW HEART INC
601 LOMAS BLVD NE
ALBUQUERQUE NM 87102

TERRA MEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



ORDONEZ-CARAVEO JUAN CARLOS &
ORDONEZ-CARAVEO RUBEN GERALDO
8400 CASA GRIS CT NW
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



POLISAR SHIRLEY ELIZABETH CHAVEZ
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



REGENTS OF UNM C/O REAL ESTATE
DEPT
1 UNIVERSITY OF NM MSC06 3595
ALBUQUERQUE NM 87131-0001

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



REGENTS OF UNM C/O REAL ESTATE
DEPT
1 UNIVERSITY OF NM MSC06 3595
ALBUQUERQUE NM 87131-0001

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

REGENTS OF UNM REAL ESTATE DEPT
MSC06-3595-1 UNIVERSITY OF NM
ALBUQUERQUE NM 87131



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



REGENTS OF UNM REAL ESTATE DEPT
MSC06-3595-1 UNIVERSITY OF NM
ALBUQUERQUE NM 87131-0001



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

ROBLES ANDREW RAY
916 WALTER NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

SALAIZ DULCE
1002 WALTER ST NE
ALBUQUERQUE NM 87102



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SANCHEZ JOEY J JR & ALMITRA
618 ½ PAGE AVE NE
ALBUQUERQUE NM 87102



SANCHEZ PATRICIA B & BACA
FILODELFIO R
616 PAGE AVE NE
ALBUQUERQUE NM 87102

TERRA MEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SANDIA FOUNDATION C/O PARADIGM
TAX GROUP – ESS #0116
PO BOX 71870
SALT LAKE CITY UT 84171-0870

TERRA MEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SANDIA FOUNDATION
6211 SAN MATEO BLVD NE SUITE 100
ALBUQUERQUE NM 87109

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

SANTA TERESA GIANT LLC
601 N MESA SUITE 1500
EL PASO TX 79901-1225





TIERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

SOLANO DAVID M
1004 WALTER ST SE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

SPINE ORTHOPAEDIC &
REHABILITATION CENTER LLC C/O
WHITEMAN COMPANY LLC
7850 JEFFERSON ST NE SUITE 140
ALBUQUERQUE NM 87109



TIERRA *MEST.* LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SWEET & COMPANY LLC
PO BOX 3082
HUNTINGTON BEACH CA 92605-3082

TERRA MEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

TRICORE REFERENCE LABORATORIES
1001 WOODWARD PL NE
ALBUQUERQUE NM 87102



Tierra West. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

VASQUEZ PERFECTO & LYDIA
617 PAGE AVE NE
ALBUQUERQUE NM 87102-2476



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

VIGIL FRIEDA & GEORGE WYLER &
LOUIE WYLER & ELIZABETH GRIEGO
ETAL
2733 GRACELAND DR NE
ALBUQUERQUE NM 87102



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



WHITFIELD ENTERPRISES INC
617 I STREET
PETALUMA CA 94952-4904

From: [Office of Neighborhood Coordination](#)
To: [Sergio Lozoya](#)
Subject: 1100 WOODWARD PL NE _ Neighborhood Meeting Inquiry Sheet Submission
Date: Tuesday, April 9, 2024 12:21:29 PM
Attachments: [Image001.png](#)
[Zone Atlas - Gateway Center for Subdivision.png](#)

PLEASE NOTE:
The neighborhood association contact information listed below is valid for 30 calendar days after today's date.

Dear Applicant:

Please find the neighborhood contact information listed below. Please make certain to read the information further down in this e-mail as it will help answer other questions you may have.

Association Name	First Name	Last Name	Email	Address Line 1	Address Line 2	City	State	Zip	Mobile Phone	Phone
Citizens Information Committee of Martineztown	Kristi	Houde	kris042898@icloud.com	617 Edith Boulevard NE	#8	Albuquerque	NM	87102	5053661439	
Citizens Information Committee of Martineztown	Renee	Martinez Naranjo	martinez.renee@gmail.com	515 Edith Boulevard NE		Albuquerque	NM	87102	5054108122	5052474605
Santa Barbara Martineztown NA	Loretta	Lopez	lnjalopez@msn.com	1127 Walter NE		Albuquerque	NM	87102		5052707716
Santa Barbara Martineztown NA	Theresa	Illgen	theresa.illgen@aps.edu	214 Prospect NE		Albuquerque	NM	87102		5055048620

The ONC does not have any jurisdiction over any other aspect of your application beyond this neighborhood contact information. We can't answer questions about sign postings, pre-construction meetings, permit status, site plans, buffers, or project plans, so we encourage you to contact the Planning Department at: 505-924-3857 Option #1, e-mail: devhelp@cabq.gov, or visit: <https://www.cabq.gov/planning/online-planning-permitting-applications> with those types of questions.

Please note the following:

- You will need to e-mail each of the listed contacts and let them know that you are applying for an approval from the Planning Department for your project.
- Please use this online link to find the required forms you will need to submit your permit application: <https://www.cabq.gov/planning/urban-design-development/public-notice>.
- The Checklist form you need for notifying neighborhood associations can be found here: https://documents.cabq.gov/planning/online-forms/PublicNotice/CABQ-Official_public_notice_form-2019.pdf.
- The Administrative Decision form you need for notifying neighborhood associations can be found here: <https://documents.cabq.gov/planning/online-forms/PublicNotice/Emailed-Notice-Administrative-Print&Fill.pdf>
- Once you have e-mailed the listed contacts in each neighborhood, you will need to attach a copy of those e-mails AND a copy of this e-mail from the ONC to your application and submit it to the Planning Department for approval.

If your application requires you to offer a neighborhood meeting, you can click on this link to find required forms to use in your e-mail to the neighborhood association(s): <http://www.cabq.gov/planning/urban-design-development/neighborhood-meeting-requirement-in-the-integrated-development-ordinance>

If your application requires a pre-application or pre-construction meeting, please plan on utilizing virtual platforms to the greatest extent possible and adhere to all current Public Health Orders and recommendations. The health and safety of the community is paramount.

If you have questions about what type of notification is required for your particular project or meetings that might be required, please click on the link below to see a table of different types of projects and what notification is required for each: <https://do.abc-zone.com/integrated-development-ordinance-ido?document=1&outline-name=6-1%20Procedures%20Summary%20Table>

Thank you,

Suzie



Suzie Flores

Senior Administrative Assistant

Office of Neighborhood Coordination (ONC) | City Council Department | City of Albuquerque
(505) 768-3334 Office
E-mail: suzannaflores@cabq.gov
Website: www.cabq.gov/neighborhoods

From: webmaster@cabq.gov <webmaster@cabq.gov>
Sent: Tuesday, April 9, 2024 11:02 AM
To: Office of Neighborhood Coordination <slozoya@tierrawestllc.com>
Cc: Office of Neighborhood Coordination <onc@cabq.gov>
Subject: Neighborhood Meeting Inquiry Sheet Submission

[EXTERNAL] Forward to phishing@cabq.gov and delete if an email causes any concern.

Neighborhood Meeting Inquiry For:
Environmental Planning Commission
If you selected "Other" in the question above, please describe what you are seeking a Neighborhood Meeting Inquiry for below:
Contact Name
Sergio Lozoya
Telephone Number
5052787088
Email Address
slozoya@tierrawestllc.com
Company Name
Tierra West LLC
Company Address
5571 Midway Park Place NE
City
Albuquerque
State
NM
ZIP
87109

Legal description of the subject site for this project:

There are four parcels that are part of the subject site:

1. Project Site

Situs Address: 1100 WOODWARD PL NE ALBUQUERQUE NM 87102

Legal Description: TRACT A PLAT OF GATEWAY SUBDIVISION CONT 2.7845 AC

2. Tricore

Situs Address: 1001 WOODWARD PL NE ALBUQUERQUE NM 87102

Legal Description: TR D-1-A-1 PLAT FOR LOTS 1 & 2 TR D-1-A-1 GATEWAY SUBD (BEING A REPLAT OF TR D-1-A GATEWAY SUBD & AN UNPLATTED PARCEL) CONT 8.3708 AC

3. New Heart Inc

Situs Address: 600 LOMAS BLVD NE ALBUQUERQUE NM 87102

Legal Description: TR D1B1 PLAT OF TRACT D-1-B-1 AND D-1-B-2 GATEWAY SUBDIVISION (BEING A REPLAT OF TRACT D-1-B, GATEWAY SUBDIVISION, LOTS 16 AND 17, TROTTER ADDITION NO.2 AND A

4. Embassy Suites

Situs Address: 1000 WOODWARD PL NE ALBUQUERQUE NM 87102 2704

Legal Description: TR B-1 PLAT OF TRACT B-1 GATEWAY SUBDIVISION A REPLAT OF TRACTS B & C GATEWAY SUBDIVISION CONT 9.3316 AC

Physical address of subject site:

1100 WOODWARD PL NE ALBUQUERQUE NM 87102

Subject site cross streets:

Mountain and Woodward

Other subject site identifiers:

This site is located on the following zone atlas page:

J-15-Z

Captcha

x

[Note: Items with an asterisk (*) are required.]

Public Notice of a Proposed Project in the City of Albuquerque for Decisions Requiring a Meeting or Hearing Mailed/Emailed to a Neighborhood Association

Date of Notice*: _____

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Neighborhood Association (NA)*: _____

Name of NA Representative*: _____

Email Address* or Mailing Address* of NA Representative¹: _____

Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address* _____
Location Description _____
2. Property Owner* _____
3. Agent/Applicant* [if applicable] _____
4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request²*: _____

¹ Pursuant to [IDO Subsection 14-16-6-4\(K\)\(5\)\(a\)](#), email is sufficient if on file with the Office of Neighborhood Coordination. If no email address is on file for a particular NA representative, notice must be mailed to the mailing address on file for that representative.

² Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

5. This application will be decided at a public meeting or hearing by*:

- Zoning Hearing Examiner (ZHE)
- Development Hearing Officer (DHO)
- Landmarks Commission (LC)
- Environmental Planning Commission (EPC)

Date/Time*: _____

Location*³: _____

Agenda/meeting materials: <http://www.cabq.gov/planning/boards-commissions>

To contact staff, email devhelp@cabq.gov or call the Planning Department at 505-924-3860.

6. Where more information about the project can be found*⁴:

_____ tierrawestllc.com - slozoya@tierrawestllc.com - (505) 858-3100

Information Required for Mail/Email Notice by [IDO Subsection 6-4\(K\)\(1\)\(b\)](#):

1. Zone Atlas Page(s)*⁵ _____

2. Architectural drawings, elevations of the proposed building(s) or other illustrations of the proposed application, as relevant*: Attached to notice or provided via website noted above

3. The following exceptions to IDO standards have been requested for this project*:

- Deviation(s)
- Variance(s)
- Waiver(s)

Explanation*:

4. A Pre-submittal Neighborhood Meeting was required by [Table 6-1-1](#): Yes No

Summary of the Pre-submittal Neighborhood Meeting, if one occurred:

³ Physical address or Zoom link

⁴ Address (mailing or email), phone number, or website to be provided by the applicant

⁵ Available online here: <http://data.cabq.gov/business/zoneatlas/>

[Note: Items with an asterisk (*) are required.]

- 5. **For Site Plan Applications only***, attach site plan showing, at a minimum:
 - a. Location of proposed buildings and landscape areas.*
 - b. Access and circulation for vehicles and pedestrians.*
 - c. Maximum height of any proposed structures, with building elevations.*
 - d. **For residential development***: Maximum number of proposed dwelling units.
 - e. **For non-residential development***:
 - Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - Gross floor area for each proposed use.

Additional Information [Optional]:

From the IDO Zoning Map⁶:

- 1. Area of Property [typically in acres] _____
 - 2. IDO Zone District _____
 - 3. Overlay Zone(s) [if applicable] _____
 - 4. Center or Corridor Area [if applicable] _____
- Current Land Use(s) [vacant, if none] _____
-

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

Cc: _____ [Other Neighborhood Associations, if any]

⁶ Available here: <https://tinurl.com/idozoningmap>

[Note: Items with an asterisk (*) are required.]

**Public Notice of a Proposed Project in the City of Albuquerque
for Decisions Requiring a Meeting or Hearing
Mailed/Emailed to a Neighborhood Association**

Date of Notice*: _____

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Neighborhood Association (NA)*: _____

Name of NA Representative*: _____

Email Address* or Mailing Address* of NA Representative¹: _____

Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address* _____
Location Description _____
2. Property Owner* _____
3. Agent/Applicant* [if applicable] _____
4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request²*: _____

¹ Pursuant to [IDO Subsection 14-16-6-4\(K\)\(5\)\(a\)](#), email is sufficient if on file with the Office of Neighborhood Coordination. If no email address is on file for a particular NA representative, notice must be mailed to the mailing address on file for that representative.

² Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

5. This application will be decided at a public meeting or hearing by*:

- Zoning Hearing Examiner (ZHE)
- Development Hearing Officer (DHO)
- Landmarks Commission (LC)
- Environmental Planning Commission (EPC)

Date/Time*: _____

Location*³: _____

Agenda/meeting materials: <http://www.cabq.gov/planning/boards-commissions>

To contact staff, email devhelp@cabq.gov or call the Planning Department at 505-924-3860.

6. Where more information about the project can be found*⁴:

_____ tierrawestllc.com - slozoya@tierrawestllc.com - (505) 858-3100

Information Required for Mail/Email Notice by [IDO Subsection 6-4\(K\)\(1\)\(b\)](#):

1. Zone Atlas Page(s)*⁵ _____

2. Architectural drawings, elevations of the proposed building(s) or other illustrations of the proposed application, as relevant*: Attached to notice or provided via website noted above

3. The following exceptions to IDO standards have been requested for this project*:

- Deviation(s)
- Variance(s)
- Waiver(s)

Explanation*:

4. A Pre-submittal Neighborhood Meeting was required by [Table 6-1-1](#): Yes No

Summary of the Pre-submittal Neighborhood Meeting, if one occurred:

³ Physical address or Zoom link

⁴ Address (mailing or email), phone number, or website to be provided by the applicant

⁵ Available online here: <http://data.cabq.gov/business/zoneatlas/>

[Note: Items with an asterisk (*) are required.]

- 5. **For Site Plan Applications only***, attach site plan showing, at a minimum:
 - a. Location of proposed buildings and landscape areas.*
 - b. Access and circulation for vehicles and pedestrians.*
 - c. Maximum height of any proposed structures, with building elevations.*
 - d. **For residential development***: Maximum number of proposed dwelling units.
 - e. **For non-residential development***:
 - Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - Gross floor area for each proposed use.

Additional Information [Optional]:

From the IDO Zoning Map⁶:

- 1. Area of Property [typically in acres] _____
 - 2. IDO Zone District _____
 - 3. Overlay Zone(s) [if applicable] _____
 - 4. Center or Corridor Area [if applicable] _____
- Current Land Use(s) [vacant, if none] _____
-

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

Cc: _____ [Other Neighborhood Associations, if any]

⁶ Available here: <https://tinurl.com/idozoningmap>

[Note: Items with an asterisk (*) are required.]

Public Notice of a Proposed Project in the City of Albuquerque for Decisions Requiring a Meeting or Hearing Mailed/Emailed to a Neighborhood Association

Date of Notice*: _____

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Neighborhood Association (NA)*: _____

Name of NA Representative*: _____

Email Address* or Mailing Address* of NA Representative¹: _____

Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address* _____
Location Description _____
2. Property Owner* _____
3. Agent/Applicant* [if applicable] _____
4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request²*: _____

¹ Pursuant to [IDO Subsection 14-16-6-4\(K\)\(5\)\(a\)](#), email is sufficient if on file with the Office of Neighborhood Coordination. If no email address is on file for a particular NA representative, notice must be mailed to the mailing address on file for that representative.

² Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

5. This application will be decided at a public meeting or hearing by*:

- Zoning Hearing Examiner (ZHE)
- Development Hearing Officer (DHO)
- Landmarks Commission (LC)
- Environmental Planning Commission (EPC)

Date/Time*: _____

Location*³: _____

Agenda/meeting materials: <http://www.cabq.gov/planning/boards-commissions>

To contact staff, email devhelp@cabq.gov or call the Planning Department at 505-924-3860.

6. Where more information about the project can be found*⁴:

_____ tierrawestllc.com - slozoya@tierrawestllc.com - (505) 858-3100

Information Required for Mail/Email Notice by [IDO Subsection 6-4\(K\)\(1\)\(b\)](#):

1. Zone Atlas Page(s)*⁵ _____

2. Architectural drawings, elevations of the proposed building(s) or other illustrations of the proposed application, as relevant*: Attached to notice or provided via website noted above

3. The following exceptions to IDO standards have been requested for this project*:

- Deviation(s)
- Variance(s)
- Waiver(s)

Explanation*:

4. A Pre-submittal Neighborhood Meeting was required by [Table 6-1-1](#): Yes No

Summary of the Pre-submittal Neighborhood Meeting, if one occurred:

³ Physical address or Zoom link

⁴ Address (mailing or email), phone number, or website to be provided by the applicant

⁵ Available online here: <http://data.cabq.gov/business/zoneatlas/>

[Note: Items with an asterisk (*) are required.]

- 5. **For Site Plan Applications only***, attach site plan showing, at a minimum:
 - a. Location of proposed buildings and landscape areas.*
 - b. Access and circulation for vehicles and pedestrians.*
 - c. Maximum height of any proposed structures, with building elevations.*
 - d. **For residential development***: Maximum number of proposed dwelling units.
 - e. **For non-residential development***:
 - Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - Gross floor area for each proposed use.

Additional Information [Optional]:

From the IDO Zoning Map⁶:

- 1. Area of Property [typically in acres] _____
 - 2. IDO Zone District _____
 - 3. Overlay Zone(s) [if applicable] _____
 - 4. Center or Corridor Area [if applicable] _____
- Current Land Use(s) [vacant, if none] _____
-

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

Cc: _____ [Other Neighborhood Associations, if any]

⁶ Available here: <https://tinurl.com/idozoningmap>

[Note: Items with an asterisk (*) are required.]

**Public Notice of a Proposed Project in the City of Albuquerque
for Decisions Requiring a Meeting or Hearing
Mailed/Emailed to a Neighborhood Association**

Date of Notice*: _____

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Neighborhood Association (NA)*: _____

Name of NA Representative*: _____

Email Address* or Mailing Address* of NA Representative¹: _____

Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address* _____
Location Description _____
2. Property Owner* _____
3. Agent/Applicant* [if applicable] _____
4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]
 - Conditional Use Approval
 - Permit _____ (Carport or Wall/Fence – Major)
 - Site Plan
 - Subdivision _____ (Minor or Major)
 - Vacation _____ (Easement/Private Way or Public Right-of-way)
 - Variance
 - Waiver
 - Other: _____

Summary of project/request²*:

¹ Pursuant to [IDO Subsection 14-16-6-4\(K\)\(5\)\(a\)](#), email is sufficient if on file with the Office of Neighborhood Coordination. If no email address is on file for a particular NA representative, notice must be mailed to the mailing address on file for that representative.

² Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

5. This application will be decided at a public meeting or hearing by*:

- Zoning Hearing Examiner (ZHE)
- Development Hearing Officer (DHO)
- Landmarks Commission (LC)
- Environmental Planning Commission (EPC)

Date/Time*: _____

Location*³: _____

Agenda/meeting materials: <http://www.cabq.gov/planning/boards-commissions>

To contact staff, email devhelp@cabq.gov or call the Planning Department at 505-924-3860.

6. Where more information about the project can be found*⁴:

_____ tierrawestllc.com - slozoya@tierrawestllc.com - (505) 858-3100

Information Required for Mail/Email Notice by [IDO Subsection 6-4\(K\)\(1\)\(b\)](#):

1. Zone Atlas Page(s)*⁵ _____

2. Architectural drawings, elevations of the proposed building(s) or other illustrations of the proposed application, as relevant*: Attached to notice or provided via website noted above

3. The following exceptions to IDO standards have been requested for this project*:

- Deviation(s)
- Variance(s)
- Waiver(s)

Explanation*:

4. A Pre-submittal Neighborhood Meeting was required by [Table 6-1-1](#): Yes No

Summary of the Pre-submittal Neighborhood Meeting, if one occurred:

³ Physical address or Zoom link

⁴ Address (mailing or email), phone number, or website to be provided by the applicant

⁵ Available online here: <http://data.cabq.gov/business/zoneatlas/>

[Note: Items with an asterisk (*) are required.]

- 5. **For Site Plan Applications only***, attach site plan showing, at a minimum:
 - a. Location of proposed buildings and landscape areas.*
 - b. Access and circulation for vehicles and pedestrians.*
 - c. Maximum height of any proposed structures, with building elevations.*
 - d. **For residential development***: Maximum number of proposed dwelling units.
 - e. **For non-residential development***:
 - Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - Gross floor area for each proposed use.

Additional Information [Optional]:

From the IDO Zoning Map⁶:

- 1. Area of Property [typically in acres] _____
 - 2. IDO Zone District _____
 - 3. Overlay Zone(s) [if applicable] _____
 - 4. Center or Corridor Area [if applicable] _____
- Current Land Use(s) [vacant, if none] _____
-

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

Cc: _____ [Other Neighborhood Associations, if any]

⁶ Available here: <https://tinurl.com/idozoningmap>


[#2023123] 1100 Woodward Pl - Notice of Submittal

Adam Johnstone <AJohnstone@tierrawestllc.com>

Thu 4/4/2024 9:27 AM

To: Injalopez@msn.com <Injalopez@msn.com>;theresa.illgen@aps.edu <theresa.illgen@aps.edu>

Cc: Sergio Lozoya <SLozoya@tierrawestllc.com>; Donna Bohannon <djb@tierrawestllc.com>

 6 attachments (17 MB)

3 - Zone Atlas J-15-Z.pdf; 13 - Site Plan.pdf; DRB-94-183 (2).pdf; Elevations 3.18.24.pdf; Loretta Naranjo Lopez Notice.pdf; Theresa Illgen Notice.pdf;

Good morning, SBMTNA representatives,

Attached is a notice of submittal for the 1100 Woodward Pl project, along with the Zone Atlas Map and related drawings.

Thank you,

Adam Johnstone

Associate Land Use Planner

AJohnstone@tierrawestllc.com

Tierra West LLC

5571 Midway Park Place NE

Albuquerque, NM 87109

(505) 858-3100




[#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Adam Johnstone <AJohnstone@tierrawestllc.com>

Wed 4/10/2024 9:27 AM

To:kris042898@icloud.com <kris042898@icloud.com>

Cc:Sergio Lozoya <SLozoya@tierrawestllc.com>;Donna Bohannan <djb@tierrawestllc.com>;martinez.renee@gmail.com <martinez.renee@gmail.com>

 4 attachments (2 MB)

Kristi Houde Meeting Request.pdf; Kristi Houde Submittal Notice.pdf; 13 - Site Plan.pdf; Elevations 3.18.24.pdf;

Kristi,

Attached is both a meeting request and submittal notice for the aforementioned project, along with relevant attachments. I had sent both you and Renee Martinez an email containing this, but it was not delivered to you due to a message size limitation. I have not attached the Zone Atlas Map or the controlling site plan as they were too large - they are both attached to the email successfully sent to Renee earlier today.

Please let us know if you have any questions.

Thank you,

Adam Johnstone

Associate Land Use Planner

AJohnstone@tierrawestllc.com

Tierra West LLC

5571 Midway Park Place NE

Albuquerque, NM 87109

(505) 858-3100




Delivered: [#2023123] 1100 Woodward PI - Notice of Submittal

postmaster@outlook.com <postmaster@outlook.com>

Thu 4/4/2024 9:31 AM

To:Injalopez@msn.com <Injalopez@msn.com>

 1 attachments (30 KB)

[#2023123] 1100 Woodward PI - Notice of Submittal;

Your message has been delivered to the following recipients:

[Injalopez@msn.com \(Injalopez@msn.com\)](mailto:Injalopez@msn.com)

Subject: [#2023123] 1100 Woodward PI - Notice of Submittal


Relayed: [#2023123] 1100 Woodward PI - Notice of Submittal

Microsoft Outlook

<MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tierrawestllc.com>

Thu 4/4/2024 9:27 AM

To:theresa.illgen@aps.edu <theresa.illgen@aps.edu>

 1 attachments (18 KB)

[#2023123] 1100 Woodward PI - Notice of Submittal;

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

theresa.illgen@aps.edu (theresa.illgen@aps.edu)

Subject: [#2023123] 1100 Woodward PI - Notice of Submittal

Re: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Renee Martinez <martinez.renee@gmail.com>

Wed 4/10/2024 11:42 AM

To: Adam Johnstone <AJohnstone@tierrawestllc.com>; Kristi Houde <kris042898@icloud.com>; Roslyn Kloeppel <roslyn_kloeppel@live.com>; Sergio Viscoli <Sviscoli@yahoo.com>; susanhobson95@Yahoo.com <susanhobson95@yahoo.com>; Meghan Martinez <meghan.martinez@gmail.com>

Thanks Adam,

I will look at the documents and share them with the CICM board. The document seems too large to send on its own.

Renee Martinez, CICM president.

martinez.renee@gmail.com

On Wed, Apr 10, 2024 at 9:21 AM Adam Johnstone <AJohnstone@tierrawestllc.com> wrote:

Good morning, Citizens Information Committee of Martineztown representatives,

Attached are both Meeting Requests and Submittal Notices for the aforementioned project, along with all relevant materials. Please let us know if you have any questions.

Thank you,

Adam Johnstone

Associate Land Use Planner

AJohnstone@tierrawestllc.com

Tierra West LLC

5571 Midway Park Place NE

Albuquerque, NM 87109

(505) 858-3100




Relayed: [#2023123] 1100 Woodward PI NE - Meeting Request and Submittal Notice

Microsoft Outlook

<MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tierrawestllc.com>

Wed 4/10/2024 9:21 AM

To: martinez.renee@gmail.com <martinez.renee@gmail.com>

 1 attachments (18 KB)

[#2023123] 1100 Woodward PI NE - Meeting Request and Submittal Notice;

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

martinez.renee@gmail.com (martinez.renee@gmail.com).

Subject: [#2023123] 1100 Woodward PI NE - Meeting Request and Submittal Notice

Undeliverable: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Microsoft Outlook <MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tierrawestllc.com>

Wed 4/10/2024 9:27 AM

To:kris042898@icloud.com <kris042898@icloud.com>

1 attachments (2 MB)

[#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice;



Your message to kris042898@icloud.com couldn't be delivered.

Security or policy settings at icloud.com have rejected your message.

AJohnstone

Office 365

icloud.com

Sender

Action Required

Security or policy violation

How to Fix It

The recipient's email server won't accept your message because it appears to violate their security or policy settings. Check the **Reported error** below to see if you can determine why it was blocked. Then try one or more of the following:

- If the error mentions SPF, DKIM, or DMARC issues, forward this message to your email admin for assistance.
- The recipient's email server might suspect that your message is spam. Follow the guidance in this article: [E-mailing Best Practices for Senders](#). Then resend your message.
- If the error suggests your message is too large, try to reduce the size of your attachment. If that isn't possible, place the file on a publicly accessible cloud storage location, like OneDrive. Then add a link to the file in your message, and resend the message.
- Contact the recipient (by phone, for example) and tell them to ask their email admin to add you or your email domain to their allowed senders list.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? [Send feedback to Microsoft](#).

More Info for Email Admins

Status code: 550 5.7.1

This error occurs when the recipient's domain has security or policy settings that reject the sender's message. However, we were unable to determine the specific setting that's causing this rejection. Usually the error is reported by an email server outside of Office 365. Common issues include the following: the receiving server suspects the message is malicious or spam; the Sender Policy Framework (SPF) record for tierrawestllc.com is incorrectly configured or doesn't exist; or the message includes an attachment larger than the receiving server will accept. Try one or more of the following:

Review the reported error - Check the **Reported error** shown below to help determine what the issue might be. For example, if the issue is related to an SPF failure, the reported error will usually include the acronym "SPF" or the phrase "Sender Policy Framework."

Correctly configure your SPF records - If you're the sender's email admin, make sure your domain's SPF records at your domain registrar are properly configured. Office 365 supports only one SPF record (a TXT record that defines SPF) for your domain. Include

the following domain name: **spf.protection.outlook.com**. If you have a hybrid configuration (some mailboxes in the cloud and some mailboxes on premises) or if you're an Exchange Online Protection standalone customer, add the outbound IP address of your on-premises servers to the TXT record. To learn how, see [Customize an SPF record to validate outbound email sent from your domain](#) and [External Domain Name System records for Office 365](#).

Unable to relay - If the **Reported error** indicates a problem with relaying (e.g. "unable to relay"), then the email server that reported the error likely isn't set up correctly to receive and relay messages from the sender's domain. This server will usually be one of your on-premises servers in a hybrid environment, a smart host email service that you're trying to route messages through, or possibly even an email hosting service you used in the past yet still have mail flow settings pointing to (e.g. your MX record at your domain registrar still points to your previous email service provider). Check **Error reported by** shown below to determine what domain, service, or server is reporting the error. The email server needs to be configured to either accept messages from anonymous users or to include the sending domain or IP in its list of authenticated senders. On an Exchange server, you can set this up in the server's receive connector. If it's a smart host managed by another service or partner, contact the service or partner to configure their servers to accept and relay messages from your senders. Also, work with your domain registrar to make sure your MX records are properly configured.

Contact the recipient's email admin - For some scenarios, you can fix the issue by contacting the email admin at the recipient domain to ask them to add the sender's email address or your domain to their allowed senders list, or to relax the setting that's causing the rejection.

For more information and tips for fixing this issue, see [Fix email delivery issues for error code 5.7.1 in Office 365](#).

Original Message Details

Created Date: 4/10/2024 3:27:32 PM
Sender Address: AJohnstone@tierrawestllc.com
Recipient Address: kris042898@icloud.com
Subject: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Error Details

Error: 554 5.7.1 [CS01] Message rejected due to local policy. Please visit <https://support.apple.com/en-us/HT204137>
Message rejected by: p00-iscream-smtp-6bc4d7b9c-ph2c5

Notification Details

Sent by: DS7PR03MB5560.namprd03.prod.outlook.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH	RELAY TIME
1	4/10/2024 3:27:32 PM	BN7PR03MB3681.namprd03.prod.outlook.com	BN7PR03MB3681.namprd03.prod.outlook.com	map	*
2	4/10/2024 3:27:32 PM	BN7PR03MB3681.namprd03.prod.outlook.com	DS7PR03MB5560.namprd03.prod.outlook.com	Microsoft SMTP Server (version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384)	*

Original Message Headers

ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;
b=SgywjbNjgDPeFaOUTBJMiBNwns1xDX9WwrXLtzy6PAu+MqpWxeS/awKYVr01sshPs22y5FiMTmQTEvUAYXBIRSGrS1j11rsPA5KgYV8TMjG+RctkiFgmfj01v0KrV1qn7iaoMZITQJpMwx162VDwmxDWBfS5ekygi1T+XTw42XorTJJJFbDc3aNNP9MHuoz3ld1E/IAUDA88NCEwVK18LRKHyoDatrVY1ArU+UTHx1er1jndIQBnZ12oV+9rgig/BbpWa3VLUYtIMsmfUgIp0E7zfw02zKHUEGvrMNgjwBI11srhGAPgPDBSJx1iCKR7nWjT0kSmm/C6DGIWhrTEHQ==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com; s=arcselector9901;
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-AntiSpam-MessageData-ChunkCount:X-MS-Exchange-AntiSpam-MessageData-0:X-MS-Exchange-AntiSpam-MessageData-1;
bh=WuMw0tbtWs0YVoz7YED80JVf9Xxc9dRX6t6wZfE+Ws=;
b=hnmJk0du9xEcQrjbopYKwWTxbaYjyfpTtLrjVeThFITBiP/MeNI20QD94kwzPjFbN8xw1l8MEpYBR0Jq22GNsKIvc1DB0It25cAPuW9DqmkWw3/MaEfCLV4FNiHzTsdBtaC1IMSr0fNXJ7o7A+yU1cmGjFBCxYi++KLSb7YcJX/2s/6mwMKa0pVRRziZpt1G08E8U979CQmqCoZfsKrycFNDcuQYAzFF61oiiArDrcEPg

4o6yKeKQh2HS1kLCA4r0SxHbN8knBB55RpqKBAI85QNztc7t7IPnq2ZL/2biVnChnpZ0Quordd6Q0rOtUrOQz0GX4Hg0GKpjEkqb1ZQQ==

ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass smtp.mailfrom=tierrawestllc.com; dmarc=pass action=none header.from=tierrawestllc.com; dkim=pass header.d=tierrawestllc.com; arc=none Received: from BN7PR03MB3681.namprd03.prod.outlook.com (2603:10b6:406:ce::22) by DS7PR03MB5560.namprd03.prod.outlook.com (2603:10b6:5:2d0::17) with Microsoft SMTP Server (version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.7409.55; Wed, 10 Apr 2024 15:27:32 +0000

Received: from BN7PR03MB3681.namprd03.prod.outlook.com ([fe80::159:7754:9ac5:c2]) by BN7PR03MB3681.namprd03.prod.outlook.com ([fe80::159:7754:9ac5:c2%4]) with mapi id 15.20.7409.053; Wed, 10 Apr 2024 15:27:32 +0000

From: Adam Johnstone <AJohnstone@tierrawestllc.com>
To: "kris042898@icloud.com" <kris042898@icloud.com>
CC: Sergio Lozoya <SLozoya@tierrawestllc.com>, Donna Bohannan <djb@tierrawestllc.com>, "martinez.renee@gmail.com" <martinez.renee@gmail.com>

Subject: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice
Thread-Topic: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Thread-Index: AQHai1sb19AP8i40fkW8vbUG+FdmA==
Return-Receipt-To: <AJohnstone@tierrawestllc.com>
Date: Wed, 10 Apr 2024 15:27:32 +0000

Message-ID: <BN7PR03MB36810E1EFA9DE809EF695BC5DB062@BN7PR03MB3681.namprd03.prod.outlook.com>

Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:

msip_labels:
x-ms-publictraffictype: Email
x-ms-traffictypediagnostic: BN7PR03MB3681:EE_|DS7PR03MB5560:EE_
x-ms-exchange-senderadcheck: 1
x-ms-exchange-antispam-relay: 0
x-microsoft-antispam: BCL:0;
x-microsoft-antispam-message-info:

AWFEzrrhWPYa2QR99tTLfkGksaWrY1FD9DFhlhz9Mb6J9kXpM9mBBLyJy2zLi/9pibka9Xgkyj6W4Qi+C/fZnZjeidIZa8L0pX7E+aLI9dQ+9P1Rsb2TRLqv
URXrIyFY9N8eL/NBQjCbJHOzhzhwihsp3sa9X1M5XriogVjIBSAPH2I159EERqgpzVQOoghKttsxsz5KwGI265r3jXcydKsXuV7f0QogOGQdI0k0rEB/pI2AnL
XCSRN26ixUL9y6pC/670TfzjNaYbD0A9ULrIDH5ZKVsuZb4AuQ7QchUbnblie98ujg911n4mrTvRSQNIvIruEaGg5Iyb5VVWubXs/287Q4WwN+PrpKL41gr
8ckGWNyJ33nDIZ3r6rqU50X97qgiEt/rVPN885vQrp1j115206NsnH4wUpWny4gfuaVV90g1K7K3/dgXK6BzchufcZUU9ghYUr6IWPwvx69RML1E1FY3HcWf
DAjLtl3+EHG+NVbovSUueXQo2AyFAJEDoxadt8Z/LD8k5a9sTK9uTmxkqgrm4qvZ76IzWPzPe2E=
x-forefront-antispam-report:

CIP: 255.255.255.255; CTRY: ; LANG: en; SCL: 1; SRV: ; IPV: NLI; SFV: NSPM; H: BN7PR03MB3681.namprd03.prod.outlook.com; PTR: ; CAT: NONE; SF
S: (13230031)(1800799015)(376005)(366007); DIR: OUT; SFP: 1102;

x-ms-exchange-antispam-messagedata-chunkcount: 1
x-ms-exchange-antispam-messagedata-0: =?iso-8859-1?Q?y7MwJjAVJjDxE1aaDaXt+jv4xDNUKYGEKH5ExtLiBbdTfJyE9C7VcrNvti?=
=?iso-8859-1?Q?GhOo10rH11mWxA0A21HgDbN0JdwtAHA0IIZdyILd2fznhzobxT2T1PpFaXa?=
=?iso-8859-1?Q?L0sJy8thVrvsZjKUHk2FFnEyuginDYA0GFshCDolZByXc+cSKkk/VaZm8x?=
=?iso-8859-1?Q?KQTM5njfZbfrDn2I078ZYAXRjrgTouLwnNiGozfQd/mxDVD5YTuY/4mN/9?=
=?iso-8859-1?Q?Zrz1FACljl28U8z0Xsjr6wPBCayiy5bc5Kso1gv3ZRpmhBurbdDk3LDAtF?=
=?iso-8859-1?Q?8AXyMER0PthicFnue/4fMkFiQHr4UbhUChwsodrTN89DqtAaDvVm8gsDRJ?=
=?iso-8859-1?Q?hyEohSAKZSv0GgkipyGbFre9j109nPSFrzOYX8Du110rQvGjby0YSM0qq?=
=?iso-8859-1?Q?pnscrmhw8lmeX0gd213fgzWwQdf1eqPynXEd51NNtvKbVapthniyl3uWdu?=
=?iso-8859-1?Q?oUWMWiwvjYVNPawLouZMkLZ20pDeBRqmnBgpwZoc5n38k3iWXYPUAmd3ii?=
=?iso-8859-1?Q?SSfpuJhNCWeZB00iafx6y7YD78GIPYy3tjwx8L4QbMksD4vPmcAwfg4HDr?=
=?iso-8859-1?Q?6qArhX70+sFc/2ePRDxvGzhKcTddGLGXG9TL0i60VZtIqG5hwIvOCwsonC?=
=?iso-8859-1?Q?LtsLmwY6uVysH09nfJ3dZ977X5mBgLhpbj6miBR56+XlRjFp8UQIUIk+0bf?=
=?iso-8859-1?Q?eJ+gQ/bMg5ei9RmRGykh62bU0U3q+TjURWP7Pb/nE2QzYBmoBtTBE3mJyW?=
=?iso-8859-1?Q?HjsIshfLwd5KjYjYv8yA/Lcp+D7Ry2q6MydMDYqIxWhDzAaoZlCeh7oPvCX?=
=?iso-8859-1?Q?4JKTeUv2sLh1zHPXvi+ZT4a8fOaHkYu2cz5Mx8QDYUPLUv6yZYx2sXiVJh?=
=?iso-8859-1?Q?t6TvrDvHcL8ZQH3BvtLVrF/8bVB4mN1knYBJY6T8hGY/I5PpbIt31RBvh?=
=?iso-8859-1?Q?cNuk+V/2iysxljgr1QMvWDH+0efi0Lb7TVJOEi6/vSWKicEHBG4ELXVJ1q?=
=?iso-8859-1?Q?o0M2rUvC1ec3q1UdzhoNKWbZCs71wfKkNcG2kLWSEnf23Fxp7Xkev+UaG?=
=?iso-8859-1?Q?M9h66HbzBBK2Zh+5p1aaLhXQjAivkKue3fZj3biHDSvxRgceRLUWmEJ/a5?=
=?iso-8859-1?Q?awtcfZvuoISVhCl+mNAv9mq+77MgoBPQ74yppsV0c+kvcBc4rTpbuAUzG?=
=?iso-8859-1?Q?rmp15nr09TINK4VItSHM3w0rDeaY3LT+1LHShak2zwbv6c20hidHskODjvC?=
=?iso-8859-1?Q?Z72/RejGVzRkt4eTv72EXIzsjS6fKaFaOxWUvhp2ne0fIrLT75/kwo3Ie/?=
=?iso-8859-1?Q?VeYlI27xrYCD8ivzsvuFga1dZHru8uBvWCK3+LsuroUYIodimgdxjAez0?=
=?iso-8859-1?Q?ovVVvmqEH00BnPCyR+KqMLLeDzqB6y6J5QRw8ZBFNPzIKRfjPCzfyRjy0Q?=
=?iso-8859-1?Q?ZQKivIPMNagry3GS8KF2EDa17CFH6XKPR8p3GvZiaOuD6Y3irOaQLH418Z?=
=?iso-8859-1?Q?iVqbRAU4nbunWsg9P1qv1V7JhHydra5qe9ua2NFhPIH1QKUEhrUu9vWlwd?=
=?iso-8859-1?Q?7BRZcR91p7r85KFQhcyN32ezb1txZ3D83UDL6MO2epNni+e7+ffkF4+A1p?=
=?iso-8859-1?Q?cXyosw25dh4jsyE85v6STSZPtIX1F7TvdFh3hOYWEAE061ztB+05vBA?=
=?iso-8859-1?Q?3D=3D?=
Content-Type: multipart/mixed;

boundary=" _009_BN7PR03MB36810E1EFA9DE809EF695BC5DB062BN7PR03MB3681nampr_"
MIME-Version: 1.0

X-OriginatorOrg: tierrawestllc.com
X-MS-Exchange-CrossTenant-AuthAs: Internal
X-MS-Exchange-CrossTenant-AuthSource: BN7PR03MB3681.namprd03.prod.outlook.com
X-MS-Exchange-CrossTenant-Network-Message-Id: 265d1851-f7bf-44a9-7556-08dc5972bde2
X-MS-Exchange-CrossTenant-originalarrivaltime: 10 Apr 2024 15:27:32.4101
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 0148d582-3a5e-4f85-83d7-6c0b6269b5f0
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
OxiLub8VsnJQCL2x4l3vsZULWmg1o1Cm/xgs5xh2tbrk1EPet3RyWzqLiE14jdDGBTr5ftxZsnLQgcrQE0Vv3I4mUCOC3gR4WejC2n9REsc=
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DS7PR03MB5560

Undeliverable: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Microsoft Outlook

<MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tierrawestllc.com>

Wed 4/10/2024 9:21 AM

To:kris042898@icloud.com <kris042898@icloud.com>

p00-iscream-smtp-6bc4d7b9c-bsf5q rejected your message to the following email addresses:

kris042898@icloud.com (kris042898@icloud.com)

Your message is larger than the size limit for messages. Please make it smaller and try sending it again.

p00-iscream-smtp-6bc4d7b9c-bsf5q gave this error: Message size exceeds fixed limit

Diagnostic information for administrators:

Generating server: DS7PR03MB5560.namprd03.prod.outlook.com

kris042898@icloud.com
p00-iscream-smtp-6bc4d7b9c-bsf5q
Remote server returned '552 5.3.4 Message size exceeds fixed limit'

Original message headers:

ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=aylwjgFZFnKamrIQUBoIwBD0CTbICJyi1H5r7rsZT54cDbAx10vWLJgwZimG+Ju06WKzziIYNkG1tDCtpx50891NZuMddIJkAH3D
TdaE7cCk4T+UH55/vjXsSdUm7NSD7gHmV1Qy0xzHx77/18nzfNKEWE9C8YhsAiTPbgR2tU2t9VvGQXyRtB+1ypVHeAegRwuCVuz8e3
IQZmPBpWZDbcSskAx0wx00SjypJu0wfPSo33dFQn+mvZ23yPZRWamU8imnw5kncmSA1I6fGKgQBtpJwM2h/M15qAB9IoMq39nMXYa0
wW8vuY15FbpCZYtcqcq/IkLm7Uki1/DbcYUgw==

ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
s=arcselector9901;

h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-AntiSpam-MessageData-
ChunkCount:X-MS-Exchange-AntiSpam-MessageData-0:X-MS-Exchange-AntiSpam-MessageData-1;
bh=jR2p+N3ziae33gALUbuFkHAMuWTKqNr7NPD190oryxs=;

b=dBu6uIamdAh36K7I6I4Ajjy80rpE7lGRqAzu+E3dHfCi2vSp7p4+JGHTHxoXzanFK57S2lu1Mg/Dvn70lpJZmCVJ/nLZa+y3uy3v+
LNj5QTCKmWNZayIzJj5y8CrpDOUzBIOafu4110FhJLrJ74DgxpT85wLpyDiCqWj0g+i4njZxIOcZe+7+IFr3PwPIVW9ie7oEyPI1E/
fNvEoA71sLc6GDr93CgA/Jnwfi1TiKVj8XqxcJgQppgvQ1qCLK0RQ0lkBVvtJv3wHr79Iu3qMW64vc4zpYgN9ZlmvIcM8F7rqSm+2o
+Ejr9/ZiCRwUmSSMTgKGwmVQwv0ZweiqbklJoQ==

ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
smtp.mailfrom=tierrawestllc.com; dmarc=pass action=none
header.from=tierrawestllc.com; dkim=pass header.d=tierrawestllc.com; arc=none

Received: from BN7PR03MB3681.namprd03.prod.outlook.com (2603:10b6:406:ce::22)
by DS7PR03MB5560.namprd03.prod.outlook.com (2603:10b6:5:2d0::17) with
Microsoft SMTP Server (version=TLS1_2,
cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.7409.55; Wed, 10 Apr

2024 15:20:43 +0000

Received: from BN7PR03MB3681.namprd03.prod.outlook.com ([fe80::159:7754:9ac5:c2]) by BN7PR03MB3681.namprd03.prod.outlook.com ([fe80::159:7754:9ac5:c2%4]) with mapi id 15.20.7409.053; Wed, 10 Apr 2024 15:20:43 +0000

From: Adam Johnstone <AJohnstone@tierrawestllc.com>
To: "kris042898@icloud.com" <kris042898@icloud.com>, "martinez.renee@gmail.com" <martinez.renee@gmail.com>

CC: Sergio Lozoya <SLozoya@tierrawestllc.com>, Donna Bohannan <djb@tierrawestllc.com>

Subject: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Thread-Topic: [#2023123] 1100 Woodward Pl NE - Meeting Request and Submittal Notice

Thread-Index: AQHai1omhIF2MTbA+E0Jn/zhByrbpg==

Return-Receipt-To: <AJohnstone@tierrawestllc.com>

Date: Wed, 10 Apr 2024 15:20:42 +0000

Message-ID: <BN7PR03MB36816643D08BE38B27E49918DB062@BN7PR03MB3681.namprd03.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach: yes

X-MS-TNEF-Correlator:

msip_labels:

x-ms-publictraffictype: Email

x-ms-traffictypediagnostic: BN7PR03MB3681:EE_|DS7PR03MB5560:EE_

x-ms-exchange-senderadcheck: 1

x-ms-exchange-antispam-relay: 0

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:

pl1a8V0btNEUsZpI+NtCyW1S1CVK3HAtyj8xQQ6P+2Hnt901cudb7v4TI22eHWY01o1Ui15YadpEALQLowpS6nyPkcMjHMRv+H1sA1JlLemjCXTeYFSqoVW9PYHFHNL0V7q7QFqgi0vyE0/zGBz9TvxmK8v080LzkAXJBG04LPUDA0Az8Y7EDGU/Q/lyPBoL5xbmWNjFHKW46Ibw7J2XYjs0yy5GM616b0mqwf0gVcS55FyVYHpkt/ro996P/zWv2o5w6PTlCDa6HeqooD7vvYLWYwgJdqgBJMSkv3T1Js0FDQ1r5PrV9HHei4ZQwkUuZT4v9tp6WwBQJ9vq01kdrfvMmVSZ1W3i1zgKbnNgY39g5FCZBR+MHRznzRxw1B4BDen7UJXQdgtLQ4Z2sXITjxZ+0EeqXzcMtpRVCMyvmFqoyjjcYy6qWrcA/I0u90F+zssBeF2aRdZr4nzTBQdMRogLwC2pSjzkbY4yZ01i6ad2XPgHkftLqCwcQOVg+G0QD2XqLQQAcEdwx1Ssd97DYekJlCJNY09Fsw0exXwZqFFuo7Rlu0WCzGVFX0+

x-forefront-antispam-report:

CIP: 255.255.255.255; CTRY: ; LANG: en; SCL: 1; SRV: ; IPV: NLI; SFV: NSPM; H: BN7PR03MB3681.namprd03.prod.outlook.com; PTR: ; CAT: NONE; SFS: (13230031)(1800799015)(376005)(366007); DIR: OUT; SFP: 1102;

x-ms-exchange-antispam-messagedata-chunkcount: 1


x-ms-exchange-antispam-messagedata-0: =?iso-8859-1?Q?

MrE2RIqlQuL/Pl4ld63uwjtAumq/8kGBk8lagkiORWT1RpJPsu6dYkScUg?=
=?iso-8859-1?Q?5agHKP0VfocwzklG6cW6+nBunCLFLbgPxxwDRdzodMGWuVVvVETskmsYC?=
=?iso-8859-1?Q?fpJ/jbsSbUg/axcckUAHhL9ITLzXzXpkXgD6D4FE9Fqcy9hZrgusnVz4EM?=
=?iso-8859-1?Q?yQPubZwWpVPVq9Tusp7TSYHMF4BeQDvfb3lpgpjCbH1sftPjXhLokFaoyQ?=
=?iso-8859-1?Q?DwcJZ3hd8I3nc14beaE/Jjr6+ORMeDdr0iam19n2BGBzXbWCEI0dAA2cUB?=
=?iso-8859-1?Q?oky3aXcoj8s7TjYFqXXF0y2VuERjzDeRFXJ+nqRgjnbttxp+H1znMM9mz?=
=?iso-8859-1?Q?/5iRrKBmuo1Lj6kD9swJP0GL3VjAQkwSevL7zJ6S9gqdeXq0WfGGkT2NXl?=
=?iso-8859-1?Q?YieJxHRSkQ3cqoVDojL8kYb7SfcJoe3z8yx27pLVVgYDvFfcdFi+20pn+7?=
=?iso-8859-1?Q?QZNFtqTWC7vNdIiaEGe40Rnt6AOG1wWkqIFKGAIVFMNEYtfg9x0Xpq2vWP?=
=?iso-8859-1?Q?IXNsOyRbdEH3A2hyHrPP/UOCX/8DY4HrxLeQ9t1vHrPvjR7GdHdxVTMz1p?=
=?iso-8859-1?Q?mqtgGdX0exLNh/qS0Hq57rLQu7ZrD4krc394srhAVggFzP4bSpRqJrZjwX?=
=?iso-8859-1?Q?B9YcxTFYTLRp2SmqjcpJwogVje8SY7c1F8Q8LdWfuNopfktlJJE8gBiOamV?=
=?iso-8859-1?Q?W8st4FbnJjKpJxEzycVtILlivaF0bDgOEcCCTUi2400fAYZwqiu1kekYn0?=
=?iso-8859-1?Q?ksvc8zJf+NRYN6WmPyZCr+0s135aLlGhDH3d1JX75CXuwzTK1vFUl02ufw?=
=?iso-8859-1?Q?QBtoM90obXviuW9QpJW9sflcIlk8vBoxijZDGpTFuA8NEPiV6izNTYWP3d?=
=?iso-8859-1?Q?sCnjyETcU8cN5ZyX7LDWd7nax9/ZnJ9Df5LbMOpHeCysGhzm0j0fYXi65z?=
=?iso-8859-1?Q?/zXFz9ubdzHYAhcqPwpiYxrltViGtNKnnr6uf1m9SdeqMkF3FtuxpPepD?=
=?iso-8859-1?Q?fJ4w8AAm+1/jfw/62ST02/3hJ+MxRL61b5qXQH1/5zqPOY0MaXlgFCG4Hk?=
=?iso-8859-1?Q?FVHGwso0LGYasd7ajGE6jjxvuedKuByluSIwlmCy7Z93eUig0v4ywYbFDx?=
=?iso-8859-1?Q?vq7sXz3b69Lxft4Qak3lNsVDYJK1pEXcq180zPWHhkgH853ws+reSkHKWX?=
=?iso-8859-1?Q?1LGSB0HMX5d8jN3uqutMUe4FzXP0GiyAqX0mw2ZBg67yEB1miocMMM1jw?=
=?iso-8859-1?Q?ry3A97SJ/of+da1cuw8Y3/moGquvoTqOAbALVfntvP1E0v1GxTZLyLTB4I?=
=?iso-8859-1?Q?yhpJr3TDdp/5nM/eNhKaKoZfVizE3MWT5H/NHte0CPYimS8RW8Y6q9Ira0?=
=?iso-8859-1?Q?vLtJ+goXnTvH00ui0Rm+UwweiyD9NCGTlxnNEetwo0m9Uwsm0w4fhZJGKa?=
=?iso-8859-1?Q?HqHh5J/r6Rbd9L3Mw5YYrdr1MndpKbKr1ZR1ba10Ppubx3qbKOLLbz15eG?=
=?iso-8859-1?Q?n93m1azj+ZSjHbbWdj81NMfmk0Sd0pedix9ctMh23NbsXMKkvqD0DR0ULqq?=
=?iso-8859-1?Q?9sMULEbqps6S/FX1iD/yg1NG/55SIdDGE05a9spEUXPKszIT+a5fUYLbtRc?=
=?iso-8859-1?Q?5yTyW8Qwm8LL2AULr6ABK2s2yv1CMk7VHiUjWS0EnqadVaF7VaTxyACA?=
=?iso-8859-1?Q?=3D=3D?=?

Content-Type: multipart/mixed;


boundary=" _013_BN7PR03MB36816643D08BE38B27E49918DB062BN7PR03MB3681nampr_ "

MIME-Version: 1.0
X-OriginatorOrg: tierrawestllc.com
X-MS-Exchange-CrossTenant-AuthAs: Internal
X-MS-Exchange-CrossTenant-AuthSource: BN7PR03MB3681.namprd03.prod.outlook.com
X-MS-Exchange-CrossTenant-Network-Message-Id: b177d84c-592a-43f7-7ee5-08dc5971c9b2
X-MS-Exchange-CrossTenant-originalarrivaltime: 10 Apr 2024 15:20:42.9830
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 0148d582-3a5e-4f85-83d7-6c0b6269b5f0
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
Hnzb56j7+TrEIWCVFYk34L8UmsOeTJycBfm8fErd8EhySZXBeDNBGVknFaNwbWVPq055CRZ6wzq+5XpkeqjNSiqvhnWCApWlg4g5pI
0UGJ8=
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DS7PR03MB5560



For more details about the Integrated Development Ordinance visit: <http://www.cabq.gov/planning/codes-policies-regulations/integrated-development-ordinance>


IDO Zone Atlas May 2018




IDO Zoning information as of May 17, 2018
The Zone Districts and Overlay Zones
are established by the
Integrated Development Ordinance (IDO).


Zone Atlas Page:
J-15-Z

- Easement
- Escarpment
- Petroglyph National Monument
- Areas Outside of City Limits
- Airport Protection Overlay (APO) Zone
- Character Protection Overlay (CPO) Zone
- Historic Protection Overlay (HPO) Zone
- View Protection Overlay (VPO) Zone




Gray Shading
Represents Area Outside
of the City Limits





DRB-94-183



LEGEND

Lot Area in Acres

THE CITY OF ALBUQUERQUE, NEW MEXICO, HAS REVIEWED THE PLANS AND SPECIFICATIONS SUBMITTED FOR THE PROPOSED DEVELOPMENT AND HAS DETERMINED THAT THE SAME COMPLY WITH THE CITY ZONING ORDINANCES AND THE CITY ENGINEERING DEPARTMENT HAS REVIEWED THE PLANS AND SPECIFICATIONS SUBMITTED FOR THE PROPOSED DEVELOPMENT AND HAS DETERMINED THAT THE SAME COMPLY WITH THE CITY ENGINEERING DEPARTMENT REGULATIONS AND THE CITY ENGINEERING DEPARTMENT HAS REVIEWED THE PLANS AND SPECIFICATIONS SUBMITTED FOR THE PROPOSED DEVELOPMENT AND HAS DETERMINED THAT THE SAME COMPLY WITH THE CITY ENGINEERING DEPARTMENT REGULATIONS.

Notes for Submitter:

1. The applicant must submit a copy of the City Engineer's Report and the City Engineer's Report must be submitted to the City Engineer's Office.
2. The applicant must submit a copy of the City Engineer's Report and the City Engineer's Report must be submitted to the City Engineer's Office.
3. The applicant must submit a copy of the City Engineer's Report and the City Engineer's Report must be submitted to the City Engineer's Office.
4. The applicant must submit a copy of the City Engineer's Report and the City Engineer's Report must be submitted to the City Engineer's Office.
5. The applicant must submit a copy of the City Engineer's Report and the City Engineer's Report must be submitted to the City Engineer's Office.

Setting Right-Of-Way:

1. The applicant must submit a copy of the City Engineer's Report and the City Engineer's Report must be submitted to the City Engineer's Office.

Other Notes:

1. The applicant must submit a copy of the City Engineer's Report and the City Engineer's Report must be submitted to the City Engineer's Office.




PLANS/PLATS ON FILE

FILE DESC: DRB-94-183

PLANS/PLATS 5

DRB 44-183




DRB 44-183
 AREA RESERVED FOR RAUM COOPERATION
 3.3 ACRES

See Plan for additional details.
 AREA 1.1
 AREA 1.2
 AREA 1.3
 AREA 1.4
 AREA 1.5
 AREA 1.6
 AREA 1.7

Building Height Not to Exceed
 1. 100 FT.
 2. 120 FT.
 3. 150 FT.
 4. 180 FT.
 5. 200 FT.



CITY OF ALBUQUERQUE
 SANDIA FOUNDATION
 1000 UNIVERSITY AVENUE, N.W.
 ALBUQUERQUE, NEW MEXICO 87102



D
20
B
A

CITY OF ALBUQUERQUE

C D F



CITY OF ALBUQUERQUE
MANUAL EXPENDITURE
NO. 100-100000-0000
DATE: 11/15/13

028-94-153
(2013)

FOR THE CITY OF ALBUQUERQUE

CITY OF ALBUQUERQUE
THIS AGREEMENT IS MADE IN WITNESS WHEREOF THE CITY OF ALBUQUERQUE HAS CAUSED THESE PLANS TO BE SIGNED AND SEALED BY ITS CITY CLERK AND THE CITY CLERK HAS HEREBY SIGNED AND SEALED THEM IN THE PRESENCE OF THE CITY CLERK.

CITY OF ALBUQUERQUE
THIS AGREEMENT IS MADE IN WITNESS WHEREOF THE CITY OF ALBUQUERQUE HAS CAUSED THESE PLANS TO BE SIGNED AND SEALED BY ITS CITY CLERK AND THE CITY CLERK HAS HEREBY SIGNED AND SEALED THEM IN THE PRESENCE OF THE CITY CLERK.

APPROVED AND FORWARDED:
CITY CLERK

CONDITIONS OF SITE PLAN FOR SUBDIVISION APPROVAL

AREA	ACRES	PERCENT	REMARKS
AREA 1	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 2	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 3	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 4	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 5	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 6	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 7	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 8	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 9	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 10	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 11	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 12	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 13	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 14	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 15	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 16	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 17	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 18	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 19	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 20	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 21	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 22	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 23	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 24	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 25	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 26	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 27	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 28	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 29	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 30	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 31	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 32	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 33	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 34	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 35	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 36	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 37	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 38	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 39	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 40	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 41	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 42	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 43	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 44	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 45	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 46	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 47	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 48	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 49	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE
AREA 50	1.00	100%	RESERVED FOR THE CITY OF ALBUQUERQUE


AREA RESERVED FOR PUBLIC UTILITIES AND RECREATION. THE CITY OF ALBUQUERQUE WILL MAINTAIN AND OPERATE THIS AREA AS A PUBLIC TRACT.

APPROVED BY THE CITY OF ALBUQUERQUE
 Mayor: *[Signature]*
 City Manager: *[Signature]*
 Planning Director: *[Signature]*
 Planning Commission: *[Signature]*



- The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
- The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
- The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
- The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
- The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.

App'd: 1/83
 [Signature]



Notes:

1. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
2. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
3. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
4. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
5. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.

Notes:

1. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
2. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
3. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
4. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.
5. The applicant shall provide a detailed site plan showing the location of all structures, parking areas, and other improvements.

DEVELOPMENT REVIEW BOARD


DRB-94-183
(1/15/95)

LANDING CENTER
LAYOUT PLAN

AREA	ACRES	PERCENTAGE OF TOTAL AREA	PERCENTAGE OF TOTAL AREA
AREA 1	14.00	100%	100%
AREA 2	14.00	100%	100%
AREA 3	14.00	100%	100%
AREA 4	14.00	100%	100%
AREA 5	14.00	100%	100%
AREA 6	14.00	100%	100%
AREA 7	14.00	100%	100%
AREA 8	14.00	100%	100%
AREA 9	14.00	100%	100%
AREA 10	14.00	100%	100%
AREA 11	14.00	100%	100%
AREA 12	14.00	100%	100%
AREA 13	14.00	100%	100%
AREA 14	14.00	100%	100%
AREA 15	14.00	100%	100%
AREA 16	14.00	100%	100%
AREA 17	14.00	100%	100%
AREA 18	14.00	100%	100%
AREA 19	14.00	100%	100%
AREA 20	14.00	100%	100%
AREA 21	14.00	100%	100%
AREA 22	14.00	100%	100%
AREA 23	14.00	100%	100%
AREA 24	14.00	100%	100%
AREA 25	14.00	100%	100%
AREA 26	14.00	100%	100%
AREA 27	14.00	100%	100%
AREA 28	14.00	100%	100%
AREA 29	14.00	100%	100%
AREA 30	14.00	100%	100%
AREA 31	14.00	100%	100%
AREA 32	14.00	100%	100%
AREA 33	14.00	100%	100%
AREA 34	14.00	100%	100%
AREA 35	14.00	100%	100%
AREA 36	14.00	100%	100%
AREA 37	14.00	100%	100%
AREA 38	14.00	100%	100%
AREA 39	14.00	100%	100%
AREA 40	14.00	100%	100%
AREA 41	14.00	100%	100%
AREA 42	14.00	100%	100%
AREA 43	14.00	100%	100%
AREA 44	14.00	100%	100%
AREA 45	14.00	100%	100%
AREA 46	14.00	100%	100%
AREA 47	14.00	100%	100%
AREA 48	14.00	100%	100%
AREA 49	14.00	100%	100%
AREA 50	14.00	100%	100%
AREA 51	14.00	100%	100%
AREA 52	14.00	100%	100%
AREA 53	14.00	100%	100%
AREA 54	14.00	100%	100%
AREA 55	14.00	100%	100%
AREA 56	14.00	100%	100%
AREA 57	14.00	100%	100%
AREA 58	14.00	100%	100%
AREA 59	14.00	100%	100%
AREA 60	14.00	100%	100%
AREA 61	14.00	100%	100%
AREA 62	14.00	100%	100%
AREA 63	14.00	100%	100%
AREA 64	14.00	100%	100%
AREA 65	14.00	100%	100%
AREA 66	14.00	100%	100%
AREA 67	14.00	100%	100%
AREA 68	14.00	100%	100%
AREA 69	14.00	100%	100%
AREA 70	14.00	100%	100%
AREA 71	14.00	100%	100%
AREA 72	14.00	100%	100%
AREA 73	14.00	100%	100%
AREA 74	14.00	100%	100%
AREA 75	14.00	100%	100%
AREA 76	14.00	100%	100%
AREA 77	14.00	100%	100%
AREA 78	14.00	100%	100%
AREA 79	14.00	100%	100%
AREA 80	14.00	100%	100%
AREA 81	14.00	100%	100%
AREA 82	14.00	100%	100%
AREA 83	14.00	100%	100%
AREA 84	14.00	100%	100%
AREA 85	14.00	100%	100%
AREA 86	14.00	100%	100%
AREA 87	14.00	100%	100%
AREA 88	14.00	100%	100%
AREA 89	14.00	100%	100%
AREA 90	14.00	100%	100%
AREA 91	14.00	100%	100%
AREA 92	14.00	100%	100%
AREA 93	14.00	100%	100%
AREA 94	14.00	100%	100%
AREA 95	14.00	100%	100%
AREA 96	14.00	100%	100%
AREA 97	14.00	100%	100%
AREA 98	14.00	100%	100%
AREA 99	14.00	100%	100%
AREA 100	14.00	100%	100%

CONDITIONS OF SITE PLAN
 1. The applicant shall comply with all applicable laws, codes, ordinances, and regulations of the City of Alexandria, Virginia, and the State of Virginia.
 2. The applicant shall provide adequate parking for all vehicles.
 3. The applicant shall provide adequate landscaping and screening.
 4. The applicant shall provide adequate lighting.
 5. The applicant shall provide adequate drainage.
 6. The applicant shall provide adequate access to the site.
 7. The applicant shall provide adequate signage.
 8. The applicant shall provide adequate security.
 9. The applicant shall provide adequate maintenance.
 10. The applicant shall provide adequate safety.

AREA RESERVED FOR
 1.5 ACRES
 2.5 ACRES
 3.5 ACRES
 4.5 ACRES
 5.5 ACRES
 6.5 ACRES
 7.5 ACRES
 8.5 ACRES
 9.5 ACRES
 10.5 ACRES
 11.5 ACRES
 12.5 ACRES
 13.5 ACRES
 14.5 ACRES
 15.5 ACRES
 16.5 ACRES
 17.5 ACRES
 18.5 ACRES
 19.5 ACRES
 20.5 ACRES
 21.5 ACRES
 22.5 ACRES
 23.5 ACRES
 24.5 ACRES
 25.5 ACRES
 26.5 ACRES
 27.5 ACRES
 28.5 ACRES
 29.5 ACRES
 30.5 ACRES
 31.5 ACRES
 32.5 ACRES
 33.5 ACRES
 34.5 ACRES
 35.5 ACRES
 36.5 ACRES
 37.5 ACRES
 38.5 ACRES
 39.5 ACRES
 40.5 ACRES
 41.5 ACRES
 42.5 ACRES
 43.5 ACRES
 44.5 ACRES
 45.5 ACRES
 46.5 ACRES
 47.5 ACRES
 48.5 ACRES
 49.5 ACRES
 50.5 ACRES
 51.5 ACRES
 52.5 ACRES
 53.5 ACRES
 54.5 ACRES
 55.5 ACRES
 56.5 ACRES
 57.5 ACRES
 58.5 ACRES
 59.5 ACRES
 60.5 ACRES
 61.5 ACRES
 62.5 ACRES
 63.5 ACRES
 64.5 ACRES
 65.5 ACRES
 66.5 ACRES
 67.5 ACRES
 68.5 ACRES
 69.5 ACRES
 70.5 ACRES
 71.5 ACRES
 72.5 ACRES
 73.5 ACRES
 74.5 ACRES
 75.5 ACRES
 76.5 ACRES
 77.5 ACRES
 78.5 ACRES
 79.5 ACRES
 80.5 ACRES
 81.5 ACRES
 82.5 ACRES
 83.5 ACRES
 84.5 ACRES
 85.5 ACRES
 86.5 ACRES
 87.5 ACRES
 88.5 ACRES
 89.5 ACRES
 90.5 ACRES
 91.5 ACRES
 92.5 ACRES
 93.5 ACRES
 94.5 ACRES
 95.5 ACRES
 96.5 ACRES
 97.5 ACRES
 98.5 ACRES
 99.5 ACRES
 100.5 ACRES



AREA	ACRES	PERCENTAGE OF TOTAL AREA
AREA 1	14.00	100%
AREA 2	14.00	100%
AREA 3	14.00	100%
AREA 4	14.00	100%
AREA 5	14.00	100%
AREA 6	14.00	100%
AREA 7	14.00	100%
AREA 8	14.00	100%
AREA 9	14.00	100%
AREA 10	14.00	100%
AREA 11	14.00	100%
AREA 12	14.00	100%
AREA 13	14.00	100%
AREA 14	14.00	100%
AREA 15	14.00	100%
AREA 16	14.00	100%
AREA 17	14.00	100%
AREA 18	14.00	100%
AREA 19	14.00	100%
AREA 20	14.00	100%
AREA 21	14.00	100%
AREA 22	14.00	100%
AREA 23	14.00	100%
AREA 24	14.00	100%
AREA 25	14.00	100%
AREA 26	14.00	100%
AREA 27	14.00	100%
AREA 28	14.00	100%
AREA 29	14.00	100%
AREA 30	14.00	100%
AREA 31	14.00	100%
AREA 32	14.00	100%
AREA 33	14.00	100%
AREA 34	14.00	100%
AREA 35	14.00	100%
AREA 36	14.00	100%
AREA 37	14.00	100%
AREA 38	14.00	100%
AREA 39	14.00	100%
AREA 40	14.00	100%
AREA 41	14.00	100%
AREA 42	14.00	100%
AREA 43	14.00	100%
AREA 44	14.00	100%
AREA 45	14.00	100%
AREA 46	14.00	100%
AREA 47	14.00	100%
AREA 48	14.00	100%
AREA 49	14.00	100%
AREA 50	14.00	100%
AREA 51	14.00	100%
AREA 52	14.00	100%
AREA 53	14.00	100%
AREA 54	14.00	100%
AREA 55	14.00	100%
AREA 56	14.00	100%
AREA 57	14.00	100%
AREA 58	14.00	100%
AREA 59	14.00	100%
AREA 60	14.00	100%
AREA 61	14.00	100%
AREA 62	14.00	100%
AREA 63	14.00	100%
AREA 64	14.00	100%
AREA 65	14.00	100%
AREA 66	14.00	100%
AREA 67	14.00	100%
AREA 68	14.00	100%
AREA 69	14.00	100%
AREA 70	14.00	100%
AREA 71	14.00	100%
AREA 72	14.00	100%
AREA 73	14.00	100%
AREA 74	14.00	100%
AREA 75	14.00	100%
AREA 76	14.00	100%
AREA 77	14.00	100%
AREA 78	14.00	100%
AREA 79	14.00	100%
AREA 80	14.00	100%
AREA 81	14.00	100%
AREA 82	14.00	100%
AREA 83	14.00	100%
AREA 84	14.00	100%
AREA 85	14.00	100%
AREA 86	14.00	100%
AREA 87	14.00	100%
AREA 88	14.00	100%
AREA 89	14.00	100%
AREA 90	14.00	100%
AREA 91	14.00	100%
AREA 92	14.00	100%
AREA 93	14.00	100%
AREA 94	14.00	100%
AREA 95	14.00	100%
AREA 96	14.00	100%
AREA 97	14.00	100%
AREA 98	14.00	100%
AREA 99	14.00	100%
AREA 100	14.00	100%



NOTICE TO THE PUBLIC
 The City of Alexandria is holding a public hearing on the proposed site plan for the LANDING CENTER. The hearing will be held on [DATE] at [TIME] in the [LOCATION]. Any person who wishes to comment on the proposed site plan should appear at the hearing and present their comments to the City Council. The City Council will make a decision on the proposed site plan at the next meeting. If you have any questions, please contact the City Planning Department at [PHONE NUMBER].



CITY OF ALEXANDRIA
 THE OFFICIAL SEAL OF THE CITY OF ALEXANDRIA, VIRGINIA, IS HEREBY REPRODUCED AS TO THE BEST COPY OF THE ORIGINAL.

[Signature]
 CITY OF ALEXANDRIA
 THE OFFICIAL SEAL OF THE CITY OF ALEXANDRIA, VIRGINIA, IS HEREBY REPRODUCED AS TO THE BEST COPY OF THE ORIGINAL.





CITY OF ALEXANDRIA

C

F

DEVELOPMENT REVIEW BOARD



LEGEND

	CURB & GUTTER
	BOUNDARY LINE
	EASEMENT
	CENTERLINE
	RIGHT-OF-WAY
	BUILDING
	SIDEWALK
	EXISTING CURB & GUTTER
	EXISTING BOUNDARY LINE
	LANDSCAPING


LINE TABLE

NO.	BEARING & DISTANCE
L1	S 73°02'15" E, 3.27'
L2	S 17°01'04" W, 109.94'
L3	S 26°24'22" W, 9.58'

CURVE TABLE

NO.	RADIUS	LENGTH	DELTA
C1	335.00'	73.03'	12°29'23"
C2	30.00'	44.66'	85°17'07"

- KEYED NOTES**
- 1 ACCESSIBLE SPACE PER ADA REQUIREMENTS WITH SIGN (2 VAN ACCESSIBLE, 5 AUTO)
 - 2 6" CURB AND GUTTER (TYP) PER COA STD DWG 2415A
 - 3 WHEEL STOP SEE DETAIL SHEET DET-1
 - 4 5' CONCRETE SIDEWALK PER COA STD DWG 2430
 - 5 UNIDIRECTIONAL ACCESSIBLE RAMP SEE DETAIL SHEET DET-1
 - 6 MOTORCYCLE SPACES (4, 8'x4') W/SIGN
 - 7 BICYCLE RACK
 - 8 LIGHT POLE TO BE RELOCATED EAST OF ENTRANCE
 - 9 CURB INLET TO BE RELOCATED EAST OF ENTRANCE
 - 10 5' PEDESTRIAN CROSSWALK
 - 11 EXISTING ACCESSIBLE RAMP
 - 12 EXISTING CONCRETE SIDEWALK
 - 13 NEW 5' CONCRETE SIDEWALK PER COA STD DWG 2430
 - 14 EXISTING LIGHT POLE TO BE RELOCATED BEHIND WALK
 - 15 EXISTING BUS STOP
 - 16 6' VALLEY GUTTER PER COA STD DWG 2420



LEGAL DESCRIPTION:
TRACT LETTERED "A" OF THE PLAT OF GATEWAY SUBDIVISION

SITE DATA

PROPOSED USAGE	MEDICAL BUILDING
LOT AREA	119591 SF (2.75 ACRES)
ZONING	MX-M
BUILDING AREA	48000 SF
BUILDING FOOTPRINT	16015 SF
BUILDING COVERAGE	13%

BUILDING SETBACK

FRONT	5'
REAR	15'
SIDE	0' SOUTH SIDE, 5' NORTH SIDE

GFA 48,000 SF/4 SPACE PER 1,000 = 192 SPACES
 5-5(C)(5)(A) PARKING REDUCTION = 20%
 5-5(C)(5)(C) PARKING REDUCTION = 20%
 REDUCED PARKING REQUIRED = 134 SPACES

PARKING PROVIDED	126 SPACES
ACCESSIBLE PARKING REQUIRED	8 SPACES
ACCESSIBLE SPACES PROVIDED	8 SPACES (2 VAN ACCESSIBLE)
TOTAL	134 SPACES

BICYCLE SPACES REQUIRED	13
BICYCLE SPACES PROVIDED	13
MOTORCYCLE SPACES REQUIRED	4 SPACES
MOTORCYCLE SPACES PROVIDED	4 SPACES

LANDSCAPE REQUIRED	20340 SF
LANDSCAPE PROVIDED	33062 SF

PROJECT NUMBER: _____

Application Number: _____

Is an Infrastructure List required? () Yes () No. If yes, then a set of approved DRC plans with a work order is required for any construction within Public Right-of-Way or for construction of public improvements.

DFT SITE DEVELOPMENT PLAN APPROVAL:


Traffic Engineering, Transportation Division	_____	Date _____
ABCWUA	_____	Date _____
Parks and Recreation Department	_____	Date _____
Hydrology	_____	Date _____
Code Enforcement	_____	Date _____
* Environmental Health Department (conditional)	_____	Date _____
Solid Waste Management	_____	Date _____
Planning Department	_____	Date _____

ENGINEER'S SEAL RONALD R. BOHANNAN P.E. #7868	NOBIS REHAB HOSPITAL 1100 WOODWARD PL.	DRAWN BY pm
	SITE PLAN	DATE 2-26-24
		DRAWING 2023123-SP
		SHEET # SP-1
		JOB # 2023123

TIERRA WEST, LLC
 5571 MIDWAY PARK PL NE
 ALBUQUERQUE, NEW MEXICO 87109
 (505) 858-3100
 www.tierrawestllc.com

EXTERIOR FINISH LEGEND

	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: LIGHT GRAY STYLE: SANDBLAST		DESC.: MODULAR BRICK MANUF.: SUMMIT BRICK CO. COLOR: PEBBLE GRAY STYLE: RUNNING BOND
	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: COTTON STYLE: SANDBLAST		DESC.: ACM PANEL MANUF.: ALUCOBOND COLOR: PLATINUM ICE STYLE: 4MM RAINSCREEN
	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: TAN STYLE: SANDBLAST		DESC.: CLEAR GLAZING MANUF.: COLOR: 1/4\" SN 68 CRYSTAL GRAY STYLE: LOW-E



SOUTH ELEVATION - NOT STREET FACING

COMPLIANCE WITH 5-11(E)(2) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE
 UPPER FLOOR WINDOWS
 GROUND FLOOR WINDOWS - YES BUT SILLS AT 32"
 OVERHANGS / COLUMNS
 SUNSHADE LOUVERS
 SCREENWALL TO MATCH BUILDING

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE
 CHANGES IN COLOR
 BRICK GROUND FLOOR
 3 EIFS COLORS ON UPPER FLOORS
 FIELD COLOR
 HORIZONTAL BAND COLOR (1\" PROJECTION)
 COLOR AT 1\" INSET (PLANE CHANGE) BETWEEN WINDOWS
 MASONRY 1\" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
 EIFS BAND 1\" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2)
 PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS, EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS. PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING CORNICE AND BASE, SIMILAR TO THE BUILDING.

02 SOUTH ELEVATION
 1/16\" = 1'-0\" | NOT STREET FACING



NORTH ELEVATION - STREET FACING







COMPLIANCE WITH 5-11(E)(2) - NEED 2
 UPPER FLOOR WINDOWS
 GROUND FLOOR WINDOWS / MAIN ENTRY
 CANOPY / OVERHANGS / COLUMNS
 SUNSHADE LOUVERS





COMPLIANCE WITH 5-11(E)(3) - NEED 1
 CHANGES IN COLOR
 BRICK GROUND FLOOR
 3 EIFS COLORS ON UPPER FLOORS
 FIELD COLOR
 HORIZONTAL BAND COLOR (1\" PROJECTION)
 COLOR AT 1\" INSET (PLANE CHANGE) BETWEEN WINDOWS
 MASONRY 1\" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
 EIFS BAND 1\" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2)
 PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS, EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS. PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING CORNICE AND BASE, SIMILAR TO THE BUILDING.

01 NORTH ELEVATION
 1/16\" = 1'-0\" | STREET FACING

EXTERIOR FINISH LEGEND

	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: LIGHT GRAY STYLE: SANDBLAST		DESC.: MODULAR BRICK MANUF.: SUMMIT BRICK CO. COLOR: PEBBLE GRAY STYLE: RUNNING BOND
	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: COTTON STYLE: SANDBLAST		DESC.: ACM PANEL MANUF.: ALUCOBOND COLOR: PLATINUM ICE STYLE: 4MM RAINSCREEN
	DESC.: EIFS COLOR MANUF.: STOCORP COLOR: TAN STYLE: SANDBLAST		DESC.: CLEAR GLAZING MANUF.: 1/4\" SM 68 CRYSTAL GRAY COLOR: 1/4\" SM 68 CRYSTAL GRAY STYLE: LOW-E



WEST ELEVATION - STREET FACING, PARTIALLY BLOCKED BY LOADING DOCK SCREEN WALL

COMPLIANCE WITH 5-11(E)(2) - NEED 2 UPPER FLOOR WINDOWS
CANOPY / OVERHANGS / COLUMNS
SECONDARY STAFF ENTRY

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, BUT PROVIDED SIMILAR TO NORTH FACADE
CHANGES IN COLOR
BRICK GROUND FLOOR
2 EIFS COLORS ON UPPER FLOORS
FIELD COLOR
HORIZONTAL BAND COLOR (1" PROJECTION)
MASONRY 1" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
EIFS BAND 1" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)


LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2)
PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS, EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS.
PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING CORNICE AND BASE, SIMILAR TO THE BUILDING.

EAST ELEVATION - STREET FACING

COMPLIANCE WITH 5-11(E)(2) - NEED 2 UPPER FLOOR WINDOWS
GROUND FLOOR WINDOWS - YES BUT SILLS AT 32"
CANOPY / OVERHANGS / COLUMNS
PRIMARY STAFF ENTRY

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE
CHANGES IN COLOR
BRICK GROUND FLOOR
2 EIFS COLORS ON UPPER FLOORS
FIELD COLOR
HORIZONTAL BAND COLOR (1" PROJECTION)
MASONRY 1" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
EIFS BAND 1" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

100' Buffer Map



JDHQ LAND HOLDING LLC C/O ATRIUM
HOLDING COMPANY
12735 MORRIS RD SUITE 400 EXT
ALPHARETTA GA 30004-8904

JDHQ HOTELS LLC ATTN: ATRIUM
HOSPITALITY
12735 MORRIS RD SUITE 400 EXT
ALPHARETTA GA 30004-8904

TRICORE REFERENCE LABORATORIES
1001 WOODWARD PL NE
ALBUQUERQUE NM 87102

NEW HEART INC
601 LOMAS BLVD NE
ALBUQUERQUE NM 87102

ARCHDIOCESE OF SANTA FE REAL
ESTATE CORPORATION
4000 ST JOSEPHS PL NW
ALBUQUERQUE NM 87120-1714

BOARD OF EDUCATION C/O PROPERTY
MANAGER
PO BOX 25704
ALBUQUERQUE NM 87125-0704

REGENTS OF UNM C/O REAL ESTATE
DEPT
1 UNIVERSITY OF NM MSC06 3595
ALBUQUERQUE NM 87131-0001

REGENTS OF UNM C/O REAL ESTATE
DEPT
1 UNIVERSITY OF NM MSC06 3595
ALBUQUERQUE NM 87131-0001

LOPEZ JUAN A & KRAUSE CAROL A
800 MOUNTAIN RD NE
ALBUQUERQUE NM 87102

VIGIL FRIEDA & GEORGE WYLER &
LOUIE WYLER & ELIZABETH GRIEGO
ETAL
2733 GRACELAND DR NE
ALBUQUERQUE NM 87102

DUNEMAN CHRISTOPHER S & JAYMIE A
919 GRECIAN AVE NW
ALBUQUERQUE NM 87102

CHAVEZ ALVIN
1122 HIGH ST NE
ALBUQUERQUE NM 87102

MOFFETT DOLORES & ALESHA MYRA
DILLANDER
103 E ARAGON RD
BELEN NM 87002-4601

CHAVEZ VALENTINO REYES
1117 HIGH ST NE
ALBUQUERQUE NM 87102-2425

MOFFETT DOLORES & ALESHA MYRA
DILLANDER
103 E ARAGON RD
BELEN NM 87002-4601

POLISAR SHIRLEY ELIZABETH CHAVEZ
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

CHAVEZ 1121 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

CHAVEZ 1119 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

CHAVEZ 1119 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

HUGH A CARLISLE POST 13 DEPT OF
NEW MEXICO
1201 MOUNTAIN RD NE
ALBUQUERQUE NM 87102-2716

SANDIA FOUNDATION C/O PARADIGM
TAX GROUP – ESS #0116
PO BOX 71870
SALT LAKE CITY UT 84171-0870

CROCKETT LAWRENCE & WOLFE
MARIA
2539 DURANES RD NW
ALBUQUERQUE NM 87104

MARTINEZ LORRAINE
1124 WALTER NE
ALBUQUERQUE NM 87120

BACA C JOHN JR
10100 CALLE BELLA NW
ALBUQUERQUE NM 87114

JAMES DELBERT & MARIA C
1020 WALTER ST NE
ALBUQUERQUE NM 87102

BACA TERESA A
BOX 5482
SANTA FE NM 87502-5482

HERNANDEZ KATHERINE
1024 WALTER ST NE
ALBUQUERQUE NM 87102

BACA JOAQUIN F & MINDY S
1006 EDITH BLVD NE
ALBUQUERQUE NM 87102

SOLANO DAVID M
1004 WALTER ST SE
ALBUQUERQUE NM 87102

SALAZ DULCE
1002 WALTER ST NE
ALBUQUERQUE NM 87102

MONTOYA JUSTO ET UX
PO BOX 6092
ALBUQUERQUE NM 87197

DURAN JOHANNA L
920 WALTER NE
ALBUQUERQUE NE 87102

ROBLES ANDREW RAY
916 WALTER NE
ALBUQUERQUE NM 87102

CORRALEZ ANGELIQUE
916 WALTER ST NE
ALBUQUERQUE NM 87102

BACA CARLOS RAY
618 MARBLE AVE NE
ALBUQUERQUE NM 87102

GRIEGO LILLIAN
639 RESERVIOR ST
SOCORRO NM 87801-4332

MICHELMAN EVELYN
620 MARBLE AVE NE
ALBUQUERQUE NM 87102

VASQUEZ PERFECTO & LYDIA
617 PAGE AVE NE
ALBUQUERQUE NM 87102-2476

KARSTEN ELIZABETH C
1911 RICHMOND DR NE
ALBUQUERQUE NM 87106

GANBATTE HOLDINGS LLC
3431 MONTE VISTA BLVD NE
ALBUQUERQUE NM 87106

BAUER ASHLEY
614 PAGE AVE NE
ALBUQUERQUE NM 87102

SANCHEZ PATRICIA B & BACA
FILODELFIO R
616 PAGE AVE NE
ALBUQUERQUE NM 87102

SANCHEZ JOEY J JR & ALMITRA
618 ½ PAGE AVE NE
ALBUQUERQUE NM 87102

ORDONEZ-CARAVEO JUAN CARLOS &
ORDONEZ-CARAVEO RUBEN GERALDO
8400 CASA GRIS CT NW
ALBUQUERQUE NM 87102

AVILA-BORUNDA ARIADNA I &
BORUNDA LAURA
523 SLATE AVE NE
ALBUQUERQUE NM 87102

MARTHA LILLEY LLC & YELLOW HORSE
ENTERPRISES LLC
7244 SAVAGE DR NE
ALBUQUERQUE NM 87109

CHAVEZ RAMIE NICHOLE
2315 MUIR DR NW
ALBUQUERQUE NM 87120

SWEET & COMPANY LLC
PO BOX 3082
HUNTINGTON BEACH CA 92605-3082

522 LOMAS LLC
522 LOMAS BLVD NE
ALBUQUERQUE NM 87102

WHITFIELD ENTERPRISES INC
617 I STREET
PETALUMA CA 94952-4904

REGENTS OF UNM REAL ESTATE DEPT
MSC06-3595-1 UNIVERSITY OF NM
ALBUQUERQUE NM 87131

SPINE ORTHOPAEDIC &
REHABILITATION CENTER LLC C/O
WHITEMAN COMPANY LLC
7850 JEFFERSON ST NE SUITE 140
ALBUQUERQUE NM 87109

SANTA TERESA GIANT LLC
601 N MESA SUITE 1500
EL PASO TX 79901-1225

SANDIA FOUNDATION
6211 SAN MATEO BLVD NE SUITE 100
ALBUQUERQUE NM 87109

I-25 HOTEL CORPORATION
20342 SW ACACIA ST
NEWPORT BEACH CA 92660-1704

REGENTS OF UNM REAL ESTATE DEPT
MSC06-3595-1 UNIVERSITY OF NM
ALBUQUERQUE NM 87131-0001

[Note: Items with an asterisk (*) are required.]

**Public Notice of a Proposed Project in the City of Albuquerque
for Decisions Requiring a Meeting or Hearing
Mailed to a Property Owner**

Date of Notice*: April 24, 2024

This notice of an application for a proposed project is provided as required by Integrated Development Ordinance (IDO) [Subsection 14-16-6-4\(K\) Public Notice](#) to:

Property Owner within 100 feet*: 522 LOMAS LLC

Mailing Address*: 522 LOMAS BLVD NE, ALBUQUERQUE NM 87102

Project Information Required by [IDO Subsection 14-16-6-4\(K\)\(1\)\(a\)](#)

1. Subject Property Address*: 1100 Woodward Pl NE, Albuquerque, NM 87102

Location Description: Tract A Plat of Gateway Subdivision

2. Property Owner*: JDGQ Land Holding LLC C/O Atrium Holding Company

3. Agent/Applicant* [if applicable]: Tierra West LLC

4. Application(s) Type* per IDO [Table 6-1-1](#) [mark all that apply]

- Conditional Use Approval
- Permit _____ (Carport or Wall/Fence – Major)
- Site Plan
- Subdivision _____ (Minor or Major)
- Vacation _____ (Easement/Private Way or Public Right-of-way)
- Variance
- Waiver
- Other: _____

Summary of project/request¹*:

Major amendment to existing Gateway Center Site Plan to allow for Hospital Use on subject lot

5. This application will be decided at a public meeting or hearing by*:

- Zoning Hearing Examiner (ZHE)
- Development Review Board (DRB)
- Landmarks Commission (LC)
- Environmental Planning Commission (EPC)

¹ Attach additional information, as needed to explain the project/request.

[Note: Items with an asterisk (*) are required.]

Date/Time*: Thursday, May 16th, 8:40 AM

Location*²: CABQ Zoom - <https://cabq.zoom.us/j/2269592859>

Agenda/meeting materials: <http://www.cabq.gov/planning/boards-commissions>

To contact staff, email devhelp@cabq.gov or call the Planning Department at 505-924-3860.

- 6. Where more information about the project can be found*³:
tierrawestllc.com - slozoya@tierrawestllc.com - (505) 858-3100

Project Information Required for Mail/Email Notice by [IDO Subsection 6-4\(K\)\(1\)\(b\)](#):

- 1. Zone Atlas Page(s)*⁴: J-15-Z
- 2. Architectural drawings, elevations of the proposed building(s) or other illustrations of the proposed application, as relevant*: Attached to notice or provided via website noted above
- 3. The following exceptions to IDO standards have been requested for this project*:

Deviation(s) Variance(s) Waiver(s)

Explanation*: _____

- 4. A Pre-submittal Neighborhood Meeting was required by [Table 6-1-1](#): Yes No Summary of the Pre-submittal Neighborhood Meeting, if one occurred:

A meeting between Agent, Tierra West, and the Santa Barbara Martineztown Neighborhood Association (SBMTNA) occurred on March 21, 2024, and the Site Plan was presented and discussed. Concerns such as traffic and public roadway capacity were discussed, but no consensus was reached.

- 5. **For Site Plan Applications only***, attach site plan showing, at a minimum:

- a. Location of proposed buildings and landscape areas.*
- b. Access and circulation for vehicles and pedestrians.*
- c. Maximum height of any proposed structures, with building elevations.*

² Physical address or Zoom link

³ Address (mailing or email), phone number, or website to be provided by the applicant

⁴ Available online here: <http://data.cabq.gov/business/zoneatlas/>

[Note: Items with an asterisk (*) are required.]

- d. **For residential development***: Maximum number of proposed dwelling units.
- e. **For non-residential development***:
 - Total gross floor area of proposed project. Hospital Use - 48,000 SF
 - Gross floor area for each proposed use.

Additional Information:

From the IDO Zoning Map⁵:

1. Area of Property [typically in acres]: 2.7845 Acres
2. IDO Zone District: MX-H (Appealed, previously MX-M)
3. Overlay Zone(s) [if applicable]: Martineztown/Santa Barbara - CPO-7
4. Center or Corridor Area [if applicable]: Mountain Rd and I-25 Frontage Corridors
5. Current Land Use(s) [vacant, if none]: Vacant

NOTE: Pursuant to [IDO Subsection 14-16-6-4\(L\)](#), property owners within 330 feet and Neighborhood Associations within 660 feet may request a post-submittal facilitated meeting. If requested at least 15 calendar days before the public meeting/hearing date noted above, the facilitated meeting will be required. To request a facilitated meeting regarding this project, contact the Planning Department at devhelp@cabq.gov or 505-924-3955.

Useful Links

Integrated Development Ordinance (IDO):

<https://ido.abc-zone.com/>

IDO Interactive Map

<https://tinyurl.com/IDOzoningmap>

⁵ Available here: <https://tinurl.com/idozoningmap>



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

522 LOMAS LLC
522 LOMAS BLVD NE
ALBUQUERQUE NM 87102



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

ARCHDIOCESE OF SANTA FE REAL
ESTATE CORPORATION
4000 ST JOSEPHS PL NW
ALBUQUERQUE NM 87120-1714



AVILA-BORUNDA ARIADNA I &
BORUNDA LAURA
523 SLATE AVE NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



BACA C JOHN JR
10100 CALLE BELLA NW
ALBUQUERQUE NM 87114



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

BACA CARLOS RAY
618 MARBLE AVE NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

BACA JOAQUIN F & MINDY S
1006 EDITH BLVD NE
ALBUQUERQUE NM 87102



TIERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

BACA TERESA A
BOX 5482
SANTA FE NM 87502-5482





TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

BAUER ASHLEY
614 PAGE AVE NE
ALBUQUERQUE NM 87102

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



BOARD OF EDUCATION C/O PROPERTY
MANAGER
PO BOX 25704
ALBUQUERQUE NM 87125-0704

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



CHAVEZ 1119 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ 1119 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828





TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ 1121 LLC
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ ALVIN
1122 HIGH ST NE
ALBUQUERQUE NM 87102





TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CHAVEZ RAMIE NICHOLE
2315 MUIR DR NW
ALBUQUERQUE NM 87120



CHAVEZ VALENTINO REYES
1117 HIGH ST NE
ALBUQUERQUE NM 87102-2425

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



TIERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CORRALEZ ANGELIQUE
916 WALTER ST NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

CROCKETT LAWRENCE & WOLFE
MARIA
2539 DURANES RD NW
ALBUQUERQUE NM 87104





TIERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

DUNEMAN CHRISTOPHER S & JAYMIE A
919 GRECIAN AVE NW
ALBUQUERQUE NM 87102

TERRA *MEST*. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

DURAN JOHANNA L
920 WALTER NE
ALBUQUERQUE NE 87102



TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

GANBATE HOLDINGS LLC
3431 MONTE VISTA BLVD NE
ALBUQUERQUE NM 87106





TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

GRIEGO LILLIAN
639 RESERVIOR ST
SOCORRO NM 87801-4332

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

HERNANDEZ KATHERINE
1024 WALTER ST NE
ALBUQUERQUE NM 87102



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

HUGH A CARLISLE POST 13 DEPT OF
NEW MEXICO
1201 MOUNTAIN RD NE
ALBUQUERQUE NM 87102-2716





TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

I-25 HOTEL CORPORATION
20342 SW ACACIA ST
NEWPORT BEACH CA 92660-1704



TIERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

JAMES DELBERT & MARIA C
1020 WALTER ST NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



JDHQ HOTELS LLC ATTN: ATRIUM
HOSPITALITY
12735 MORRIS RD SUITE 400 EXT
ALPHARETTA GA 30004-8904

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



JDHQ LAND HOLDING LLC C/O ATRIUM
HOLDING COMPANY
12735 MORRIS RD SUITE 400 EXT
ALPHARETTA GA 30004-8904



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

KARSTEN ELIZABETH C
1911 RICHMOND DR NE
ALBUQUERQUE NM 87106

Tierra West, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



LOPEZ JUAN A & KRAUSE CAROL A
800 MOUNTAIN RD NE
ALBUQUERQUE NM 87102

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



MARTHA LILLEY LLC & YELLOW HORSE
ENTERPRISES LLC
7244 SAVAGE DR NE
ALBUQUERQUE NM 87109



TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

MARTINEZ LORRAINE
1124 WALTER NE
ALBUQUERQUE NM 87120



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

MICHELMAN EVELYN
620 MARBLE AVE NE
ALBUQUERQUE NM 87102



TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

MOFFETT DOLORES & ALESHA MYRA
DILLANDER
103 E ARAGON RD
BELEN NM 87002-4601

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



MOFFETT DOLORES & ALESHA MYRA
DILLANDER
103 E ARAGON RD
BELEN NM 87002-4601

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



MONTOYA JUSTO ET UX
PO BOX 6092
ALBUQUERQUE NM 87197

TIERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



NEW HEART INC
601 LOMAS BLVD NE
ALBUQUERQUE NM 87102

TERRA MEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



ORDONEZ-CARAVEO JUAN CARLOS &
ORDONEZ-CARAVEO RUBEN GERALDO
8400 CASA GRIS CT NW
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



POLISAR SHIRLEY ELIZABETH CHAVEZ
1000 CAMINO RANCHITOS NW
ALBUQUERQUE NM 87114-1828

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



REGENTS OF UNM C/O REAL ESTATE
DEPT
1 UNIVERSITY OF NM MSC06 3595
ALBUQUERQUE NM 87131-0001

TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



REGENTS OF UNM C/O REAL ESTATE
DEPT
1 UNIVERSITY OF NM MSC06 3595
ALBUQUERQUE NM 87131-0001

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

REGENTS OF UNM REAL ESTATE DEPT
MSC06-3595-1 UNIVERSITY OF NM
ALBUQUERQUE NM 87131



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



REGENTS OF UNM REAL ESTATE DEPT
MSC06-3595-1 UNIVERSITY OF NM
ALBUQUERQUE NM 87131-0001



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

ROBLES ANDREW RAY
916 WALTER NE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

SALAIZ DULCE
1002 WALTER ST NE
ALBUQUERQUE NM 87102



TERRA WEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SANCHEZ JOEY J JR & ALMITRA
618 ½ PAGE AVE NE
ALBUQUERQUE NM 87102



TERRA *MEST*. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

SANCHEZ PATRICIA B & BACA
FILODELFIO R
616 PAGE AVE NE
ALBUQUERQUE NM 87102

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SANDIA FOUNDATION C/O PARADIGM
TAX GROUP – ESS #0116
PO BOX 71870
SALT LAKE CITY UT 84171-0870

TERRA MEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SANDIA FOUNDATION
6211 SAN MATEO BLVD NE SUITE 100
ALBUQUERQUE NM 87109

TERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

SANTA TERESA GIANT LLC
601 N MESA SUITE 1500
EL PASO TX 79901-1225





TIERRA WEST.LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

SOLANO DAVID M
1004 WALTER ST SE
ALBUQUERQUE NM 87102

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SPINE ORTHOPAEDIC &
REHABILITATION CENTER LLC C/O
WHITEMAN COMPANY LLC
7850 JEFFERSON ST NE SUITE 140
ALBUQUERQUE NM 87109

TIERRA *MEST.* LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



SWEET & COMPANY LLC
PO BOX 3082
HUNTINGTON BEACH CA 92605-3082

TERRA MEST. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

TRICORE REFERENCE LABORATORIES
1001 WOODWARD PL NE
ALBUQUERQUE NM 87102



Tierra West. LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



VASQUEZ PERFECTO & LYDIA
617 PAGE AVE NE
ALBUQUERQUE NM 87102-2476

TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109

VIGIL FRIEDA & GEORGE WYLER &
LOUIE WYLER & ELIZABETH GRIEGO
ETAL
2733 GRACELAND DR NE
ALBUQUERQUE NM 87102



TERRA WEST, LLC
5571 MIDWAY PARK PLACE NE
ALBUQUERQUE NM 87109



WHITFIELD ENTERPRISES INC
617 I STREET
PETALUMA CA 94952-4904


Relayed: [#2023123] 1100 Woodward PI NE - Meeting Request and Submittal Notice

Microsoft Outlook

<MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@tierrawestllc.com>

Wed 4/10/2024 9:21 AM

To: martinez.renee@gmail.com <martinez.renee@gmail.com>

 1 attachments (18 KB)

[#2023123] 1100 Woodward PI NE - Meeting Request and Submittal Notice;

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

martinez.renee@gmail.com (martinez.renee@gmail.com).

Subject: [#2023123] 1100 Woodward PI NE - Meeting Request and Submittal Notice

SIGN POSTING AGREEMENT

REQUIREMENTS

POSTING SIGNS ANNOUNCING PUBLIC HEARINGS

All persons making application to the City under the requirements and procedures established by the Integrated Development Ordinance are responsible for the posting and maintaining of one or more signs on the property which is subject to the application, as shown in Table 6-1-1. Vacations of public rights-of-way (if the way has been in use) also require signs. Waterproof signs are provided at the time of application for a \$10 fee per sign. If the application is mailed, you must still stop at the Development Services Front Counter to pick up the sign(s).

The applicant is responsible for ensuring that the signs remain posted throughout the 15-day period prior to any public meeting or hearing. Failure to maintain the signs during this entire period may be cause for deferral or denial of the application. Replacement signs for those lost or damaged are available from the Development Services Front Counter.

1. LOCATION

- A. The sign shall be conspicuously located. It shall be located within twenty feet of the public sidewalk (or edge of public street). Staff may indicate a specific location.
- B. The face of the sign shall be parallel to the street, and the bottom of the sign shall be at least two feet from the ground.
- C. No barrier shall prevent a person from coming within five feet of the sign to read it.

2. NUMBER

- A. One sign shall be posted on each paved street frontage. Signs may be required on unpaved street frontages.
- B. If the land does not abut a public street, then, in addition to a sign placed on the property, a sign shall be placed on and at the edge of the public right-of-way of the nearest paved City street. Such a sign must direct readers toward the subject property by an arrow and an indication of distance.

3. PHYSICAL POSTING

- A. A heavy stake with two crossbars or a full plywood backing works best to keep the sign in place, especially during high winds.
- B. Large headed nails or staples are best for attaching signs to a post or backing; the sign tears out less easily.


4. TIME

Signs must be posted from Wednesday, May 1st To Friday, May 31st

5. REMOVAL

- A. The sign is not to be removed before the initial hearing on the request.
- B. The sign should be removed within five (5) days after the initial hearing.

I have read this sheet and discussed it with the Development Services Front Counter Staff. I understand (A) my obligation to keep the sign(s) posted for (15) days and (B) where the sign(s) are to be located. I am being given a copy of this sheet.

 Adam Johnstone 4/3/2024
(Applicant or Agent) (Date)

I issued _____ signs for this application, _____, _____
(Date) (Staff Member)

PROJECT NUMBER: _____



REQUEST
Major Amendment to Site Plan-EPC for controlling driveway center side plan
to allow for hospital use at 1100 Woodward P.N.E

The City of Albuquerque Environmental Planning Commission will hold a
public hearing on Zoom <https://aba.zoom.us/j/22695289>
on May 16th 2024 at 8:30 AM. All Persons
have a right to appear at such a hearing. For information on this case or
other instructions on filing written comments, call the Planning
Department at (505) 924-3860 or contact the applicant.
Required to be posted from Wed, May 15 to Fri, May 17
by Terra West on behalf of Cross Development phone (505) 838-2100
applicant agent PR 2024-009765 ST 2024-00468

REFER TO FILES

It is illegal for an unauthorized person to remove or tamper with this sign.



REQUEST
 Major Amendment to Site Plan EPC for controlling outcrop Center site plan
 to allow for hospital use at 1100 Woodward Pk. NE
 Zoom: <https://city.zoom.us/j/2269592859>
 The City of Albuquerque Environmental Planning Commission will hold a
 public hearing on PR 2024-009765 at 8:30 AM. All persons
 have a right to appear at such a hearing. For information on this case or
 other instructions on filing written comments, call the Planning
 Department at (505) 924-3860 or contact the applicant.
 Required to be posted from Wed, May 15 to Fri, May 17
 by Tierra Vista, Inc. behalf of Cross Development phone: (505) 551-1100
 applicant/agent PR 2024-009765 ST-2024-00468
REFER TO FILE#



REQUEST

Major Amendment to Site Plan-EPZ for controlling Gateway Center Site Plan
to allow for hospital use of 1100 Woodward Pl NE

Zoom: <https://caba.zoom.us/j/2269592859>

The City of Albuquerque Environmental Planning Commission will hold a public hearing ~~in the~~ ^{via zoom} ~~Del Sol Building Hearing Room, Basement,~~ ^{Del Sol Building Hearing Room, Basement,} ~~600 2nd St. NW,~~ ^{600 2nd St. NW,} on May 16th, 2024 at 8:30 AM. All persons have a right to appear at such a hearing. For information on this case or other instructions on filing written comments, call the Planning Department at (505) 924-3860 or contact the applicant.

Required to be posted from Wed, May 1st to Fri, May 31st
by Tierra West, on behalf of Cross Development (505) 858-300
applicant/agent phone

REFER TO FILE# PR-2024-009765 SI-2024-00468

It is illegal for an unauthorized person to remove or tamper with this sign



FACILITATED MEETING REPORT

CABQ Facilitated Meeting Report
EPC - Site Plan Amendment (Major)
1100 Woodward PI NE - Matter #2023123
March 21, 2024 – 6-8PM – Remote Format (ZOOM)
Facilitator, Tyson R. Hummell

Meeting Background

This Meeting was to address Applicant’s request for Site Plan Amendment (Major). The current site plan provides for general office facilities. The subject amendment would allow development of a Physical Rehabilitation Hospital. Pursuant to IDO, 14-16-1-10(A)(2) the original “Gateway” site plan, cir.1994, is controlling. SBNA objects to this interpretation of the IDO and does not agree that the 1994 site plan is controlling. This issue remains unresolved between the parties.

This same Applicant also recently submitted for a Zone Map Amendment at the same subject property. ADR provided a separate Facilitated Meeting for that application on January 18, 2024. Many of the Community objections heard at that meeting were re-iterated, and are therefore restated herein.

*The corresponding Application for Zone Map Amendment is currently under appeal.

Meeting Process

This meeting was conducted remotely, via ZOOM. Applicants shared project details and proposed Community benefits, via PowerPoint presentation. The remainder of this Facilitated Meeting included questions, answers, discussion and Community comments.

There were two important changes in Applicants’ presentation, since our first Facilitated Meeting. CABQ and NMDOT will now require a formal traffic/safety study, to be completed for the subject site. The second change was a significant reduction in total proposed patient capacity.

Community Objections

The Community objects to this project, contextually, not generally. The Community specifically objects to several existing, negative impacts, which this project might exacerbate. These Community concerns and objections do transcend the parameters of the subject application. However, these objections are relevant to understand how existing, negative impacts might act in concert with Applicants’ proposed use.

Aggregate Community Concerns

1. Traffic capacity deficit on Mountain Road (existing)
 - 1.1. Historic Mountain Road, between Edith and the Frontage Road, is very narrow, and was not built to support current uses. Existing uses already exceed traffic infrastructure capacity on Mountain Road
 - 1.2. Excessive Commercial vehicle use (existing)
 - 1.2.1. Roadway damage due to excessive use and large commercial vehicle traffic
 - 1.2.2. Damage to adjacent structures due to large commercial vehicle traffic
 - 1.3. Applicants’ proposed Site Plan is adjacent to, and may exacerbate traffic impacts of AHS and CEC facilities (4000+/- daily users)

- 1.4. Applicants' site plan could worsen traffic congestion, noise and pollution in SBMT
2. Safety concerns near the intersection Frontage Road / Mountain Road (adjacent to site)
 - 2.1. Intersection already sees excessive speeding, frequent serious collisions and dangerous conditions, generally.
 - 2.2. Community is currently not protected from improper commercial vehicles entering SBMT, via the Frontage Road at Mountain.
 - 2.2.1. Community suggests that a Roundabout, physical barriers and/or effective traffic law enforcement may help mitigate this issue, in aggregate
 - 2.3. Community is concerned that Applicants' proposed use could worsen these existing impacts
3. Community voiced concern regarding any Gentrification impacts, which might be associated with this application.
4. Community also voiced concern regarding any Disruption of Historic Community identity, which may be associated with this project
5. Environmental Impacts and Concerns
 - 5.1. Community requests a comprehensive environmental impact study, to include assessments of:
 - 5.1.1. Aggregate vehicle traffic
 - 5.1.2. Air Quality
 - 5.1.3. Noise
 - 5.1.4. Building Height (objection to 3-story building)
 - 5.1.4.1. Solar Blocking / Solar Loss
 - 5.1.5. Freeway Impacts, and
 - 5.1.6. "Heat Wave" Impacts
 - 5.2. Community proposes an alternative site use - as City Owned Open Space, to provide:
 - 5.2.1. Natural buffer to Freeway
 - 5.2.2. Relief from urban infill, congestion and crowding
 - 5.2.3. Amenities similar to North Domingo Baca Multigenerational Center
 - 5.2.4. Mitigation of urban environmental impacts (noise, pollution, crowding, infill)

Conclusion


Community objects to Applicants' request. Consensus was not achieved. The Parties remain at impasse, with regard to this project.

Participants

Applicant Team	Tierra West LLC. Sergio Lozoya Adam Johnstone
Community Stakeholders	SBMTNA (Participated Collectively Online) *Individual Community Stakeholders were not documented
Facilitator	CABQ ADR Office Tyson R. Hummell

CONTROLLING SITE DEVELOPMENT PLAN

DRB-94-183



DRB-94-183

CITY OF ALBUQUERQUE

THE CITY OF ALBUQUERQUE, NEW MEXICO, HAS REVIEWED THE ABOVE PROJECT AND HAS DETERMINED THAT THE PROJECT IS IN ACCORDANCE WITH THE CITY ZONING ORDINANCES AND THE CITY SUBDIVISION ACT.

[Signature]

CITY OF ALBUQUERQUE

THE CITY OF ALBUQUERQUE, NEW MEXICO, HAS REVIEWED THE ABOVE PROJECT AND HAS DETERMINED THAT THE PROJECT IS IN ACCORDANCE WITH THE CITY ZONING ORDINANCES AND THE CITY SUBDIVISION ACT.

[Signature]

CITY OF ALBUQUERQUE

PLANS/PLATS ON FILE


FILE DESC: DRB-94-183

PLANS/PLATS 5



CITY OF ALBUQUERQUE

DRB 44-183



THE CITY OF ALBUQUERQUE
 PLANNING DEPARTMENT
 1000 CENTRAL AVENUE, N.W.
 ALBUQUERQUE, N.M. 87102
 (505) 763-1000

See Plans for additional details.
 AREA 1.1
 AREA 1.2
 AREA 1.3
 AREA 1.4
 AREA 1.5
 AREA 1.6
 AREA 1.7


Building Height Not to Exceed
 1. 100 feet
 2. 120 feet
 3. 150 feet
 4. 180 feet
 5. 200 feet

- Environmental Planning Commission**
 APPROVAL REQUIRED BY THE CITY OF ALBUQUERQUE
- The development of the project must be in accordance with the City of Albuquerque Comprehensive Zoning Ordinance and the City of Albuquerque Comprehensive Land Use Ordinance.
 - The project must be in accordance with the City of Albuquerque Comprehensive Zoning Ordinance and the City of Albuquerque Comprehensive Land Use Ordinance.
 - The project must be in accordance with the City of Albuquerque Comprehensive Zoning Ordinance and the City of Albuquerque Comprehensive Land Use Ordinance.
 - The project must be in accordance with the City of Albuquerque Comprehensive Zoning Ordinance and the City of Albuquerque Comprehensive Land Use Ordinance.
 - The project must be in accordance with the City of Albuquerque Comprehensive Zoning Ordinance and the City of Albuquerque Comprehensive Land Use Ordinance.



SANDIA FOUNDATION
 1000 CENTRAL AVENUE, N.W.
 ALBUQUERQUE, N.M. 87102
 (505) 763-1000

CITY OF ALBUQUERQUE
 PLANNING DEPARTMENT
 1000 CENTRAL AVENUE, N.W.
 ALBUQUERQUE, N.M. 87102
 (505) 763-1000



D
20
B
A

CITY OF ALBUQUERQUE

C D F



028-94-153
(2015)

FOR THE CITY OF ALBUQUERQUE

CITY OF ALBUQUERQUE

CITY OF ALBUQUERQUE
This document is certified to be a true and correct copy of the original as shown to the public in the office of the City Clerk.

APR 15 2015
CITY OF ALBUQUERQUE

DEVELOPMENT REVIEW BOARD

1/RB (1/25/85)

CONDITIONS OF SITE PLAN FOR SUBDIVISION APPROVAL

NO.	DESCRIPTION	AREA (ACRES)	PERCENTAGE
1	AREA 1.1	3.5	100.00
2	AREA 1.2	5.0	100.00
3	AREA 1.3	2.5	100.00
4	AREA 1.4	1.0	100.00
5	AREA 1.5	1.0	100.00
6	AREA 1.6	1.0	100.00
7	AREA 1.7	1.0	100.00
8	AREA 1.8	1.0	100.00
9	AREA 1.9	1.0	100.00
10	AREA 1.10	1.0	100.00
11	AREA 1.11	1.0	100.00
12	AREA 1.12	1.0	100.00
13	AREA 1.13	1.0	100.00
14	AREA 1.14	1.0	100.00
15	AREA 1.15	1.0	100.00
16	AREA 1.16	1.0	100.00
17	AREA 1.17	1.0	100.00
18	AREA 1.18	1.0	100.00
19	AREA 1.19	1.0	100.00
20	AREA 1.20	1.0	100.00
21	AREA 1.21	1.0	100.00
22	AREA 1.22	1.0	100.00
23	AREA 1.23	1.0	100.00
24	AREA 1.24	1.0	100.00
25	AREA 1.25	1.0	100.00
26	AREA 1.26	1.0	100.00
27	AREA 1.27	1.0	100.00
28	AREA 1.28	1.0	100.00
29	AREA 1.29	1.0	100.00
30	AREA 1.30	1.0	100.00
31	AREA 1.31	1.0	100.00
32	AREA 1.32	1.0	100.00
33	AREA 1.33	1.0	100.00
34	AREA 1.34	1.0	100.00
35	AREA 1.35	1.0	100.00
36	AREA 1.36	1.0	100.00
37	AREA 1.37	1.0	100.00
38	AREA 1.38	1.0	100.00
39	AREA 1.39	1.0	100.00
40	AREA 1.40	1.0	100.00
41	AREA 1.41	1.0	100.00
42	AREA 1.42	1.0	100.00
43	AREA 1.43	1.0	100.00
44	AREA 1.44	1.0	100.00
45	AREA 1.45	1.0	100.00
46	AREA 1.46	1.0	100.00
47	AREA 1.47	1.0	100.00
48	AREA 1.48	1.0	100.00
49	AREA 1.49	1.0	100.00
50	AREA 1.50	1.0	100.00

AREA RESERVED FOR RECREATION AND NOT REQUIRED AREA WILL BE ADJUDICATED TRACTS



THE CITY OF ALBUQUERQUE, NEW MEXICO, HAS REVIEWED THIS SITE PLAN AND HAS DETERMINED THAT IT IS IN CONFORMANCE WITH THE CITY OF ALBUQUERQUE ZONING ORDINANCE AND THE CITY OF ALBUQUERQUE SUBDIVISION ACT. THE CITY OF ALBUQUERQUE ENGINEERING DEPARTMENT HAS REVIEWED THIS SITE PLAN AND HAS DETERMINED THAT IT IS IN CONFORMANCE WITH THE CITY OF ALBUQUERQUE ENGINEERING DEPARTMENT ORDINANCES AND THE CITY OF ALBUQUERQUE SUBDIVISION ACT. THE CITY OF ALBUQUERQUE ENGINEERING DEPARTMENT HAS REVIEWED THIS SITE PLAN AND HAS DETERMINED THAT IT IS IN CONFORMANCE WITH THE CITY OF ALBUQUERQUE ENGINEERING DEPARTMENT ORDINANCES AND THE CITY OF ALBUQUERQUE SUBDIVISION ACT.



1. The proposed subdivision shall be in accordance with the City of Albuquerque Zoning Ordinance and the City of Albuquerque Subdivision Act.

2. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

3. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

4. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

5. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

6. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

7. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

8. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

9. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

10. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.



1. The proposed subdivision shall be in accordance with the City of Albuquerque Zoning Ordinance and the City of Albuquerque Subdivision Act.

2. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

3. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

4. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

5. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

6. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

7. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

8. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

9. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

10. The proposed subdivision shall be in accordance with the City of Albuquerque Engineering Department Ordinances and the City of Albuquerque Subdivision Act.

CONDITIONS OF SITE PLAN FOR SUBDIVISION APPROVAL

1. The applicant shall comply with all applicable laws, ordinances, rules and regulations of the City of Albuquerque, New Mexico, and the State of New Mexico, and shall be responsible for obtaining all necessary permits from the appropriate agencies.

2. The applicant shall maintain the site in accordance with the approved site plan and shall be responsible for the construction and maintenance of all infrastructure facilities shown on the site plan.

3. The applicant shall provide adequate drainage for the site and shall be responsible for the construction and maintenance of all drainage facilities shown on the site plan.

4. The applicant shall provide adequate parking for the site and shall be responsible for the construction and maintenance of all parking facilities shown on the site plan.

5. The applicant shall provide adequate landscaping for the site and shall be responsible for the construction and maintenance of all landscaping facilities shown on the site plan.

6. The applicant shall provide adequate lighting for the site and shall be responsible for the construction and maintenance of all lighting facilities shown on the site plan.


7. The applicant shall provide adequate security for the site and shall be responsible for the construction and maintenance of all security facilities shown on the site plan.

8. The applicant shall provide adequate fire protection for the site and shall be responsible for the construction and maintenance of all fire protection facilities shown on the site plan.

9. The applicant shall provide adequate emergency services for the site and shall be responsible for the construction and maintenance of all emergency services facilities shown on the site plan.

10. The applicant shall provide adequate utility services for the site and shall be responsible for the construction and maintenance of all utility services facilities shown on the site plan.

AREA	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT
1.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.01	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.02	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.03	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.04	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.05	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.06	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.07	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.08	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.09	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.10	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.11	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.12	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.13	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.14	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.15	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.16	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.17	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.18	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.19	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
1.20	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00



APPROVED BY: [Signature]

DATE: [Date]

PROJECT NO.: [Number]

PROJECT NAME: [Name]

PROJECT ADDRESS: [Address]

PROJECT CITY: [City]

PROJECT STATE: [State]

PROJECT ZIP: [ZIP]

PROJECT PHONE: [Phone]

PROJECT FAX: [Fax]

PROJECT EMAIL: [Email]

PROJECT WEBSITE: [Website]

PROJECT CONTACT: [Contact]

PROJECT DESCRIPTION: [Description]

PROJECT PURPOSE: [Purpose]

PROJECT SCOPE: [Scope]

PROJECT BOUNDARIES: [Boundaries]

PROJECT EASEMENTS: [Easements]

PROJECT UTILITIES: [Utilities]

PROJECT INFRASTRUCTURE: [Infrastructure]

PROJECT LANDSCAPING: [Landscaping]

PROJECT LIGHTING: [Lighting]

PROJECT SECURITY: [Security]

PROJECT FIRE PROTECTION: [Fire Protection]

PROJECT EMERGENCY SERVICES: [Emergency Services]

PROJECT UTILITY SERVICES: [Utility Services]



APPROVED BY: [Signature]

DATE: [Date]

PROJECT NO.: [Number]

PROJECT NAME: [Name]

PROJECT ADDRESS: [Address]

PROJECT CITY: [City]

PROJECT STATE: [State]

PROJECT ZIP: [ZIP]

PROJECT PHONE: [Phone]

PROJECT FAX: [Fax]

PROJECT EMAIL: [Email]

PROJECT WEBSITE: [Website]

PROJECT CONTACT: [Contact]

PROJECT DESCRIPTION: [Description]

PROJECT PURPOSE: [Purpose]

PROJECT SCOPE: [Scope]

PROJECT BOUNDARIES: [Boundaries]

PROJECT EASEMENTS: [Easements]

PROJECT UTILITIES: [Utilities]

PROJECT INFRASTRUCTURE: [Infrastructure]

PROJECT LANDSCAPING: [Landscaping]

PROJECT LIGHTING: [Lighting]

PROJECT SECURITY: [Security]

PROJECT FIRE PROTECTION: [Fire Protection]

PROJECT EMERGENCY SERVICES: [Emergency Services]

PROJECT UTILITY SERVICES: [Utility Services]



APPROVED BY: [Signature]

DATE: [Date]

PROJECT NO.: [Number]

PROJECT NAME: [Name]

PROJECT ADDRESS: [Address]

PROJECT CITY: [City]

PROJECT STATE: [State]

PROJECT ZIP: [ZIP]

PROJECT PHONE: [Phone]

PROJECT FAX: [Fax]

PROJECT EMAIL: [Email]

PROJECT WEBSITE: [Website]

PROJECT CONTACT: [Contact]

PROJECT DESCRIPTION: [Description]

PROJECT PURPOSE: [Purpose]

PROJECT SCOPE: [Scope]

PROJECT BOUNDARIES: [Boundaries]

PROJECT EASEMENTS: [Easements]

PROJECT UTILITIES: [Utilities]

PROJECT INFRASTRUCTURE: [Infrastructure]

PROJECT LANDSCAPING: [Landscaping]

PROJECT LIGHTING: [Lighting]

PROJECT SECURITY: [Security]

PROJECT FIRE PROTECTION: [Fire Protection]

PROJECT EMERGENCY SERVICES: [Emergency Services]

PROJECT UTILITY SERVICES: [Utility Services]

CITY OF ALBUQUERQUE

C

D

F





CITY OF ALBUQUERQUE
 THE ENGINEER OF THE CITY
 IS HEREBY APPROVED AS
 TO THE PLAN AND THE
 PROJECT.



988-64-13
 (2475)

DEVELOPMENT REVIEW BOARD

SITE PLAN - WPC MAJOR AMENDMENT



LEGEND

	CURB & GUTTER
	BOUNDARY LINE
	EASEMENT
	CENTERLINE
	RIGHT-OF-WAY
	BUILDING
	SIDEWALK
	EXISTING CURB & GUTTER
	EXISTING BOUNDARY LINE
	LANDSCAPING
	RETAINING WALL
	SETBACK LINE
	SCREEN WALL

LINE TABLE

NO.	BEARING & DISTANCE
L1	S 73°02'15" E, 3.27'
L2	S 17°01'04" W, 109.94'
L3	S 26°24'22" W, 9.58'

CURVE TABLE

NO.	RADIUS	LENGTH	DELTA
C1	335.00'	73.03'	12°29'23"
C2	30.00'	44.66'	85°17'07"

MAJOR AMENDMENT - SITE PLAN EPC PR - 2024 - 009765, SI - 2024 - 00468


- MAJOR AMENDMENT FOR AREA 3 OF THE CONTROLLING SITE PLAN FOR "TRACT A" ONLY.
- THIS AMENDMENT WOULD CHANGE THE ALLOWABLE USE ON AREA 3 "TRACT A" TO INCLUDE HOSPITAL.
- BUILDING AREA AND HEIGHT MAXIMUMS AS DESCRIBED IN CONTROLLING SITE PLAN, REMAIN APPLICABLE TO AREA 3 "TRACT A".
- SETBACKS FOR AREA 3 TO BE CONTROLLED BY IDO.
- PER IDO SECTION 1-10(A)(2) : ANY USE STANDARDS OR DEVELOPMENT STANDARDS ASSOCIATED WITH ANY PRE-IDO APPROVAL OR ZONING DESIGNATION ESTABLISH RIGHTS AND LIMITATIONS AND ARE EXCLUSIVE OF AND PREVAIL OVER ANY OTHER PROVISION OF THIS IDO. WHERE THOSE APPROVALS ARE SILENT, PROVISIONS IN THE IDO SHALL APPLY.

KEYED NOTES

- 1 ACCESSIBLE SPACE PER ADA REQUIREMENTS WITH SIGN (2 VAN ACCESSIBLE, 5 AUTO)
- 2 6" CURB AND GUTTER (TYP) PER COA STD DWG 2415A
- 3 WHEEL STOP SEE DETAIL SHEET DET-1
- 4 11' CONCRETE SIDEWALK PER COA STD DWG 2430
- 5 UNIDIRECTIONAL ACCESSIBLE RAMP SEE DETAIL SHEET DET-1
- 6 MOTORCYCLE SPACES (5, 8'X4') W/SIGN
- 7 BICYCLE RACK
- 8 LIGHT POLE TO BE RELOCATED EAST OF ENTRANCE
- 9 CURB INLET TO BE RELOCATED EAST OF ENTRANCE
- 10 5' PEDESTRIAN CROSSWALK, SEE DETAIL SHEET DET-1
- 11 EXISTING ACCESSIBLE RAMP
- 12 EXISTING CONCRETE SIDEWALK
- 13 NEW 5' CONCRETE SIDEWALK PER COA STD DWG 2430
- 14 EXISTING LIGHT POLE TO BE RELOCATED BEHIND WALK
- 15 EXISTING BUS STOP
- 16 6' VALLEY GUTTER PER COA STD DWG 2420
- 17 SITE LIGHTING (TYP)
- 18 ILLUMINATED BOLLARD (TYP)
- 19 SCREEN WALL

THIS SITE PLAN AMENDMENT ONLY APPLIES TO AREA 3 OF THE GATEWAY CENTER SITE PLAN FOR SUBDIVISION

PROPOSED ENTRANCES TO BE FINALIZED PER DISCUSSIONS WITH CABQ TRAFFIC ENGINEER



LEGAL DESCRIPTION:
TRACT LETTERED "A" OF THE PLAT OF GATEWAY SUBDIVISION

SITE DATA

PROPOSED USAGE	HOSPITAL
LOT AREA	119591 SF (2.74543 ACRES)
ZONING	MX-H
BUILDING AREA	55098 SF
BUILDING FOOTPRINT	16068 SF
BUILDING COVERAGE	13%

BUILDING SETBACK Minimums Per IDO Table 5-1-2: Mixed Use Zone District Dimensional Standards

FRONT	5'
REAR	15'
SIDE	0' SOUTH SIDE, 5' NORTH SIDE

GFA 55098 SF/4 SPACE PER 1,000 = 220 SPACES
 5-5(C)(5)(A) PARKING REDUCTION = 20%
 5-5(C)(5)(C) PARKING REDUCTION = 10%
 REDUCED PARKING REQUIRED = 154 SPACES

PARKING PROVIDED	140 SPACES
ACCESSIBLE PARKING REQUIRED	14 SPACES
ACCESSIBLE SPACES PROVIDED	14 SPACES (3 VAN ACCESSIBLE)
TOTAL	154 SPACES

BICYCLE SPACES REQUIRED	15
BICYCLE SPACES PROVIDED	15
MOTORCYCLE SPACES REQUIRED	5 SPACES
MOTORCYCLE SPACES PROVIDED	5 SPACES

LANDSCAPE REQUIRED	15528 SF
LANDSCAPE PROVIDED	16205 SF

PROJECT NUMBER: _____







Application Number: _____

Is an Infrastructure List required? () Yes () No. If yes, then a set of approved DRC plans with a work order is required for any construction within Public Right-of-Way or for construction of public improvements.

DFT SITE DEVELOPMENT PLAN APPROVAL:




Traffic Engineering, Transportation Division	_____	Date
ABCWUA	_____	Date
Parks and Recreation Department	_____	Date
Hydrology	_____	Date
Code Enforcement	_____	Date
* Environmental Health Department (conditional)	_____	Date
Solid Waste Management	_____	Date
Planning Department	_____	Date

	NOBIS REHAB HOSPITAL 1100 WOODWARD PL.	DRAWN BY pm
	SITE PLAN	DATE 5-6-24
	5571 MIDWAY PARK PL NE ALBUQUERQUE, NEW MEXICO 87109 (505) 858-3100 www.tierrawestllc.com	DRAWING 2023123-SP
5-6-24 RONALD R. BOHANNAN P.E. #7868		SHEET # SP-1
		JOB # 2023123



PRODUCT: 10238-10237
DESCRIPTION: BIKE RACK
2 BIKE, SURFACE OR IN GROUND MOUNT
DATE: 10-4-18
ENG: SNC
CONFIDENTIAL DRAWING AND INFORMATION IS NOT TO BE COPIED OR DISCLOSED TO OTHERS WITHOUT THE CONSENT OF GRABER MANUFACTURING, INC. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
©2018 GRABER MANUFACTURING, INC. ALL PROPRIETARY RIGHTS RESERVED.

NOTES:
INSTALL BIKE RACKS ACCORDING TO MANUFACTURER'S SPECIFICATIONS.
CONSULTANT TO SELECT COLOR/GRIND; SEE MANUFACTURER'S SPECIFICATIONS.
SEE SITE PLAN FOR LOCATION OR CONSULT OWNER.
BIKE RACK SHALL HAVE A 1-FOOT CLEAR ZONE ALL AROUND.
EACH BIKE RACK SPACE SHALL BE AT LEAST 6 FEET LONG AND 2 FEET WIDE.





8 INCH REINFORCED CONCRETE MASONRY WALL

H	A	B	T	Y-BARS	X-BARS
ft.-in.	in.	ft.-in.	in.		
2'-0"	8"	2'-0"	9"	#4 @32" O.C.	
2'-8"	8"	2'-0"	9"	#4 @32" O.C.	#4 @24" O.C.
3'-4"	8"	2'-4"	9"	#4 @32" O.C.	#4 @24" O.C.
4'-0"	12"	2'-8"	9"	#4 @32" O.C.	#4 @24" O.C.
4'-8"	12"	3'-4"	10"	#5 @32" O.C.	#4 @18" O.C.
5'-4"	14"	3'-10"	10"	#6 @16" O.C.	#4 @18" O.C.
6'-0"	16"	4'-8"	12"	#6 @8" O.C.	#4 @12" O.C.

12 INCH REINFORCED CONCRETE MASONRY WALL


H	A	B	T	Y-BARS	X-BARS
ft.-in.	in.	ft.-in.	in.		
5'-4"	14"	3'-8"	10"	#6 @18" O.C.	#4 @24" O.C.
6'-0"	15"	4'-2"	12"	#4 @16" O.C.	#4 @18" O.C.
6'-8"	16"	4'-6"	12"	#6 @24" O.C.	#5 @18" O.C.
7'-4"	18"	4'-10"	12"	#6 @16" O.C.	#5 @18" O.C.
8'-0"	20"	5'-4"	12"	#7 @18" O.C.	#6 @12" O.C.
8'-8"	20"	5'-8"	12"	#7 @16" O.C.	#6 @12" O.C.

- GENERAL NOTES:**
1. ALL CONCRETE IS TO BE 4000 PSI @ 28 DAYS.
 2. MINIMUM COMPACTION UNDER FOOTINGS IS TO BE 95% PER ASTM D 1557 FOR A DEPTH OF 12" MOISTURE CONTENT IS TO BE ± 2.0%.
 3. BACK FILL AGAINST WALLS IS TO BE HAND-PLACED AND COMPACTED.
 4. ALL BARS ARE TO BE GRADE 60, ASTM 615.
 5. TRUSS TYPE DUR-O-WALL EVERY OTHER COURSE.
 6. DOWELS SHALL BE AT LEAST EQUAL IN SIZE AND SPACING TO Y-BARS, SHALL PROJECT A MINIMUM OF 30 BAR DIA. INTO THE FILLED BLOCK CORES, AND SHALL EXTEND TO THE TOE OF THE FOOTING.
 7. PROVIDE KEY FOR 8" AND 12" WALLS WHERE H EXCEEDS 6'-0"
 8. USE EITHER EXPANSION JOINTS ON 20' CENTERS OR PILASTERS EVERY 16'.
 9. BOND BEAM, 1-#4 BARS FOR WALLS UNDER 3'-4", 2-#4 BARS FOR WALLS UNDER 5'-4", 2-#5 BARS FOR WALLS OVER 5'-4".




- NOTE:**
1. MARKINGS WITHIN PRIVATE PARKING LOT SHALL BE PER THIS DETAIL.
 2. THESE MARKINGS ARE TO BE PAINTED REFLECTIVE WHITE.


	NOBIS REHAB HOSPITAL 1100 WOODWARD PL.	DRAWN BY pm
	CONSTRUCTION DETAILS	DATE 4-29-24
	TIERRA WEST, LLC 5571 MIDWAY PARK PL. NE ALBUQUERQUE, NEW MEXICO 87109 (505) 858-3100 www.tierrawestllc.com	DRAWING 2023123-SP
		SHEET # DET-1
		JOB # 2023123




9 Dumpster Door Pivot
1/12" = 1/4"




8 Cane Bolt Detail
1/12" = 1/4"




7 Wall Section
3/4" = 1/4"



6 Plan Detail
1/12" = 1/4"




5 Side Elevation
NTS




4 Back Elevation
NTS

SPLIT-FACE CMU BLOCK WALL TO MATCH BUILDING




3 Side Elevation
NTS




2 Front Elevation
NTS

General Notes
1. PAINT BOLLARDS, GATE HINGES, GATES & ANY OTHER FERROUS STEEL COMPONENT TO MATCH BUILDING



1 Dumpster Floor Plan
1/2" = 1/4"



SCREEN WALL SECTION
NTS


- GENERAL NOTES:**
1. ALL CONCRETE IS TO BE 3000 PSI @ 28 DAYS.
 2. MINIMUM COMPACTION UNDER FOOTINGS IS TO BE 95% PER ASTM D 1557 FOR A DEPTH OF 12" MOISTURE CONTENT IS TO BE ± 2.0%.
 3. BACK FILL AGAINST WALLS IS TO BE HAND-PLACED AND COMPACTED.
 4. ALL BARS ARE TO BE GRADE 60, ASTM 615.
 5. TRUSS TYPE DUR-O-WALL EVERY OTHER COURSE.
 6. DOWELS SHALL BE AT LEAST EQUAL IN SIZE AND SPACING TO V-BARS, SHALL PROJECT A MINIMUM OF 30 BAR DIA. INTO THE FILLED BLOCK CORES, AND SHALL EXTEND TO THE TOE OF THE FOOTING.
 7. USE EITHER EXPANSION JOINTS ON 20' CENTERS OR PILASTERS EVERY 16'.
 8. FINISH GRADES AT BOTTOM OF WALL PER GRADING AND DRAINAGE PLAN.

	NOBIS REHAB HOSPITAL 1100 WOODWARD PL.	DRAWN BY pm
	CONSTRUCTION DETAILS	DATE 4-29-24
		DRAWING 2023123-SP
RONALD R. BOHANNAN P.E. #7868		SHEET # DET-1
		JOB # 2023123

LUMINIS®

LQ427 SERIES Lumiquad 4" BOLLARD

Table with columns: TYPE, QUANTITY, PROJECT, CATALOG NUMBER, FIXTURE, SUFFIX, VOLTAGE, FINISH, OPTION, OPTION, OPTION



- 1- Heavy cast aluminum top cover. 2- Optical system assembly. 3- 4x extruded aluminum struts. 4- Cast aluminum driver housing. 5- 4" (102mm) x 4" (102mm) extruded aluminum square body. 6- Cast aluminum mounting base.



MATERIALS

Lumiquad bollard is made of corrosion resistant 356 aluminum alloy with a copper (Cu) content of less than 0.1%.

ELECTRICAL DRIVER

Standard driver is 0-10V dimming-ready (dms to 10%) with: 120-277 multi-volt compatibility (50-60Hz), operating temperatures of -40°C/40°F to 50°C/122°F, output over voltage protection, output over current protection, output short circuit protection with auto-recovery.

LED

3000K/5500K/4000K CCT with 80 CRI. Optional true amber LED for turtle sensitive areas. Wavelengths: 585nm to 597nm.

LIFE

60,000hrs L70 (based on IESNA TM-21 Test Method and LM-80 data). Up to 70,000hrs L70 (calculated projection from LM-80 data).

FINISH


Five-stage preparation process includes preheating of cast aluminum parts for air extraction. Polyester powder coating is applied through an electrostatic process, and oven cured for long term finish.

CERTIFICATION

Certified and Approved as per CSA C22.2 No. 250.0 standard and ANSI/UL 1598 standard for wet location. Rated IP65. Photometric testing performed by an independent laboratory in accordance with IES LM-79-09 standards at 25°C. Lumen depreciation in accordance with IESNA LM80 standards.

MOUNTING

Mounts with a set of 4 x 5/8"-36 x 3/4" lg. galvanized anchor bolts.



LUMINIS | Toll free: 866.586.4647 Fax: 514.683.8872 Email: info@luminis.com 260 Labrosse, Pointe-Claire (QC) Canada H9R 5L5 LUMINIS.COM

D-Series Size 1 LED Area Luminaire

Specifications

Table with columns: EPA, Length, Width, Height H1, Height H2, Weight

Ordering Information EXAMPLE: DSX1 LED P7 40K 70CRI T3M MVOLT SPA NLTAIR2 PIRHN DDBXD

Table with columns: Series, LED, Color temperature, Color Rendering Index, Distribution, Voltage, Mounting

Table with columns: Shipped installed, Shipped separately, Options

LITHONIA LIGHTING | One Lithonia Way • Conyers, Georgia 30012 • Phone: 1-800-705-SERV (7378) • www.lithonia.com

LITHONIA LIGHTING®

Table with columns: Catalog Number, Notes, Type

FEATURES & SPECIFICATIONS

INTENDED USE — These specifications are for USA standards only. Round Tapered Aluminum is a general purpose light pole for up to 50-foot mounting heights.

CONSTRUCTION — Pole shaft: The pole shaft is of uniform wall thickness and is one-piece extruded 6061 aluminum alloy with 1% temper. The shaft is one tapered. Available shaft diameters are 4", 5", 6", 7", 8", 10", and 12".

Anchor Base/Bolts: Anchor base is cast from 6356 alloy aluminum and is heat treated to 1/2 temper after welding. Anchor bolts are manufactured to ASTM F1554 Standards Grade 55, ES KS minimum yield strength and tensile strength of 75-95 KSI.

Hardware: All structural and non-structural fasteners are stainless-steel.

FINISH — Extra durable painted finish is coated with polyester powder that meets SA and SB classifications of ASTM D3359. Standard powder coat finishes include Dark Bronze, White, Black, and Natural Aluminum colors.

Anchor Base/Bolts: Anchor base is cast from 6356 alloy aluminum and is heat treated to 1/2 temper after welding. Anchor bolts are manufactured to ASTM F1554 Standards Grade 55, ES KS minimum yield strength and tensile strength of 75-95 KSI.

Hardware: All structural and non-structural fasteners are stainless-steel.

FINISH — Extra durable painted finish is coated with polyester powder that meets SA and SB classifications of ASTM D3359. Standard powder coat finishes include Dark Bronze, White, Black, and Natural Aluminum colors.

Anchor Base/Bolts: Anchor base is cast from 6356 alloy aluminum and is heat treated to 1/2 temper after welding. Anchor bolts are manufactured to ASTM F1554 Standards Grade 55, ES KS minimum yield strength and tensile strength of 75-95 KSI.

Hardware: All structural and non-structural fasteners are stainless-steel.

FINISH — Extra durable painted finish is coated with polyester powder that meets SA and SB classifications of ASTM D3359. Standard powder coat finishes include Dark Bronze, White, Black, and Natural Aluminum colors.

Anchor Base/Bolts: Anchor base is cast from 6356 alloy aluminum and is heat treated to 1/2 temper after welding. Anchor bolts are manufactured to ASTM F1554 Standards Grade 55, ES KS minimum yield strength and tensile strength of 75-95 KSI.

Hardware: All structural and non-structural fasteners are stainless-steel.

FINISH — Extra durable painted finish is coated with polyester powder that meets SA and SB classifications of ASTM D3359. Standard powder coat finishes include Dark Bronze, White, Black, and Natural Aluminum colors.

Anchor Base/Bolts: Anchor base is cast from 6356 alloy aluminum and is heat treated to 1/2 temper after welding. Anchor bolts are manufactured to ASTM F1554 Standards Grade 55, ES KS minimum yield strength and tensile strength of 75-95 KSI.

Hardware: All structural and non-structural fasteners are stainless-steel.

FINISH — Extra durable painted finish is coated with polyester powder that meets SA and SB classifications of ASTM D3359. Standard powder coat finishes include Dark Bronze, White, Black, and Natural Aluminum colors.

Anchor Base/Bolts: Anchor base is cast from 6356 alloy aluminum and is heat treated to 1/2 temper after welding. Anchor bolts are manufactured to ASTM F1554 Standards Grade 55, ES KS minimum yield strength and tensile strength of 75-95 KSI.


Hardware: All structural and non-structural fasteners are stainless-steel.

FINISH — Extra durable painted finish is coated with polyester powder that meets SA and SB classifications of ASTM D3359. Standard powder coat finishes include Dark Bronze, White, Black, and Natural Aluminum colors.

Anchor Base Poles

RTA

ROUND TAPERED ALUMINUM



HOUSING PER MANUFACTURER. HORIZONTAL MOUNTED LIGHT LENS SHALL NOT PROJECT BELOW LIGHT SHIELD. OFF SITE LUMINANCE SHALL NOT BE GREATER THAN 1,000 FOOT LAMBERTS OR 200 FOOT LAMBERTS FROM ANY RESIDENTIAL PROPERTY LINE.

COLOR, BRONZE

FINISH GRADE OR PAVING

20'-0" MAX.

6'-0"

LIGHTING NOTE: NEON LIGHTS ARE PROHIBITED WITHIN 300 FEET OF LEARNING ROAD.

OUTDOOR POLE-RTA

D-Series DSXF1 LED Floodlight

Specifications

Table with columns: EPA, Depth, Width, Height, Overall Height, Weight

Ordering Information EXAMPLE: DSXF1 LED P1 40K MSP MVOLT THK DDBXD

Table with columns: Series, Performance Package, Color temperature, Distribution, Voltage, Mounting

Table with columns: Shipped installed, Shipped separately, Options

LITHONIA LIGHTING | One Lithonia Way • Conyers, Georgia 30012 • Phone: 1-800-705-SERV (7378) • www.lithonia.com

WST LED Architectural Wall Sconce

Specifications

Table with columns: Height, Width, Depth, Weight

Ordering Information EXAMPLE: WST LED P1 40K VF MVOLT DDBTXD

Table with columns: Series, Performance Package, Color temperature, Distribution, Voltage, Mounting

Table with columns: Shipped installed, Shipped separately, Options

LITHONIA LIGHTING | One Lithonia Way • Conyers, Georgia 30012 • Phone: 1-800-705-SERV (7378) • www.lithonia.com

WST LED Architectural Wall Sconce

Specifications

Table with columns: Height, Width, Depth, Weight

Ordering Information EXAMPLE: WST LED P1 40K VF MVOLT DDBTXD


Table with columns: Series, Performance Package, Color temperature, Distribution, Voltage, Mounting

Table with columns: Shipped installed, Shipped separately, Options

LITHONIA LIGHTING | One Lithonia Way • Conyers, Georgia 30012 • Phone: 1-800-705-SERV (7378) • www.lithonia.com

NOTE: WALL SCONES AND FLOOD LIGHTS SHALL BE PURSUANT TO IDO 5-8(D)(4) AND 5-8(E)

Professional Engineer seal for Ronald R. Bohannon, P.E. #7868, and construction details for Nobis Rehab Hospital, 1100 Woodward Pl., Albuquerque, New Mexico 87109.



Street Trees
 Within 20' of back of curb.
 Desert Willow 12
 Honey Locust 9
 Bradford Pear 22
 Austrian Pine 5
 48 total

LANDSCAPE LEGEND

QTY	SIZE	COMMON/BOTANICAL	H2O USE
Trees			
14	2" cal	Chinese Pistache <i>Pistacia chinensis</i>	106 9884 M
9	2" cal	Honey Locust <i>Gleditsia triacanthos</i>	1590 14310 M
8	6 - 8'	Austrian Pine <i>Pinus nigra</i>	490 3920 M
10	25 Gal	Crape Myrtle <i>Lagerstroemia indica</i> x <i>fauriei</i> Tree Form, Multi-Trunk	235 235 M
31	2" Cal	Pom Pom Redbud <i>Cercis canadensis</i> Pom Pom Poms Per COA mandate	113 3503 M
11	2" Cal	Desert Willow <i>Chilopsis linearis</i> Multi-Trunk	39 663 M
89.00 Total Trees			32515.00
Shrubs & Groundcovers			
4	4 - 6'	Palm Yucca <i>Yucca faxoniata</i> Note: Install 3 Boulders and 150sf cobble accent	28 112 M
6	5 Gal	Curly-leaf Mountain Mahogany <i>Cercocarpus ledifolius</i>	176 1056 L
10	5 Gal	Spanish Broom <i>Spartium junceum</i>	78.5 785 M
8	5 Gal	Rose of Sharon <i>Hibiscus syriacus</i>	78.5 628 M
46	5 Gal	India Hawthorne <i>Raphiolepis indica</i>	28 1028 M
49	5 Gal	Buffalo Juniper <i>Juniperus sabina</i> 'Buffalo'	50 2450 M
56	5 Gal	Turpentine Bush <i>Eriocarya laricina</i>	12.5 700 L
25	5 Gal	Knock Out Roses <i>Rosa 'Knock Out'</i>	12.5 312.5 L
30	5 Gal	Apache Plume <i>Fallugia paradoxa</i>	38.5 1155 L
28	5 Gal	Chamisa <i>Chrysothamnus nauseosus</i>	5x5 19.5 266 L
261 Total Shrubs			8752.50
32,769	Landscape Area Ground Treatment 75% Inorganic, To be determined 25% Organic, To be determined		

LANDSCAPE NOTES:
 Landscape maintenance shall be the responsibility of the Property Owner. The Property Owner shall maintain street trees and shrubs in a living, healthy, and attractive condition.
 Water management is the sole responsibility of the Property Owner. All landscaping will be in conformance with the City of Albuquerque, Zoning Code. In general, water conservative, environmentally sound landscape principles will be followed in design and installation.
 It is the intent of this plan to comply with the City of Albuquerque Integrated Development Ordinance, Section 14-16-5-6, Landscaping, Buffering, and Screening.
 Landscape plant materials used on this plan are derived from the current approved Official Albuquerque Plant Palette and Sizing List.
 Gravel areas and mulch areas shall be defined at permit level, CD's, due to scale.
 This landscape plan meets or exceeds all requirements of the COA IDO.
IRRIGATION NOTES:
 Irrigation system maintenance and operation shall be the sole responsibility of the owner. It shall be the owner's responsibility to ensure that fugitive water does not leave the site due to overwatering.
 Irrigation shall be a complete underground system.
 Point of connection for irrigation system is unknown at current time.
 Irrigation will be operated by automatic controller.
 Location of controller to be field determined and power source for controller to be provided by others.
 Irrigation maintenance shall be the responsibility of the Property Owner.
 Water and Power source shall be the responsibility of the Developer/Builder.
Clear Site Triangle Note:
 Landscaping and signage will not interfere with clear site requirements. Signs, walls, trees and shrubbery between 3 and 8 feet tall, (as measured from the gutter pan) are not included within the clear site triangle.
Street Tree Notes:
 Per Section 5-6(D) (1) (a) Required Street Trees. Trees are GENERALLY required along street frontages every 25 feet on center unless otherwise specified in Part 6-2-2 of ROA 1994 (Street Trees)
 Section 6-6-2-5 Street Trees
 (A)
 1. Size of the trees at maturity should be in proportion to the planting space provided for them. ... Smaller species of trees will require closer spacing, and larger trees will require greater spacing. Spacing shall be approved as part of the plan approval process.
 2. On sites where evenly spaced street trees are not possible, or do not conform to the overall design objectives of the site, provided that the number of trees equals or exceeds the number that would be required if the trees were evenly spaced


LANDSCAPE CALCULATIONS

TOTAL LOT AREA (sf)	10591
BUILDING FOOTPRINT (sf)	-1606.2
TOTAL LOT AREA (sf)	10352.3
LANDSCAPE REQUIREMENT	X .15
TOTAL LANDSCAPE REQUIRED (15%)	1552.85
TOTAL ON-SITE LANDSCAPE PROVIDED	32,769
TOTAL LIVE PLANTS REQUIRED	24576.75
TOTAL LIVE PLANTS PROVIDED	41267.50
TOTAL LIVE GROUND COVER REQUIRED	6144.9
TOTAL LIVE GROUND COVER PROVIDED	8752.50

Drainage Basin Treatments
 Per City of Albuquerque
 Drainage Basin Treatments
 The bottom and sides must be seeded with a native mix per City Standard specification 1012.2 depending on soil type for inst city area. Please reference this native seed selection and the section on plan sheet.
 For pond bottoms: Gravel 1/2 to 1 inch mulch. One layer thick, not stacked.
 Native grass establishment must be achieved by the contractor within a 3 year time frame. Temporary irrigation or water trucks must be used when rain is lacking. Seeds must germinate in one year or reseeding will likely be needed. Maintenance will be per City of Albuquerque Specification 1013.31 and 1013.32.
 Contractor must seed the basin during/after the first growing season.
 Needs city inspection, Stormwater Quality Ordinance-final stabilization must be accepted by the City.



SHRUB PLANTING DETAIL

NTS
GENERAL NOTES:
 1. THE OUTSIDE DIAMETER OF THE WATER RETENTION BASIN SHALL BE TWICE THE DIAMETER OF THE SHRUB PLANTING PIT.
CONSTRUCTION NOTES:
 A. SHRUB
 B. BACKFILL WITH EXISTING SOIL.
 C. EARTH BERM AROUND WATER RETENTION BASIN.
 D. 3" DEPTH OF GRAVEL MULCH.
 E. FINISH GRADE.
 F. UNDISTURBED SOIL.




TREE PLANTING DETAIL

NTS
GENERAL NOTES:
 1. ROOTBALL SHALL BE PLACED ON UNDISTURBED SOIL TO PREVENT TREE FROM SETTLING.
 2. TOP OF ROOTBALL INDICATED LEVEL AT WHICH TREE WAS GROWN AND DUG; THIS REPRESENTS THE LEVEL AT WHICH THE TREE SHOULD BE INSTALLED; THAT LEVEL MAY BE EXCEEDED BY ONLY A ONE INCH LAYER OF SOIL.
 3. PRIOR TO BACKFILLING TREE, ALL WIRE, ROPE AND SYNTHETIC MATERIALS SHALL BE REMOVED FROM THE TREE AND THE PLANTING PIT.
 4. PRIOR TO BACKFILLING ALL BURLAP SHALL BE CUT AWAY EXCEPT FROM BOTTOM OF THE ROOTBALL.
CONSTRUCTION NOTES:
 A. TREE
 B. BACKFILL WITH EXISTING SOIL.
 C. 3" DEPTH OF GRAVEL MULCH.
 D. UNDISTURBED SOIL.



RPA, HOTBOX TYP.
 NTS






Mitchell Associates, Inc
 LANDSCAPE ARCHITECTURE
 Danny Mitchell
 danny@mitchellassociatesllc.com 505.639.9583

Landscape Architect
 STATE OF NEW MEXICO
 DANNY D. MITCHELL
 REGISTERED LANDSCAPE ARCHITECT
 April 30, 2024

Mountain Rehab Hospital
 Mountain Rd. / I-25
LANDSCAPE PLAN
 TIERRA WEST, LLC
 5571 MIDWAY PARK PL NE
 ALBUQUERQUE, NEW MEXICO 87109
 (505) 858-3100
 www.tierrawestllc.com

DRAWN BY
 DM
 DATE
 5/6/2024
 SHEET #
 L1
 JOB #
 20231213



LEGEND

	CURB & GUTTER
	BOUNDARY LINE
	EASEMENT
	CENTERLINE
	RIGHT-OF-WAY
	BUILDING
	SIDEWALK
	EXISTING CURB & GUTTER
	EXISTING BOUNDARY LINE
	LANDSCAPING
	GRADE BREAK
	PROPOSED STORM SEWER
	DROP INLET



- NOTICE TO CONTRACTORS**
1. AN EXCAVATION/CONSTRUCTION PERMIT WILL BE REQUIRED BEFORE BEGINNING ANY WORK WITHIN CITY RIGHT-OF-WAY.
 2. ALL WORK DETAILED ON THESE PLANS TO BE PERFORMED, EXCEPT AS OTHERWISE STATED OR PROVIDED HEREON, SHALL BE CONSTRUCTED IN ACCORDANCE WITH CITY OF ALBUQUERQUE INTERIM STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, 1985.
 3. TWO WORKING DAYS PRIOR TO ANY EXCAVATION, CONTRACTOR MUST CONTACT LINE LOCATING SERVICE, 765-1234, FOR LOCATION OF EXISTING UTILITIES.
 4. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL EXCAVATE AND VERIFY THE HORIZONTAL AND VERTICAL LOCATIONS OF ALL CONNECTIONS. SHOULD A CONFLICT EXIST, THE CONTRACTOR SHALL NOTIFY THE ENGINEER SO THAT THE CONFLICT CAN BE RESOLVED WITH A MINIMUM AMOUNT OF DELAY.
 5. BACKFILL COMPACTION SHALL BE ACCORDING TO TRAFFIC/STREET USE.
 6. MAINTENANCE OF THESE FACILITIES SHALL BE THE RESPONSIBILITY OF THE OWNER OF THE PROPERTY SERVED.
 7. WORK ON ARTERIAL STREETS SHALL BE PERFORMED ON A 24-HOUR BASIS.

- EROSION CONTROL NOTES:**
1. CONTRACTOR IS RESPONSIBLE FOR OBTAINING A TOPSOIL DISTURBANCE PERMIT PRIOR TO BEGINNING WORK.
 2. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING RUN-OFF ON SITE DURING CONSTRUCTION.
 3. CONTRACTOR IS RESPONSIBLE FOR CLEANING ALL SEDIMENT THAT GETS INTO EXISTING RIGHT-OF-WAY.
 4. REPAIR OF DAMAGED FACILITIES AND CLEANUP OF SEDIMENT ACCUMULATIONS ON ADJACENT PROPERTIES AND IN PUBLIC FACILITIES IS THE RESPONSIBILITY OF THE CONTRACTOR.
 5. ALL EXPOSED EARTH SURFACES MUST BE PROTECTED FROM WIND AND WATER EROSION PRIOR TO FINAL (CITY) ACCEPTANCE OF ANY PROJECT.
 6. ALL SLOPES NOT STABILIZED AT THE END OF THE PROJECT SHALL BE STABILIZED IN ACCORDANCE WITH COA SPECS OR 3" GRAVEL.

CAUTION

ALL EXISTING UTILITIES SHOWN WERE OBTAINED FROM RESEARCH, AS-BUILTS, SURVEYS OR INFORMATION PROVIDED BY OTHERS. IT SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CONDUCT ALL NECESSARY FIELD INVESTIGATIONS PRIOR TO AND INCLUDING ANY EXCAVATION, TO DETERMINE THE ACTUAL LOCATION OF UTILITIES AND OTHER IMPROVEMENTS, PRIOR TO STARTING THE WORK. ANY CHANGES FROM THIS PLAN SHALL BE COORDINATED WITH AND APPROVED BY THE ENGINEER.

	NOBIS REHAB HOSPITAL 1100 WOODWARD PL.	DRAWN BY pm
	CONCEPTUAL GRADING PLAN	DATE 4-3-24
	5571 MIDWAY PARK PL. NE ALBUQUERQUE, NEW MEXICO 87109 (505) 858-3100 www.tierrawestllc.com	DRAWING 2023123-GR
RONALD R. BOHANNAN P.E. #7868		SHEET # GR-1
		JOB # 2023123



EXISTING DRAINAGE:

THIS SITE IS LOCATED AT THE SOUTHEAST CORNER OF WOODWARD PLACE AND MOUNTAIN ROAD. THE SITE IS BOUNDED BY A HOTEL ON THE SOUTH, BY WOODWARD PLACE ON THE EAST, MOUNTAIN ROAD ON THE NORTH AND THE INTERSTATE 25 FRONTAGE ROAD ON THE EAST CONTAINING APPROXIMATELY 2.75 ACRES. THE SITE IS CURRENTLY VACANT AND DRAINS FROM EAST TO WEST. THERE ARE MINIMAL OFFSITE FLOWS THAT ENTER THE SITE FROM THE EAST ALONG THE FRONTAGE ROAD. THE SITE IS NOT LOCATED IN A FLOOD PLAIN AS SHOWN ON FIRM MAP 35001C0334G. THE SITE CURRENTLY DISCHARGES 8.37 CFS.

PROPOSED DRAINAGE:

THE PROJECT IS LOCATED WITHIN THE GATEWAY CENTER MASTER DRAINAGE PLAN AREA AND CONSISTS OF THREE DEVELOPED BASINS WITHIN THAT PLAN AREA. BASIN A-1 CONSISTS OF MOST OF THIS PROJECT AREA AND MAY RELEASE A RESTRICTED DISCHARGE OF 2.90 CFS TO THE EXISTING STORM SEWER LOCATED IN WOODWARD PLACE. BASIN A-2 CONSISTS MAINLY AN OFFSITE AREA ALONG THE FRONTAGE ROAD THAT DRAINS THROUGH THE SITE AND FREELY DISCHARGES 1.42 CFS TO MOUNTAIN ROAD. BASIN A-3 IS THE SLOPE ALONG MOUNTAIN ROAD AND FREELY DISCHARGES 0.77 CFS TO THE STREET WHICH IS CAPTURED IN EXISTING DROP INLETS.

THE PROPOSED SITE IS DIVIDED INTO FOUR NEW BASINS. BASINS A, B AND C WILL DRAIN TO DROP INLETS AND BE CONVEYED TO AN UNDERGROUND DETENTION FACILITY THAT WILL DISCHARGE AT A CONTROLLED RATE TO THE EXISTING STORM SEWER IN WOODWARD PLACE. BASIN D IS A SLOPED AREA DRAINING 0.34 CFS TO WOODWARD PLACE AND MOUNTAIN ROAD. BASIN OF-1 IS THE OFF-SITE BASIN THAT WILL BE ALLOWED TO PASS THROUGH THE SITE. PER THE GATEWAY CENTER MASTER DRAINAGE PLAN THIS SITE MAY DISCHARGE A TOTAL OF 5.09 CFS TO THE EXISTING STORM SEWER. THEREFORE THE DISCHARGE FROM THE UNDERGROUND DETENTION FACILITY WILL BE LIMITED TO 4.75 CFS AS 0.34 CFS WILL SURFACE DISCHARGE TO THE STREET.

THE UNDERGROUND DETENTION FACILITY WILL RETAIN THE REQUIRED WATER QUALITY VOLUME OF 2,000 CUBIC FEET, WHICH WILL BE ALLOWED TO INFILTRATE INTO THE GROUND.

Weighted E Method

On-Site Basins																
Basin	Area (sf)	Area (acres)	Treatment A		Treatment B		Treatment C		Treatment D		100-Year			10-Year		
			%	(acres)	%	(acres)	%	(acres)	%	(acres)	Weighted E (in)	Volume (ac-ft)	Flow (cfs)	Weighted E (in)	Volume (ac-ft)	Flow (cfs)
OF-1	5,065	0.12	0%	0	0%	0.00	100%	0.12	0%	0.00	1.030	0.010	0.35	0.480	0.005	0.18
A	14,561	0.33	0%	0	20%	0.07	12%	0.04	68%	0.23	1.868	0.052	1.27	1.144	0.032	0.74
B	35,679	0.82	0%	0	14%	0.11	10%	0.08	76%	0.62	1.986	0.136	3.22	1.238	0.084	1.93
C	64,571	1.48	0%	0	11%	0.16	4%	0.06	85%	1.26	2.110	0.261	6.03	1.336	0.165	3.66
D	4,791	0.11	0%	0	0%	0.00	95%	0.10	5%	0.01	1.095	0.010	0.34	0.532	0.005	0.18
										2.12	0.448	10.87				

Equations:

Weighted E = $E_a \cdot A_a + E_b \cdot A_b + E_c \cdot A_c + E_d \cdot A_d$ / (Total Area)

Volume = Weighted D * Total Area

Flow = $Q_a \cdot A_a + Q_b \cdot A_b + Q_c \cdot A_c + Q_d \cdot A_d$



Excess Precipitation, E (inches)				Peak Discharge (cfs/acre)		
Zone	2	100-Year	10-Year	Zone	2	100-Year
E _a	0.62	0.15		Q _a	1.71	0.41
E _b	0.8	0.3		Q _b	2.36	0.95
E _c	1.03	0.48		Q _c	3.05	1.59
E _d	2.33	1.51		Q _d	4.34	2.71

Water Quality Calculation: 0.26" x 2.12 ac = 2,000 cubic feet (0.046 ac-ft)

CAUTION

ALL EXISTING UTILITIES SHOWN WERE OBTAINED FROM RESEARCH, AS-BUILTS, SURVEYS OR INFORMATION PROVIDED BY OTHERS. IT SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CONDUCT ALL NECESSARY FIELD INVESTIGATIONS PRIOR TO AND INCLUDING ANY EXCAVATION, TO DETERMINE THE ACTUAL LOCATION OF UTILITIES AND OTHER IMPROVEMENTS, PRIOR TO STARTING THE WORK. ANY CHANGES FROM THIS PLAN SHALL BE COORDINATED WITH AND APPROVED BY THE ENGINEER.


	NOBIS REHAB HOSPITAL 1100 WOODWARD PL.	DRAWN BY pm
	DRAINAGE PLAN	DATE 4-3-24
		DRAWING 2023123-GR
RONALD R. BOHANNAN P.E. #7868		SHEET # GR-2
		JOB # 2023123



LEGEND

	CURB & GUTTER
	BOUNDARY LINE
	EASEMENT
	CENTERLINE
	RIGHT-OF-WAY
	BUILDING
	SIDEWALK
	EXISTING CURB & GUTTER
	EXISTING BOUNDARY LINE
	RETAINING WALL
	8" SAS
	8" WL
	PROPOSED HYDRANT
	NEW SAS MH
	NEW WATER METER

CAUTION
 ALL EXISTING UTILITIES SHOWN WERE OBTAINED FROM RESEARCH, AS-BUILTS, SURVEYS OR INFORMATION PROVIDED BY OTHERS. IT SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CONDUCT ALL NECESSARY FIELD INVESTIGATIONS PRIOR TO AND INCLUDING ANY EXCAVATION, TO DETERMINE THE ACTUAL LOCATION OF UTILITIES AND OTHER IMPROVEMENTS, PRIOR TO STARTING THE WORK. ANY CHANGES FROM THIS PLAN SHALL BE COORDINATED WITH AND APPROVED BY THE ENGINEER.



THE CONTRACTOR SHALL COORDINATE WITH THE WATER AUTHORITY SEVEN (7) DAYS IN ADVANCE OF PERFORMING WORK THAT WILL AFFECT THE PUBLIC WATER OR SANITARY SEWER INFRASTRUCTURE. WORK REQUIRING SHUTOFF OF FACILITIES DESIGNATED AS MASTER PLAN FACILITIES MUST BE COORDINATED WITH THE WATER AUTHORITY 14 DAYS IN ADVANCE OF PERFORMING SUCH WORK. ONLY WATER AUTHORITY CREWS ARE AUTHORIZED TO OPERATE PUBLIC VALVES. SHUTOFF REQUESTS MUST BE MADE ONLINE AT [HTTP://ABCWUA.ORG/CONTENT/VIEW/463/729/](http://abcwua.org/content/view/463/729/).

GENERAL UTILITY NOTES:









- ALL WATER AND SEWER UTILITY WORK TO BE DONE IN ACCORDANCE WITH COA STANDARDS AND SPECIFICATIONS LATEST EDITION.
- 4' MINIMUM BURY REQUIRED FOR ALL UTILITIES UNLESS OTHERWISE NOTED.
- REFERENCE PLUMBING PLANS FOR WATER LINE RISER LOCATIONS. BACKFLOW PREVENTOR LOCATED INSIDE BUILDING
- CLEAN OUTS ARE TO BE BUILT PER UNIFORM PLUMBING CODE STANDARDS AT LOCATIONS INDICATED AND AT MID RUN IF LONGER THAN 100'
- ALL PLUMBING PIPE MATERIAL TO BE USED PER UPC.
- FIRE LINE AND DOMESTIC WATERLINE MUST HAVE BACKFLOW PREVENTORS PER UPC. TO BE PROVIDED IN THE BUILDING
- ALL EX. SD INLETS AND MH'S SHALL HAVE CONCRETE COLLARS POURED AND BE ADJUSTED TO FINISHED GRADE.
- ALL EXCAVATION, TRENCHING AND SHORING ACTIVITIES MUST BE CARRIED-OUT IN ACCORDANCE WITH OSHA 29 CFR 1926.650 SUBPART P.
- ALL UTILITY DISTANCES SHOWN ARE FOR REFERENCE ONLY.
- PNM HAS NUMEROUS ELECTRIC FACILITIES AT THIS SITE CURRENTLY SERVING EXISTING CUSTOMERS. THE APPLICANT SHALL COORDINATE WITH PNM REGARDING THESE EXISTING FACILITIES. ANY RELOCATION, CHANGES OR REALIGNMENT OF EXISTING ELECTRIC UTILITIES WILL BE THE DEVELOPER EXPENSE. IN SOME CASES, RELOCATION OR CHANGES TO EXISTING FACILITIES MAY NOT BE FEASIBLE DUE TO PHYSICAL, USE OR SAFETY CLEARANCE CONSTRAINTS.
- PNM WILL REVIEW ALL TECHNICAL NEEDS, ISSUES AND SAFETY CLEARANCES FOR ITS ELECTRIC POWER SYSTEMS. ANY EXISTING AND PROPOSED PUBLIC UTILITY EASEMENTS SHALL BE INDICATED ON THE SITE PLAN UTILITY SHEET PRIOR TO DRB REVIEW. PNM'S STANDARD FOR PUBLIC UTILITY EASEMENTS IS 10 FEET IN WIDTH TO ENSURE ADEQUATE, SAFE CLEARANCES.
- SCREENING SHALL BE DESIGNED TO ALLOW FOR ACCESS TO UTILITY FACILITIES. IT IS NECESSARY TO PROVIDE ADEQUATE CLEARANCE OF TEN FEET SURROUNDING ALL GROUND-MOUNTED UTILITIES FOR SAFE OPERATION, MAINTENANCE AND REPAIR PURPOSES.


INSPECTION NOTE

CONTRACTOR SHALL CONSULT THE LOCAL BUILDING DEPARTMENT OFFICIALS FOR ANY PLAN REVIEW, PERMITTING REQUIREMENTS OR BUILDING CODE INSPECTIONS THAT MAY BE REQUIRED TO ENFORCE LOCAL, STATE OR NATIONAL BUILDING CODES PRIOR TO CONSTRUCTING IMPROVEMENTS

	NOBIS REHAB HOSPITAL 1100 WOODWARD PL.	DRAWN BY pm
	MASTER UTILITY PLAN	DATE 4-3-24
	DRAWING 2023123-GR	SHEET # MU-1
RONALD R. BOHANNAN P.E. #7868	TIERRA WEST, LLC 5571 MIDWAY PARK PL NE ALBUQUERQUE, NEW MEXICO 87109 (505) 858-3100 www.tierrawestllc.com	JOB # 2023123

EXTERIOR FINISH LEGEND

 EIFS - 1 STOUT 1.0 COLOR - 31335 JUTE	 MODULAR BRICK - PEBBLE GRAY	 LOUVERED SUNSHADES - PLATINUM ICE
 EIFS - 2 STOUT 1.0 COLOR - 32138 COTTON	 ACM PANEL / PREFORMED METAL WALL PANEL - PLATINUM ICE	 ACM PANELS AT CANOPY, COLUMN WRAPS - PLATINUM ICE
 EIFS - 3 STOUT 1.0 COLOR - 31334 THATCH	 STOREFRONT SYSTEM - PLATINUM ICE GLAZING - GUARDIAN S668, CRYSTAL GRAY	




SOUTH ELEVATION - NOT STREET FACING

COMPLIANCE WITH 5-11(E)(2) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE
 UPPER FLOOR WINDOWS
 GROUND FLOOR WINDOWS - YES BUT SILLS AT 32"
 OVERHANGS / COLUMNS
 SUNSHADE LOUVERS
 SCREENWALL TO MATCH BUILDING

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE
 CHANGES IN COLOR
 BRICK GROUND FLOOR
 3 EIFS COLORS ON UPPER FLOORS
 FIELD COLOR
 HORIZONTAL BAND COLOR (1" PROJECTION)
 COLOR AT 1" INSET (PLANE CHANGE) BETWEEN WINDOWS
 MASONRY 1" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
 EIFS BAND 1" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2)
 PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS,
 EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS.
 PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED
 TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE
 EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS
 LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING
 CORNICE AND BASE, SIMILAR TO THE BUILDING.

02 SOUTH ELEVATION
1/16" = 1'-0" | NOT STREET FACING



NORTH ELEVATION - STREET FACING


COMPLIANCE WITH 5-11(E)(2) - NEED 2
 UPPER FLOOR WINDOWS
 GROUND FLOOR WINDOWS / MAIN ENTRY
 CANOPY / OVERHANGS / COLUMNS
 SUNSHADE LOUVERS

COMPLIANCE WITH 5-11(E)(3) - NEED 1
 CHANGES IN COLOR
 BRICK GROUND FLOOR
 3 EIFS COLORS ON UPPER FLOORS
 FIELD COLOR
 HORIZONTAL BAND COLOR (1" PROJECTION)
 COLOR AT 1" INSET (PLANE CHANGE) BETWEEN WINDOWS
 MASONRY 1" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE)
 EIFS BAND 1" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)


LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2)
 PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS,
 EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS.
 PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED
 TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE
 EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS
 LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING
 CORNICE AND BASE, SIMILAR TO THE BUILDING.

01 NORTH ELEVATION
1/16" = 1'-0" | STREET FACING


EXTERIOR FINISH LEGEND			
	EIFS - 1 STOLIT 1.0 COLOR 31335 JUTE		MODULAR BRICK - PEBBLE GRAY
	EIFS - 2 STOLIT 1.0 COLOR - 32138 COTTON		ACM PANEL / PREFORMED METAL WALL PANEL - PLATINUM ICE
	EIFS - 3 STOLIT 1.0 COLOR - 31334 THATCH		STOREFRONT SYSTEM - PLATINUM ICE GLAZING - GUARDIAN SN68, CRYSTAL GRAY
			LOUVERED SUNSHADES - PLATINUM ICE
			ACM PANELS AT CANOPY, COLUMN WRAPS - PLATINUM ICE



04 MONUMENT SIGN
3/4" = 1'-0"



03 MONUMENT SIGN SECTION
3/4" = 1'-0"




02 WEST ELEVATION
1/16" = 1'-0" | STREET FACING

WEST ELEVATION - STREET FACING, PARTIALLY BLOCKED BY LOADING DOCK SCREEN WALL

COMPLIANCE WITH 5-11(E)(2) - NEED 2 UPPER FLOOR WINDOWS CANOPY / OVERHANGS / COLUMNS SECONDARY STAFF ENTRY

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, BUT PROVIDED SIMILAR TO NORTH FACADE CHANGES IN COLOR BRICK GROUND FLOOR 2 EIFS COLORS ON UPPER FLOORS FIELD COLOR HORIZONTAL BAND COLOR (1" PROJECTION) MASONRY 1" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE) EIFS BAND 1" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

LOADING DOCK SCREENWALL COMPLIANCE WITH 5-6(G)(2) PROVIDES SCREENING OF LOADING DOCK ACTIVITIES, DUMPSTERS, EMERGENCY GENERATOR, AND GROUND SET CONDENSING UNITS. PER 5-6(G)(2)(G)(1) THE WALL AROUND THE LOADING DOCK IS REQUIRED TO BE 10' TALL TO PROVIDE FULL HEIGHT SCREENING OF THE EMERGENCY GENERATOR. THE WALL WILL BE THE SAME BRICK AS LEVEL 1 OF THE BUILDING WITH BRICK 3 DIMENSIONAL PROJECTING CORNICE AND BASE, SIMILAR TO THE BUILDING.



01 EAST ELEVATION
1/16" = 1'-0" | STREET FACING


EAST ELEVATION - STREET FACING

COMPLIANCE WITH 5-11(E)(2) - NEED 2 UPPER FLOOR WINDOWS GROUND FLOOR WINDOWS - YES BUT SILLS AT 32" CANOPY / OVERHANGS / COLUMNS PRIMARY STAFF ENTRY

COMPLIANCE WITH 5-11(E)(3) - NOT REQUIRED, PROVIDED SIMILAR TO NORTH FACADE CHANGES IN COLOR BRICK GROUND FLOOR 2 EIFS COLORS ON UPPER FLOORS FIELD COLOR HORIZONTAL BAND COLOR (1" PROJECTION) MASONRY 1" PROJECTION CHANGE IN PLANE (3 DIMENSIONAL BASE) EIFS BAND 1" PROJECTION AT PARAPET (3 DIMENSIONAL CORNICE)

01	03/28/2024
02	
03	
04	
05	
06	
07	
08	

PRIMARY ELECTRICAL TO SIGN LOCATIONS IS TO BE PROVIDED BY OTHERS. 20 AMP DEDICATED CIRCUIT(S) WITH NO SHARED NEUTRALS AND A GROUND RETURNING TO THE PANEL IS REQUIRED FOR ALL INSTALLATIONS. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR A MATCH AS CLOSE AS POSSIBLE. THIS ORIGINAL DESIGN IS THE SOLE PROPERTY OF BENNU ARCHITECTURAL SIGNAGE. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM BENNU ARCHITECTURAL SIGNAGE. ELECTRICAL SIGNS ARE INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF SIGN.



M MONUMENT

QUANTITY: 1 (ONE)

SCALE: 1:24

FACE: DOUBLE

CONSTRUCTION:


USE STANDARD ALUMINUM CONSTRUCTION. PUSH-THRU ILLUMINATED LOGO AND ADDRESS NUMBERS.

SQ/FT: 50

ILLUMINATED: PUSH-THRU

COLORS: TBD

COLORS TO MATCH OR COMPLIMENT BUILDING COLORS (PLEASE PROVIDE BUILDING COLORS)



1116 FOWLER STREET,
OLD HICKORY, TN 37138
615.226.4577 / bennusigns.com

NOBIS REHAB -
ALBUQUERQUE
CLIENT

1100 WOODWARD PL NE
ALBUQUERQUE, NM, 87102
PROJECT ADDRESS


HARRISON BARINAGA
PRESENTED BY
ELLIOT BAE
PREPARED BY

EXT - NOBIS ALBUQUERQUE
- SIGNAGE
PROJECT NAME

602507
QUOTE #
SALES #

01	03/28/2024
02	
03	
04	
05	
06	
07	
08	


PRIMARY ELECTRICAL TO SIGN LOCATIONS IS TO BE PROVIDED BY OTHERS. 20 AMP DEDICATED CIRCUIT(S) WITH NO SHARED NEUTRALS AND A GROUND RETURNING TO THE PANEL IS REQUIRED FOR ALL INSTALLATIONS. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR A MATCH AS CLOSE AS POSSIBLE. THIS ORIGINAL DESIGN IS THE SOLE PROPERTY OF BENNU ARCHITECTURAL SIGNAGE. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM BENNU ARCHITECTURAL SIGNAGE. ELECTRICAL SIGNS ARE INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF SIGN.



CL CHANNEL LETTER DISPLAY / FLUSH MOUNTED

QUANTITY: 2 (TWO)
SCALE: 1:32 **SQ/FT:** 138
FACE: SINGLE **ILLUMINATED:** FACE
CONSTRUCTION:
 STANDARD ALUMINUM CONSTRUCTION WITH MATTHEWS SATIN ACRYLIC POLYURETHANE FINISH.
INSTALL:
 3/16" WHITE IMPACT MODIFIED ACRYLIC ILLUMINATED WITH WHITE LED'S WITH FACE PLATE TREATED WITH HIGH PERFORMANCE CAST TRANSLUCENT VINYL.
 PAINT EXPOSED STRUCTURE MAP BLACK.
 1" TRIMCAP (BLACK) WITH 5.3" LETTER COIL (BLACK)

100% WHITE



FLUSH MOUNTED CHANNEL LETTERS
-LED FACE ILLUMINATED

01	03/28/2024
02	
03	
04	
05	
06	
07	
08	

PRIMARY ELECTRICAL TO SIGN LOCATIONS IS TO BE PROVIDED BY OTHERS. 20 AMP DEDICATED CIRCUIT(S) WITH NO SHARED NEUTRALS AND A GROUND RETURNING TO THE PANEL IS REQUIRED FOR ALL INSTALLATIONS. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR A MATCH AS CLOSE AS POSSIBLE. THIS ORIGINAL DESIGN IS THE SOLE PROPERTY OF BENNU ARCHITECTURAL SIGNAGE. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM BENNU ARCHITECTURAL SIGNAGE. ELECTRICAL SIGNS ARE INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF SIGN.

NEED TO FIELD VERIFY


CL1

120V / 277V 15 AMP

**BLOCKING TO BE COME IN
16'-2" FROM LEFT
AND 2'-7" FROM TOP**

**POWER TO BE COME IN
18'-0" FROM LEFT
AND 5'-0" FROM TOP**

MEASUREMENT FROM LEFT SIDE OF THIS PANEL



PARTIAL SOUTH ELEVATION


SCALE: 1/8" = 1'-0"

ELEVATION WIDTH: 267'-10"

ELEVATION HEIGHT: 46'-11"

01	03/28/2024
02	
03	
04	
05	
06	
07	
08	

PRIMARY ELECTRICAL TO SIGN LOCATIONS IS TO BE PROVIDED BY OTHERS. 20 AMP DEDICATED CIRCUIT(S) WITH NO SHARED NEUTRALS AND A GROUND RETURNING TO THE PANEL IS REQUIRED FOR ALL INSTALLATIONS. COLORS REPRESENTED IN THIS DRAWING ARE FOR PRESENTATION PURPOSES ONLY. THEY MAY NOT MATCH YOUR FINISHED PRODUCT PERFECTLY. COLOR CALL-OUTS ARE FOR A MATCH AS CLOSE AS POSSIBLE. THIS ORIGINAL DESIGN IS THE SOLE PROPERTY OF BENNU ARCHITECTURAL SIGNAGE. IT CANNOT BE REPRODUCED, COPIED OR EXHIBITED IN WHOLE OR PART, WITHOUT FIRST OBTAINING WRITTEN CONSENT FROM BENNU ARCHITECTURAL SIGNAGE. ELECTRICAL SIGNS ARE INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF SIGN.



PARTIAL NORTH ELEVATION

SCALE: 1/8" = 1'-0"

ELEVATION WIDTH: 267'-10"

ELEVATION HEIGHT: 46'-11"

